



Collibra Data Intelligence Cloud
Collibra Protect

Collibra Data Intelligence CloudCollibra Data Governance Center - Collibra Protect

Release date: Thursday, July 6, 2023

Revision date: July 06, 2023

You can find the most up-to-date technical documentation on our Documentation Center at https://productresources.collibra.com/docs/collibra/latest/Content/to_collibra-protect.htm

Contents

Contents	ii
Scenarios for using Protect	iii
Essentials	xxiii
Set up Protect	xlili
Protect global roles and permissions	I
Open Protect	li
Protect groups	liii
Data protection standards	lvi
Data access rules	lxiv
Data source policies (beta)	lxxix
Data source providers	lxxxi
Protect audit (beta)	cx
Asset data protection	cxii
Why rules or standards may fail	cxiv
Collibra Protect	cxxii
Scenarios for using Protect	cxxii
Essentials	cxlii
Set up Protect	clxii
Protect global roles and permissions	clxix
Open Protect	clxx
Protect groups	clxxii
Data protection standards	clxxv
Data access rules	clxxxiii

Data source policies (beta)	cxcviii
Data source providers	cc
Protect audit (beta)	ccxxix
Asset data protection	ccxxx
Why rules or standards may fail	ccxxxiii

Scenarios for using Protect

This topic describes how Collibra Protect helps you to:

- Use the metamodel graph to establish and enforce protection policies on Business Processes, Data Categories, and Data Sets.
- Apply a range of protection mechanisms to data sources using classifications.
- Support privacy preferences, such as consent management, data subject access requests, and the right to be forgotten, via row-filtering mechanisms.
- Conduct an audit of relevant protection at data sources and use reporting to demonstrate compliance in data storage and consumption.

Discover and classify personal information

Suppose that you want to help your organization find personal information.

To achieve this, typically, your Privacy team sets up the Data Classification Policy, where they classify the data used in the organization based on the sensitivity or the business criticality of the data. This determines the required levels of security for the applications that store that data or the applications that are used for the transit of the data.


Consider the following three classifications for sensitivity:

- Public data, which is least sensitive.
- Private data, which is slightly more sensitive than the public data.
- Restricted data, which is the most sensitive data and therefore requires the highest level of access controls and security protection.


The following image shows the standard subassets of the Data Classification policy.

<p>STD Private Data</p> <p>Description Data is classified as private when unauthorized disclosure, alteration or destruction results in moderate levels of risk to the organisation and its data subjects. It requires the average level of access control and security protections whether in storage or in transit</p>	<p>STD Public Data</p> <p>Description Data is classified as public when unauthorized disclosure, alteration or destruction results in no to low levels of risk to the organisation and its data subjects. It requires the lowest level of access control and security protections whether in storage or in transit</p>	<p>STD Restricted Data</p> <p>Description Data is classified as restricted when unauthorized disclosure, alteration or destruction results in significant risk to the organisation and its data subjects. It requires the highest level of access control and security protections whether in storage or in transit</p>
--	--	---

The Privacy team determines the data categories to which these subassets apply. For example, they can determine that Restricted Data applies to the following data categories: Gender, Social Security Number, Payment Card Information.




The Privacy team determines the sensitivity and the required security at the data category level as opposed to the column level. At the data category level, the Privacy team then determines what data elements belong to the identified data categories. For example, the Payment Card Information data category groups the Cardholder Name and the Credit Card Number, among other information.



In this model, Data Attributes are grouped under the Data Category. This is how the Privacy layer is linked to the logical data model. This promotes collaboration between the Privacy team and the Governance team. In addition, this allows the automated data classification of the organization's personal information, which makes views such as the


Restricted Data Overview diagram, available at the most sensitive data category, Standard Restricted Data.



In the above image, the applications in which the restricted data resides are highlighted.

The Privacy team determines the Policies and Standards that determine which data categories are sensitive to the organization and what the required levels of protection are. The Data Governance team maps those data categories to the applications where that data resides. The Security team determines what the security levels on those applications are. Thus, the view captured in the above image requires collaboration among teams.

Consider the traceability diagram called Data Classification under the Restricted Data standard. This standard contains the most sensitive information and thus requires the highest level of security controls; however, it resides on an application that has very low security. Because of this, the Information Security team needs to take the necessary remediation actions and improve the security levels on Blogger. As shown in the following image, an investigation is already ongoing on the potential data breach on Blogger.




Data classification capabilities and guided stewardship


This section describes how Collibra Privacy and Risk leverages the data classification capabilities in Catalog. Thus far, we learned that the Restricted Data standard groups Data Categories, which group Data Attributes. In the example, the Payment Card Information data category contains the Credit Card Number data attribute.

Guided stewardship is a semi-automated process of mapping columns and tables to logical data attributes. It enables content tables to be mapped to data attributes. After scanning a table and then applying guided stewardship in which the Steward selects attributes from the suggestions coming from the automated mapping, the column is mapped to the Credit Card Number. Moreover, when a column is mapped to a data attribute, the column is also mapped to a data category because of the relation between the data category and the data attribute.

The result of classifying one application with the Catalog's Data Classification is shown in the following image.




Restricted Data groups multiple data categories. The following image shows the data attributes that the Payment Card Information data category groups.



By applying guided stewardship and data classification, the data attributes are mapped to the columns. Thus, by using Catalog's data classification capabilities, the Data Governance team can find personal information and sensitive personal information.

It is important to know the context to determine which information is considered personal information. For example, Name can be the name of a customer or an employee, in which case Name is considered personal information. Name can also be the name of another organization. This context can be provided only by a steward. Therefore, data classification and guided stewardship will help the Steward mapping customer's names to the Name column. Because the Privacy team has mapped names and family details, you can safely assume that this is Personal Information. Similarly, Credit Card Number can be the credit card number of another organization, but it is the Steward who has mapped the number to the Credit Card Number data attribute belonging to the Customer data entity, and as a result, we know that the payment card information is very restricted data.




This is an example of how guided stewardship, Catalog's data classification combined with guided stewardship and Collibra Privacy and Risk, gives you a vertical view on where Personal Information resides.

Customer requests and consent management

The previous sections described how we help customers find their Personal Information across applications. This section describes how we help customers manage data subject requests and consent. Collibra has the relevant metadata that is necessary for a partner application that fulfils the data subject requests or manages consent to operate. These applications need the metadata about where the data resides, where you store customer information, how you use the information, why you use the information, and what your legal basis is, so that they can determine for which applications you need consent and for which processes you need instance for a consent. Collibra has and governs the required metadata. In addition, through APIs, Collibra can integrate with those applications to feed them with the metadata that they need to function.


Consider the customer data. Collibra knows where this data resides and how it is being used. This is an outcome of obtaining input from the business users during the onboarding of the Business Processes where the users are asked what data they use, which applications they use, and for what purpose the data is used. When further onboarding of those business processes by the stewards takes place, one of these steps is mapping the Business Processes to the data, and then also helping those business stewards with the mapping through the data classification capabilities in Catalog.

The following image shows a traceability view, which is a result of collaboration with the business team, data governance team, and other teams.



The above image shows where data resides and why it is used. It shows all the applications that contain customer data, and also the related retention periods, which can

be imported when a customer wants to exercise their right to be forgotten. Collibra knows in which applications the data resides and the business processes that use that data. Thus, we know why and how we are using our customer data. This determines how to respond to the right to be forgotten because there are often Business Processes where you have the real legitimate reason to retain the customer's personal information.



When a customer wants to exercise their right to be forgotten, we can remove the information in these applications; however, we need to store the customer information in the above table in order to comply with the legal obligation. Therefore, it is not only important to know where your personal information resides, but also why you are using it. Such information is important information for applications that process data subject requests (DSRs). You can integrate with the application that does the DSRs and create a workflow to process the data subject requests. Based on the input of the information and metadata that you will find in Collibra, you can validate the request. When the request is approved, you can point the applications to the stewards and send them a task to perform the action that appears in the data subject request, such as, removing the data or extracting the data and sending it to a customer.

The same approach can be applied to the integrated consent management applications. These applications need to know the processes for reaching the consent, and such applications reside in the process register, so that you can see all the processes that rely on the consent and the data categories for which you need consent.

Marketing Process Register	
Type: Process Register	Export Metamodel Go to the Business User Interface Request input Edit Move Delete Auto hyperlinks
CCPA Default View	
The view presents the inventory of Business Processes describing the data flows in your organization.	
Delete Move Validate	
Name ↑	legal basis
▶ Direct Marketing	Legitimate interest
▶ Market Research	Legitimate interest
▼ Monetizing Marketing Insights	<u>Consent</u> , Consent from the minor towards selling of PI
..... Monetizing anonimised global Marketing Insights	<u>Consent</u> , Opt-out (from selling)
..... Monetizing Marketing Insights EU customers	<u>Consent</u>
..... Monetizing Marketing Insights US customers	<u>Consent</u> provided towards selling of PI due to financial incentive received,
▶ Print media advertisement	Legitimate interest
▼ Public Website Management	Consent provided towards selling of PI due to financial incentive received,
..... Public Website Content Maintenance	Consent, Substantial Public Interest
..... Create online contest	Consent

These are stored in the data sets that can also contain granular information, such as the individual data elements for which you want to obtain consent—this combines the information about which business processes require consent and the data categories for which you need consent to process all information in Collibra. The information governed in Collibra can be then sent to the consent management application that is used to manage consent.

Potential data breach workflow

This section describes how Collibra helps when a data breach occurs.

With Collibra Data Privacy, Collibra for Desktop, or Collibra for Mobile, you can report any suspicious behavior by logging a potential data breach.

If your organization has suffered a potential data breach, you can determine the application that needs to be investigated and the type of breach that may have occurred,

and then log a potential data breach. The related workflow will require the community manager on the data governance counsel to assign the issue manager who will investigate the breach. The issue manager will then investigate the issue, assess the potential impact of the breach, determine the reporting requirements (for example, to whom the incident must be reported), and plan the remediation actions to address the risks. The reporting evidence needs to be stored. If you go to the data helpdesk, you can find an overview of all the breaches that are being investigated.

The screenshot shows a web interface for 'Security Issues'. At the top, there are tabs for 'Issues', 'Data Quality', and 'Metrics'. Below the tabs, there is a dropdown menu for 'Security Issues' and a subtitle 'View for displaying security breach type issues'. A toolbar contains 'Delete', 'Move', and 'Validate' buttons. The main content is a table with the following data:

Name ↑	Description	Assignee	Requester	Reviewer
BigSuite - sent credentials ove...	Employee accidentally cont...	Preston Sterling	William Parker	Dora Perelman
Data Breach Blogger	Today it is mentioned in the new	Preston Sterling	David English	Dora Perelman
Example of Breach	Description			

Collibra can help with investigating the impact of the breach because of the knowledge of which data resides in the applications and the processes that use those applications. Such a holistic view on where the data resides, which applications are involved, and the processes that rely on these applications can help in assessing the impact on customers following a data breach. Collibra can not only help an organization log and investigate a data breach but also help analyze the impact of the breaches because Collibra knows where the data resides and how it is being used. In addition, it contains a history of all the breaches (including potential ones) that would have been logged.

How do we get there?

This section describes the Process register and Business Process discovery capabilities, data categorization and classification, and different prescriptive paths for reaching out from the logical data layer envisioned in the metamodel graph and connected data sets to a physical data layer present in columns located directly at the data source.

Create and maintain Process Register

Process Register is an essential part of privacy compliance, foreseen directly by GDPR article 30 as a Record of Processing Activities and derived from CCPA requirements for performing data mapping in the organization. Process Register enables to store assets of the Business Process type that describes processes in the organization that involve personal data. In Collibra, Business Processes reflect the requirements stated by Processing Activity in GDPR.

Business Process onboarding


Business Processes may be onboarded by business users as well as privacy stewards through dedicated workflow implementing guided stewardship principle in Collibra Data Privacy. During onboarding, multiple roles collaborate in providing content to the onboarded Business Process. Because of the dedicated tasks and required approval and feedback, assets are onboarded in a governed way.

In the scenario on the Personal Information (PI) Discovery, it was described how Collibra helps with discovering Personal Information. But equally important to knowing where you are storing personal information is knowing why you are using personal information. That is, what the legal context of using that PI is. This context is created within Process Registers, throughout the usage of Business Processes that describe the processes conducted by organization relating to the usage of personal information.

Typically, that information does not reside with one person that can help you document that knowledge. That information is stored within multiple areas across the organization and it may not be easy to centralize this information and ensure that the information is up to date. To help you with this task, CollibraData Privacy comes with the Business Process discovery capabilities.


Consider a high-level overview of Collibra Privacy and Risk Business Process discovery capabilities. It commences with the Business Users describing the Business Processes in their terms. They will describe the data being used, applications being used, and any third parties with which they share information. After describing the Business Process, the owner of the Business Process will accept the ownership of that particular Business Process. When the ownership is accepted, the experts or the stewards will further onboard the proposed Business Process. This means that they will ensure that the Business


Process is accurate and actionable because that Business Process provides business context on how we use personal information and we must ensure that the description is accurate. Therefore, in principle, you will have the Business Steward, Privacy Steward, and Data Steward, each adding business metadata, adding privacy metadata, and performing data mapping, respectively. After the stewards have updated the characteristics, you can optionally obtain feedback from the stakeholders. The following sections describe each step involved in the process.



Requesting business users' input with a dedicated interface


The information related to Business Processes may be requested from the Business User directly from Collibra Privacy and Risk Process Register. Typically, this will be done by those who work on the Privacy program. With the **Request input** button, email will be generated for the selected business users, which can provide relevant information on the business side of the process through a dedicated interface. You can have a guiding text that explains the purpose of your request. If you click **Send**, an email is sent to the business user with an invitation to contribute to the Process Register.






Onboarding Business Process with a business user interface


The Business User receives an email message asking them to verify that all the processes are in their domain.



When the Business User clicks **Go to Marketing Process Register** in the email, a page showing all the Business Processes for their department appears to allow the Business User to contribute to the Process Register.



The link provided in the email message directs the User to a survey where they can describe the business processes that they perform on a daily basis. If the Business User cannot find the Business Process that was onboarded in the process of being onboarded, they can propose a new Business Process using the **Propose Business Process** button. When proposing a Business Process, they can describe the Business Process, provide a unique name, description, and purpose.



The next step involves covering Process Categories such as use, collection, adaptation, and alteration. The Business User defines the types of data that they are using, for example, behavioral information, contact information, or contract information. Finally, they determine what type of customer's data they are using, such as the customers covered by CCPA or GDPR. There can be also an indication on other types of data subjects, such as, employees and candidates. The Business User can select values only from predefined lists—this reduces the scope of errors as there is no ambiguity around the values that the Business User is able to provide. These values have been predefined by the Privacy team and have legal implications. They show how the organization complies with the privacy regulations. Because, when you collect data directly from customers or from third parties—by using sensitive information, public information, or customer or employee information—the distinctions will have an impact on how you comply with the regulations. For example, the employee information is temporarily exempted from the CCPA. Therefore, it is considered better for the Business User to select from the drop-down list, as opposed to providing free text. This also prevents common issues such as spelling errors. In addition, if there is any uncertainty about the meaning of these values, the Business User can look up the definitions of these values in Collibra. In the next steps, the lines of business and third parties involved can be described, applications used can be indicated, and the level of automation in the Process can be determined.

The wizard is prescriptive:


- It shows the user the steps that they have completed and how many steps are remaining, by visually indicating the progress.
- The help text below the question describes what is required from a particular question.
- The ability to open a side panel that provides additional educational information, such as wordings from the law or video content from the Collibra university.
- Smart suggestion based on what the user has already filled and the domain to which they belong.

The screenshot shows the 'Propose New Process' interface at Step 2 of 4. The title is 'Processing Categories and Data Used'. A progress bar at the top right shows four steps, with the second step (this one) highlighted in green. Below the title, there is a help text box: 'A business that collects a consumer's personal information must, at or before the point of collection, inform consumers as to the categories of personal information to be collected and the purposes for which the categories of personal information will be used.' The form contains several sections: 'Processing Category Activities' with a dropdown menu showing 'PHO Consultation'; 'Personal Information Categories' with a dropdown menu showing 'CCPA Behavioral Information'; and 'Data Subject Categories' with a dropdown menu showing 'Customers'. To the right of these sections, there is a list of suggested categories: 'CCPA Commercial Information (CCPA)', 'CCPA Contact Information', 'CCPA Contact Information (CCPA)', 'CCPA Contract Information', and 'CCPA Contract Information (CCPA)'. A 'Previous' button is located at the bottom left.

After entering the information, the Business User can review it before submitting it.


The screenshot shows the 'Propose New Process' interface at Step 4 of 4, titled 'Review and Submit'. A progress bar at the top right shows four steps, with the fourth step (this one) highlighted in green. Below the title, there is a message: 'Please review the information you provided, and edit the information, if necessary. When you are done, click Submit. The asset onboarding process will start in Collibra Data Governance Center.' The form is divided into two main sections: 'Description And Purpose' and 'Processing Categories And Data Used'. The 'Description And Purpose' section includes: 'Name: Marketing campaign preparation', 'Description: Process related to preparation of marketing campaign for a new product', and 'Purpose: PHO Activities Related To PHO...'. The 'Processing Categories And Data Used' section includes: 'Processing Category Activities: PHO Consultation', 'Personal Information Categories: CCPA Behavioral Information, CCPA Commercial Information...', and 'Data Subject Categories: Customers'. A 'Submit' button is located at the bottom left.

After the Business User provides their Business Process, they can submit the process for further onboarding. The next step is for the owner to accept the ownership of that Business Process. A new task is generated for the owner after they accept the ownership of the Business Process in the Process Register. Based on the metadata, the owner can determine that the Business Process belongs to their Process Register. The ownership can be accepted or rejected. As a result, the status of the asset is changed and the justification is added in the **Comments** section of the Business Process.




As a next step, the experts or the stewards will be consulted to ensure that the metadata is accurate and complete and the Business Process is going to be mapped to the data. In the following steps, relevant tasks will be created with the request to review and update attributes when necessary. Among others, the Data Mapping task is performed by Data Stewards. The form contains contextual help with suggestions on the relevant Data Sets consumed and produced by the Business Process. Because one of the data categories used in the process is behavioral information, you can click and review it and view the related data sets in the categories. Based on this, Data Stewards can ensure that Data Mapping has been correctly performed.

The last expert who needs to contribute to the Business Process is the Privacy Steward. After opening the task, the first step is to define the regulation that applies, be it GDPR, CCPA, or others. In addition, a purpose needs to be validated, and legal bases, controllers, and processors need to be defined. Very specific information on regulation shall be specified. For example, on GDPR, we define cross-border transfers, safeguards, consent collection method, and automated decision-making confirmation. On the CCPA side, we are asked about the collection directly from customers or third parties and whether the data is being sold to third parties.



After the Stewards finish updating the Business Process, we ask the Stakeholders for final feedback. If the feedback is positive, we send the task to the Owner for final approval.




Maintain Process Register over time with review requests

While the successful result of the asset onboarding process is a new asset with the status Approved, asset change management is the standardized procedure for making changes to such approved assets.

You may have many reasons to review an approved asset. Collibra Data Privacy groups such reasons into three categories and offers three corresponding means to trigger a review request:

- **Manual:** A trigger that is manually actioned by a user if, for example, the user wants to request a review of a Business Process asset considered to be incomplete or inaccurate. Any user can manually request a review of an approved asset.



- Time-based: A trigger that is automatically actioned at a specified frequency. This is useful for assessment assets for which you might be required to review periodically to comply with a regulation.

- Event-based: A trigger that is automatically actioned by the fact of changes made to specified characteristics of the related asset.

All of the review requests are available in the Data Helpdesk.

Name	Description
[RR] Customer Information - 2019/09/02 22:03	09/02/2019: Manual review requested by Admin Iterator, refer to comments below. 09/02/2019: Request accepted by Admin 09/02/2019: Review request implemented
[RR] Direct Marketing - 2019/08/30 15:52	08/30/2019: Manual review requested by Admin Iterator, refer to comments below.
[RR] Enrich Customer Information - 2019/09/02...	09/04/2019: Manual review requested by Admin Iterator, refer to comments below.
[RR] PIA -> Enrich customer information start...	09/02/2019: Event-based review requested as per rule defined in Change in Technology Asset of Data Set triggers review of PIA
[RR] Travel & Expenses - 2019/09/10 09:51	09/10/2019: Manual review requested by Admin Iterator, refer to comments below. 09/10/2019: Request accepted by John Fisher

Perform Assessments

Conduct PIA and DPIA

If a business process is likely to introduce a level of risk to the rights and freedom of natural persons, the Business Steward or the Data Protection Officer must perform the following:

- Privacy Impact Assessment (PIA), if complying with CCPA
- Data Privacy Impact Assessment (DPIA), if complying with GDPR

To determine whether or not you need to perform such an assessment for a Business Process asset, you must run a Threshold workflow.

The potential for business processes to expose the rights and freedom of natural persons to risk is significant. Privacy Impact Assessments (PIA) and Data Privacy Impact Assessments (DPIA) assess the risks to the rights and freedom of data subjects, born of a specific business process.

After onboarding a Business Process asset, the relevant Threshold workflow helps you determine whether or not a PIA or DPIA is needed. If it is determined that an assessment is necessary, the Owner or the Business Steward for the Business Process asset must complete the relevant workflow:


- PIA, if complying with CCPA
- DPIA, if complying with GDPR

Print assessment results

Assessments are a way for an organization to demonstrate compliance. You can export and print the PIA results in a unified way. You can also download a PIA asset page as a printable PDF, regardless of the status of the PIA asset.

Steps

1. Go to the relevant PIA asset page.



2. Click **Export to PDF**.

» The PDF is downloaded to your computer.

Data privacy building blocks > Sample content > Sample assessment register Print date: 2019-11-04

PIA PIA -> PIA -> Direct Marketing (started on 08/07/2019 14:58)

Status: **Approved** Date started: 8/7/2019 | Last modified: 11/4/2019 | Modified by: Istrator Admin

Final decision: 1. Processing allowed

Business Process assessed by PIA
[Direct Marketing](#)

General Description
In the Direct Marketing Process, we send target marketing materials to our customers and prospects. We profile our customers to categorize our customers in 4 categories, to which we can send marketing materials that are customized to the category the customers belong to.

Details

Personal information usage
We are processing Personal Information for Direct Marketing Purposes. We are not selling Personal Information. We are in full control of the PI

Personal information source
Directly from the custom
From a third par

Purpose of personal information usage defined
 Yes
Justification not provided

Data flow analysis

Personal information categories <input checked="" type="checkbox"/> Yes Justification not provided	Third parties <input checked="" type="checkbox"/> Yes Justification not provided
Sharing of personal information <input checked="" type="checkbox"/> Yes Justification not provided	Data sharing agreements <input checked="" type="checkbox"/> No We still need to update the Data Sharing Agreements

Controls analysis

Minimization <input checked="" type="checkbox"/> Yes We have minimized the PI to what is absolutely	Quality <input checked="" type="checkbox"/> No No Data Quality process implemented yet. Not the
--	--

1 of 3

Essentials

This section contains information that can help you use Collibra Protect to the best of its ability.



Types of data protection

This topic describes the types of protection that you can apply to your data via Collibra Protect.

Tip *Data* refers to the tables and columns in a database.

Access-based protection

Access-based protection is the most basic type of protection that you can apply to your data. It involves providing the right users or groups access to the data based on the Collibra assets.

Note Access-based protection is available only in [data access rules](#).

Column-based protection

Column-based protection allows you to mask the data in specific columns so that the original data is not shown; for example, masking a column that contains credit card numbers.

You can mask the columns that are a part of a data category or a data classification. When granting access to a certain asset, you can apply the masking on only a subset of the asset if the subset is also a part of the data category or the data classification.

The following masking options are available:

- **Default masking:** Shows the data as **0**.
- **Hashing:** Shows the data as a set of different letters, numbers, and symbols.
- **Show last:** Shows the last few characters of the data. You can choose to show the last 1 through 20 characters of the data. The most common choice is 4.
- **No masking:** Shows the original data.

Note Column-based protection is available in both [data protection standards](#) and [data access rules](#).

Suppose that you want the Human Resources (HR) group to be able to access a data set of US-based customers. Suppose that certain parts of the data set need to be hidden from the HR group because they contain restricted data, such as personally identifiable information (PII). Then, you can further protect the data by applying column-based protection or row-based protection.

Row-based protection

Row-based protection uses row filters to allow you to show or hide specific rows of a table. It is based on the values stored in the cell of a table.

Note Row-based protection is available only in [data access rules](#).

Suppose that you want the Sales group to be able to access the data set of US-based customers. Then, you can create a data access rule and use the row-filtering option in the rule to show only those rows in the table that contain US in a column.

The screenshot shows a configuration interface for a data access rule. At the top, it says "Set rule for" with a dropdown menu set to "Sales" and a plus/minus button. Below that, the "asset" dropdown is set to "Upsell text campaign" with another plus/minus button. A checkbox labeled "Grant access to the data linked to these assets." is checked. Below the checkbox is a note: "By checking this box, additional access is given to the data tables or columns linked with the selected assets. If this box is unchecked, no access is given to the selected assets, but they can still be protected. **Note: once the rule granting access is saved and synchronized, access to these assets cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.**" Below the note, there is a section for "with" containing a dropdown for "Select a masking option", a "for" label, two tabs labeled "Data Category" and "Data Classification", and another dropdown for "Select a data category". At the bottom, a row filter is configured: "and Show" (dropdown), "rows where" (dropdown), "Country" (dropdown), "has" (dropdown), "Country code" (dropdown), "US" (dropdown), and plus/minus buttons.

Technical background

This topic explains the connection of the data in a database (DB) with the physical layer (equivalent assets in Collibra Data Intelligence Cloud) and the logical layer (the packaged model).

Consider the following DB.



When **ingesting** this DB to Collibra Data Intelligence Cloud, the physical layer is created, in addition to an asset for each of the schemas, tables, and columns, as depicted in the following image.

DB ingestion to Collibra

Physical data layer

```

graph TD
    Database[Database] -- contains --> Schema[Schema]
    Schema -- contains --> Table[Table]
    Table -- contains --> Column[Column]
        
```

The screenshot shows the Collibra Data Intelligence Cloud interface. On the left, a legend defines the 'Physical data layer' hierarchy: Database (red box) contains Schema (yellow box), which contains Table (orange box), which contains Column (green box). The main interface shows a search for 'All databases' with 'PLM_QA' selected. Below, a table lists the ingested assets:

Name	Data Classification	Data Attribute
TPCH_SF1		
CUSTOMER		
LINEITEM		
NATION		
ORDERS		
PART		
PARTSUPP		
REGION		
SUPPLIER		
S_ACCTBAL		
S_ADDRESS		
S_COMMENT		
S_NAME		
S_NATIONKEY	Country	Country

After the physical layer is created in Collibra, the **logical layer** can be created on top of the physical layer, as follows:

- Select any column and classify it as any available data classification. Alternatively, you can allow Collibra to classify the column for you.
- Assign the column to a data attribute.
- Create additional assets or use the existing assets of different types (Business Process, Data Category, or Data Set) to establish a relation with the columns.

Synchronization

Collibra Protect automatically synchronizes data protection standards and data access rules with the databases of the data source providers such as BigQuery and Snowflake at regular intervals. This synchronization runs in the background on a configured frequency. By default, the frequency is every 60 minutes. You can, however, change the frequency through the **Protect scheduler fixed delay** field on the **Services Configuration** tab in Collibra.

The screenshot shows the Collibra user interface. The top navigation bar includes 'Browse', 'Search', and a '+ Add' button. Below the navigation bar, the 'Services Configuration' tab is selected. The left sidebar shows a search for 'protectConfiguration' and a list of configuration categories. The main content area displays the 'Collibra Protect' configuration page. It includes a search bar with 'protectConfiguration' and buttons for 'Reset to default' and 'Edit configuration'. The configuration details for 'Collibra Protect' are shown, with a field for '27.a Protect scheduler fixed delay' set to '30'. A note indicates that required fields are marked with an asterisk and that the fixed delay is in minutes between synchronizations.

Important If the **Services Configuration** tab is not shown to you, create a support ticket asking the following JVM Parameter be added to your Collibra Infrastructure Configuration: `-DPROTECT_SYNC_SCHEDULER_DELAY=PT60M`. After the parameter is added, restart Collibra to synchronize the Protect policies with the data source providers.

The synchronization includes the following processes:

- Aggregation of all data protection standards and data access rules with a computation of the following:
 - Which columns need to be masked for which groups
 - Which tables need to have a row filter
 - Which tables and columns need to be granted access
- On the databases of the data source providers such as Snowflake:
 - Creation and application of masking
 - Creation and application of row filters
 - Granting of access to groups on tables and columns (depending on the underlying database)

Data protection standards and data access rules

Collibra Protect protects your data through data protection standards and data access rules.

Data protection standards create a primary layer of protection for similar types of data by masking the data wherever it is stored, whereas data access rules create an additional layer of protection by managing access and enhancing protection for specific usages.

This topic explains **when** to create a data protection standard over a data access rule and vice versa, and what to **consider** when creating them.

When to create a standard over a rule and vice versa

- Suppose that columns containing the first and last names are a part of the Personally Identifiable Information (PII) data category. Then, regardless of the databases, tables, and schemas to which those columns belong, you can create a data protection standard that targets all of those columns by selecting the PII data category in the standard and masking it.
Then, you can create a data access rule that grants access to a specific group, for a specific data set, while knowing that all PII within this data set will be masked by the data protection standard.
- Suppose that a data protection standard is created to mask a column that is classified as Personally Identifiable Information (PII) for everyone. You, however, want to unmask that PII column for a specific group. You can do so by creating for the same

group a data access rule to unmask the classified column, because data access rules take priority over data protection standards.

- Suppose that you want to grant access to a group, but the protection from the data protection standard is not enough because there might be other sensitive data within a supported asset. Then, you can create a data access rule to add additional layers of protection over the ones that were set by the data protection standard. You can further protect the data by applying additional masking on the data or by filtering the data using the row-filtering option in the rule.

What to consider when creating standards or rules

When creating [data protection standards](#) or [data access rules](#) for assets, consider how the assets are grouped. Suppose that you have a Business Process asset, BP, which contains the following Data Set assets: DS1, DS2, and DS3. Instead of creating a [data protection standard](#) or [data access rule](#) for each of the three Data Set assets (DS1, DS2, and DS3), consider creating a standard or rule that targets the Business Process asset (BP), to save your time.


Prescriptive paths

You can use Collibra Protect to secure the data in the assets of the packaged asset types, such as Business Process, Data Category, and Data Set, in addition to the assets of any new or modified asset types.


The asset that you select when creating a data protection standard or a data access rule is related to the physical data layer, such as tables and columns, through a set of relations and intermediate assets. These relations are paths that Protect uses to traverse from the selected asset (business or logical layer) to a column (physical data layer) in order to find the column that needs protection. Such traversal follows a set of prescriptive paths. Each asset type has a set of prescriptive paths for traversing to the Column asset, as depicted in the following sections.

Note Depending on your permission, you can customize the prescriptive paths. For more information, go to [Customization of prescriptive paths](#).


Business Process



Data Category



Data Set



Customization of prescriptive paths

Collibra Protect supports the following asset types:

- **Packaged asset types:** Business Process, Data Category, and Data Set
- **Custom asset types:** These are the packaged asset types that you have modified or the asset types that you have created. If you modify the attributes and relations of a packaged asset type, then the packaged asset type becomes a custom asset type.

If you have the **Protect > Administration** global permission, you can customize the [prescriptive paths](#) for the asset types through [APIs](#). The customization may include creating, modifying, or deleting the prescriptive paths: for example, adding or modifying the prescriptive paths for packaged and custom asset types, defining how the asset types relate to columns, and removing any obsolete prescriptive paths.


The customized prescriptive paths are applied to data protection standards and data access rules.

Note You cannot remove a customized prescriptive path if an asset type linked to the prescriptive path is used in a standard or rule.

Protect supports a maximum of 10 asset types. Each asset type can have a maximum of 6 relations and a maximum depth of 3. However, when customizing the prescriptive path for an asset type, we recommend that you provide only one relation for the asset type.

Prescriptive paths must always end in a Column asset type (that is, 00000000-0000-0000-0000-0000000031008).

The following image is an example of a prescriptive path that has 6 relations and a depth of 3.



Restore the default asset types

If you want to restore the default asset types defined by Collibra, a PATCH operation must be performed on each asset type. The list of asset types and their specifications are as follows.

If Data Privacy is not installed

Data Set (00000000-0000-0000-0001-000400000001)

```

{
  "description": "Prescriptive path from Data Set to Column",
  "relations": [
    {
      "relationTypeId": "00000000-0000-0000-0000-0000-000000007062",
      "relationTypeDirection": "SOURCE",
    }
  ]
}

```

```

        "assetType": {
          "assetTypeId": "00000000-0000-0000-0000-000000031008"
        }
      },
      {
        "relationTypeId": "00000000-0000-0000-0000-000000007062",
        "relationTypeDirection": "SOURCE",
        "assetType": {
          "assetTypeId": "00000000-0000-0000-0000-000000031005",
          "relation": {
            "relationTypeId": "00000000-0000-0000-0000-000000007094",
            "relationTypeDirection": "SOURCE",
            "assetType": {
              "assetTypeId": "00000000-0000-0000-0000-000000031008"
            }
          }
        }
      }
    ],
    "assetTypeId": "00000000-0000-0000-0001-000400000001"
  }

```

Data Category (00000000-0000-0000-0000-000000031109)

```

    {
      "description": "Prescriptive path from Data Category to Column",
      "relations": [
        {
          "relationTypeId": "00000000-0000-0000-0000-000000007038",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0001-000400000001",
            "relation": {
              "relationTypeId": "00000000-0000-0000-0000-000000007062",
              "relationTypeDirection": "SOURCE",
              "assetType": {
                "assetTypeId": "00000000-0000-0000-0000-000000031008"
              }
            }
          }
        }
      ]
    }

```

```

    }
  },
  {
    "relationTypeId": "00000000-0000-0000-0000-0000-000000007038",
    "relationTypeDirection": "SOURCE",
    "assetType": {
      "assetTypeId": "00000000-0000-0000-0001-000400000001",
      "relation": {
        "relationTypeId": "00000000-0000-0000-0000-000000007062",
        "relationTypeDirection": "SOURCE",
        "assetType": {
          "assetTypeId": "00000000-0000-0000-0000-0000000031005",
          "relation": {
            "relationTypeId": "00000000-0000-0000-0000-000000007094",
            "relationTypeDirection": "SOURCE",
            "assetType": {
              "assetTypeId": "00000000-0000-0000-0000-0000000031008"
            }
          }
        }
      }
    }
  }
},
{
  "relationTypeId": "00000000-0000-0000-0000-000000007007",
  "relationTypeDirection": "SOURCE",
  "assetType": {
    "assetTypeId": "00000000-0000-0000-0001-000400000001",
    "relation": {
      "relationTypeId": "00000000-0000-0000-0000-000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-0000000031008"
      }
    }
  }
},
{
  "relationTypeId": "00000000-0000-0000-0000-000000007007",

```

```

        "relationTypeDirection": "SOURCE",
        "assetType": {
            "assetTypeId": "00000000-0000-0000-0001-
000400000001",
            "relation": {
                "relationTypeId": "00000000-0000-0000-0000-
000000007062",
                "relationTypeDirection": "SOURCE",
                "assetType": {
                    "assetTypeId": "00000000-0000-0000-0000-
000000031005",
                    "relation": {
                        "relationTypeId": "00000000-0000-0000-0000-
000000007094",
                        "relationTypeDirection": "SOURCE",
                        "assetType": {
                            "assetTypeId": "00000000-0000-0000-0000-
000000031008"
                        }
                    }
                }
            }
        }
    ],
    "assetTypeId": "00000000-0000-0000-0000-000000031109"
}

```

Business Process (00000000-0000-0000-0000-000000031103)

```

    {
        "description": "Prescriptive path from Data Set to Column",
        "relations": [
            {
                "relationTypeId": "00000000-0000-0000-0000-
000000007062",
                "relationTypeDirection": "SOURCE",
                "assetType": {
                    "assetTypeId": "00000000-0000-0000-0000-000000031008"
                }
            },
            {
                "relationTypeId": "00000000-0000-0000-0000-
000000007062",
                "relationTypeDirection": "SOURCE",
                "assetType": {
                    "assetTypeId": "00000000-0000-0000-0000-

```

```

000000031005",
    "relation": {
      "relationTypeId": "00000000-0000-0000-0000-
000000007094",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-
000000031008"
      }
    }
  }
],
"assetTypeId": "00000000-0000-0000-0001-000400000001"
}

```

If Data Privacy is installed

Data Set (00000000-0000-0000-0001-000400000001)

```

{
  "description": "Prescriptive path from Data Set to Column",
  "relations": [
    {
      "relationTypeId": "00000000-0000-0000-0000-
000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-000000031008"
      }
    },
    {
      "relationTypeId": "00000000-0000-0000-0000-
000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-
000000031005",
        "relation": {
          "relationTypeId": "00000000-0000-0000-0000-
000000007094",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0000-
000000031008"
          }
        }
      }
    }
  ]
}

```

```

    }
  }
],
"assetTypeId": "00000000-0000-0000-0001-000400000001"
}

```

Data Category (00000000-0000-0000-0000-000000031109)

```

    {
      "description": "Prescriptive path from Data Category to
Column",
      "relations": [
        {
          "relationTypeId": "00000000-0000-0000-0000-
000000007038",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0001-
000400000001",
            "relation": {
              "relationTypeId": "00000000-0000-0000-0000-
000000007062",
              "relationTypeDirection": "SOURCE",
              "assetType": {
                "assetTypeId": "00000000-0000-0000-0000-
000000031008"
              }
            }
          }
        },
        {
          "relationTypeId": "00000000-0000-0000-0000-
000000007038",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0001-
000400000001",
            "relation": {
              "relationTypeId": "00000000-0000-0000-0000-
000000007062",
              "relationTypeDirection": "SOURCE",
              "assetType": {
                "assetTypeId": "00000000-0000-0000-0000-
000000031005",
                "relation": {
                  "relationTypeId": "00000000-0000-0000-0000-
000000007094",

```

```

        "relationTypeDirection": "SOURCE",
        "assetType": {
          "assetTypeId": "00000000-0000-0000-0000-
000000031008"
        }
      }
    },
  },
  {
    "relationTypeId": "00000000-0000-0000-0000-
000000007007",
    "relationTypeDirection": "SOURCE",
    "assetType": {
      "assetTypeId": "00000000-0000-0000-0001-
000400000001",
      "relation": {
        "relationTypeId": "00000000-0000-0000-0000-
000000007062",
        "relationTypeDirection": "SOURCE",
        "assetType": {
          "assetTypeId": "00000000-0000-0000-0000-
000000031008"
        }
      }
    }
  },
  {
    "relationTypeId": "00000000-0000-0000-0000-
000000007007",
    "relationTypeDirection": "SOURCE",
    "assetType": {
      "assetTypeId": "00000000-0000-0000-0001-
000400000001",
      "relation": {
        "relationTypeId": "00000000-0000-0000-0000-
000000007062",
        "relationTypeDirection": "SOURCE",
        "assetType": {
          "assetTypeId": "00000000-0000-0000-0000-
000000031005",
          "relation": {
            "relationTypeId": "00000000-0000-0000-0000-
000000007094",
            "relationTypeDirection": "SOURCE",
            "assetType": {
              "assetTypeId": "00000000-0000-0000-0000-
000000031008"
            }
          }
        }
      }
    }
  }
}

```

```
    }
  }
}
},
{
  "relationTypeId": "00000000-0000-0000-0000-0000-000000007315",
  "relationTypeDirection": "SOURCE",
  "assetType": {
    "assetTypeId": "00000000-0000-0000-0001-000400000001",
    "relation": {
      "relationTypeId": "c0e00000-0000-0000-0000-0000-000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-0000-0000000031008"
      }
    }
  }
},
{
  "relationTypeId": "00000000-0000-0000-0000-0000-000000007315",
  "relationTypeDirection": "SOURCE",
  "assetType": {
    "assetTypeId": "00000000-0000-0000-0001-000400000001",
    "relation": {
      "relationTypeId": "00000000-0000-0000-0000-0000-000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-0000-0000000031005",
        "relation": {
          "relationTypeId": "c0e00000-0000-0000-0000-0000-000000007094",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0000-0000-0000000031008"
          }
        }
      }
    }
  }
}
}
```

```

    ],
    "assetTypeId": "00000000-0000-0000-0000-000000031109"
  }

```

Business Process (00000000-0000-0000-0000-000000031103)

```

    "description": {
      "description": "Prescriptive path from Business Process to
      Column",
      "relations": [
        {
          "relationTypeId": "c0e00000-0000-0000-0000-
          000000007314",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0001-
            000400000001",
            "relation": {
              "relationTypeId": "c0e00000-0000-0000-0000-
              000000007314",
              "relationTypeDirection": "SOURCE",
              "assetType": {
                "assetTypeId": "00000000-0000-0000-0000-
                000000031008"
              }
            }
          }
        },
        {
          "relationTypeId": "c0e00000-0000-0000-0000-
          000000007314",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0001-
            000400000001",
            "relation": {
              "relationTypeId": "00000000-0000-0000-0000-
              000000007062",
              "relationTypeDirection": "SOURCE",
              "assetType": {
                "assetTypeId": "00000000-0000-0000-0000-
                000000031005",
                "relation": {
                  "relationTypeId": "00000000-0000-0000-0000-
                  000000007094",
                  "relationTypeDirection": "SOURCE",
                  "assetType": {
                    "assetTypeId": "00000000-0000-0000-0000-

```

```

000000031008"
    }
  }
}
},
{
  "relationTypeId": "00000000-0000-0000-0000-
000000007038",
  "relationTypeDirection": "SOURCE",
  "assetType": {
    "assetTypeId": "00000000-0000-0000-0001-
000400000001",
    "relation": {
      "relationTypeId": "00000000-0000-0000-0000-
000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-
000000031008"
      }
    }
  }
},
{
  "relationTypeId": "00000000-0000-0000-0000-
000000007038",
  "relationTypeDirection": "SOURCE",
  "assetType": {
    "assetTypeId": "00000000-0000-0000-0001-
000400000001",
    "relation": {
      "relationTypeId": "00000000-0000-0000-0000-
000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-
000000031005",
        "relation": {
          "relationTypeId": "00000000-0000-0000-0000-
000000007094",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0000-
000000031008"
          }
        }
      }
    }
  }
}
}
}

```

```
    }  
  },  
],  
  "assetTypeId": "00000000-0000-0000-0000-000000031103"  
}
```

Set up Protect

This topic describes how to set up Collibra Protect and establish a connection between your data source and Collibra Protect.

Tip

The information in this topic varies depending on the data source that you select.

Data source

Before you begin

AWS Lake Formation

1. Download the JDBC driver for [Amazon Athena](#).
2. [Create](#) a JDBC connection from your Edge site to Amazon Athena.


Tip When creating the connection, in the **Connection provider** field, select **Generic JDBC connection**.

3. Add the Catalog JDBC ingestion capability to the Edge site.

Tip

When adding the capability:

- In the **Capability template** field, select **Catalog JDBC Ingestion**.
- In the **JDBC Connection** field, select the connection that you created in Step 4.
- The following image shows an ingested AWS Lake Formation database. The **Data Source Type** attribute containing the value **Amazon Athena** is added to the database asset only after the Catalog JDBC ingestion process is complete.



4. Register the data source.

BigQuery

1. Download the JDBC driver for [Google BigQuery](#).
2. **Create** a JDBC connection from your Edge site to Google BigQuery.


Tip When creating the connection, in the **Connection provider** field, select **Generic JDBC connection**. In the **Connection properties** section, set the value of the **Other** connection property to **SupportNativeDataType=True**.

3. Add the Catalog JDBC ingestion capability to the Edge site.

Tip

When adding the capability:

- In the **Capability template** field, select **Catalog JDBC Ingestion**.
- In the **JDBC Connection** field, select the connection that you created in Step 4.
- The following image shows an ingested BigQuery database. The **Data Source Type** attribute containing the value **Google BigQuery** is added to the database asset only after the Catalog JDBC ingestion process is complete.



4. Register the data source.

Snowflake

1. Download the JDBC driver for [Snowflake](#).
2. [Create](#) a JDBC connection from your Edge site to Snowflake.


Tip When creating the connection, in the **Connection provider** field, select **Username/Password JDBC connection**.

3. Add the Catalog JDBC ingestion capability to the Edge site.

Tip

When adding the capability:

- In the **Capability template** field, select **Catalog JDBC Ingestion**.
- In the **JDBC Connection** field, select the connection that you created in Step 4.
- The following image shows an ingested Snowflake database. The **Data Source Type** attribute containing the value **Snowflake** is added to the database asset only after the Catalog JDBC ingestion process is complete.



4. Register the data source.

Steps

AWS Lake Formation

1. Contact [Collibra Support](#) or your representative to enable Protect on your Collibra environment.

2. Ensure that the Protect [global roles](#) and [global permissions](#) are correctly set.

Name	Description	Required license	Members
Sysadmin	Allows for ...	Standard	Admin Istrator
ReferenceData	Allows usa...	Read-only	Everyone
Protect Reader	In this role...	Read-only	Protect Reader ...
Protect Manager	This is a ro...	Read-only	Protect API User ...
Protect Author	In this role...	Standard	Protect Author ...
Protect Admin	In this role...	Standard	Admin Istrator

3. [Create](#) an AWS connection from the Edge site to Amazon Athena.

Tip

- When creating the connection, in the **Connection provider** field, select **AWS connection**.
- Ensure that the user associated with the Access Key ID used in the connection has the required [permissions](#).

4. [Add](#) the Protect for AWS Lake Formation capability to the Edge site.

Tip
When adding the capability:

- In the **Capability template** field, select **Collibra Protect for AWS Lake Formation**.
- In the **Connection** field, select the connection that you created in Step 3.

» Protect is set up. On the main menu, if you click , **Protect** is shown.

BigQuery

1. Contact [Collibra Support](#) or your representative to enable Protect on your Collibra environment.
2. Ensure that the Protect [global roles](#) and [global permissions](#) are correctly set.

Name	Description	Required license	Members
Sysadmin	Allows for ...	Standard	Admin Istrator
ReferenceData	Allows usa...	Read-only	Everyone
Protect Reader	In this role...	Read-only	Protect Reader ...
Protect Manager	This is a ro...	Read-only	Protect API User ...
Protect Author	In this role...	Standard	Protect Author ...
Protect Admin	In this role...	Standard	Admin Istrator

3. Create a GCP connection from the Edge site to Google BigQuery.

Tip

- When creating the connection, in the **Connection provider** field, select **GCP connection**.
- Ensure that the user associated with the GCP Service Account used in the connection has the required [permissions](#).

4. Add the Protect for BigQuery capability to the Edge site.

Tip


When adding the capability:

- In the **Capability template** field, select **Collibra Protect for Google BigQuery**.
- In the **Connection** field, select the connection that you created in Step 3.

» Protect is set up. On the main menu, if you click , **Protect** is shown.

Snowflake

1. Contact [Collibra Support](#) or your representative to enable Protect on your Collibra environment.
2. Ensure that the Protect [global roles and global permissions](#) are correctly set.



Global roles	Name	Description	Required license	Members
Resource roles	Sysadmin	Allows for ...	Standard	Admin Istrator
Global Permissions	ReferenceData	Allows usa...	Read-only	Everyone
Resource Permission	Protect Reader	In this role...	Read-only	Protect Reader ...
	Protect Manager	This is a ro...	Read-only	Protect API User ...
	Protect Author	In this role...	Standard	Protect Author ...
	Protect Admin	In this role...	Standard	Admin Istrator

3. Create a Username/Password JDBC connection from the Edge site to Snowflake.

Tip

- When creating the connection, in the **Connection provider** field, select **Username/Password JDBC connection**.
- Ensure that the user associated with the Snowflake role used in the connection has the required [privileges](#).

4. Add the Protect for Snowflake capability to the Edge site.

Tip

When adding the capability:

- In the **Capability template** field, select **Collibra Protect for Snowflake**.
- In the **Connection** field, select the connection that you created in Step 3.

» Protect is set up. On the main menu, if you click , **Protect** is shown.

Protect global roles and permissions

The following tables describe the [global roles](#) and [global permissions](#) that are specific to Collibra Protect.

Global role	Description
Protect Reader	A user who can view Protect with read-only access to data protection standards and data access rules .
Protect Author	A user who can create data protection standards and data access rules ; modify or delete only the standards and rules that they created; view imported policies ; view groups ; and generate audit logs as an individual contributor.
Protect Admin	A user who has the same permissions as a Protect Author. In addition, this user can modify or delete all data access rules and data protection standards, and access additional APIs.
Protect Manager	A user who manages background processes and configures Protect. This role is intended only for the Protect system user.

Global permission	Description
Protect > Edit	Allows a user to create data protection standards and data access rules; modify only the standards and rules that they created; and delete only the standards and rules that they created.
Protect > Administration	Allows a user to create data protection standards and data access rules; modify all standards and rules; and delete all standards and rules.

Open Protect

This topic describes how to open Collibra Protect and what is shown on the **Protect** landing page.


Requirements and permissions

You have a global role that has the **Protect global permission**.

Steps

On the main menu, click , and then click **Protect**.

» The **Protect** landing page is shown.



Standard Name	Synchronization Status	Groups	Protected	Owner	Created Date	Last Modified
	Failed	CID, Human Resources, lure ...	State	Simon	Sep 21, 2022, 9:17 AM	Dec 9, 2022, 6:50 AM
	Failed	CID	Unexpected error	Simon	Sep 21, 2022, 3:03 PM	Sep 21, 2022, 3:03 PM

Protect landing page

The following table describes the tabs that are shown on the **Protect** landing page depending on your role.

Tab	Description
Data Protection Standards	Data protection standards to define data source access to data types based on data categories, data attributes, or data classifications.
Data Access Rules	Data access rules to grant specific groups different accesses to the same data in business processes, data categories, or data sets. <div data-bbox="432 745 1422 842" style="background-color: #f0f0f0; padding: 5px; margin-top: 10px;"> <p>Note Data access rules take priority over data protection standards.</p> </div>
Data Source Policies	Policies that are active in the data source tables.
Groups	Groups that are mapped to the roles in data sources for use in data protection standards and data access rules.
Audit	Option to generate an audit log of the ingested data from the data sources.

Protect groups

You must create at least one Collibra Protect group before creating a data protection [standard](#) or a data access [rule](#). Each Protect group is associated with a role in the data source provider.

Note In BigQuery, *roles* are referred to as *principals*.

The **Groups** tab in Protect contains an overview of the Protect groups that are created for data protection standards and data access rules. The table on the **Groups** tab contains the Protect groups that are active in the data source.

This topic describes how to create a Protect group and what is shown on the **Groups** tab in Protect.

Create a Protect group

Requirements and permissions

You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).

Steps

1. [Open](#) Protect.
2. On the **Groups** tab, click **Collibra Protect Group API**.
3. For the next steps, go to [Add a new group](#).

Details

- When creating a Protect group, you are prompted to specify the data source provider (for example, **Snowflake**) and the existing role from the data source provider to map

the role to the group.

Collibra Protect API

- Overview
- ENDPOINTS**
 - Groups
 - List groups GET
 - Add a new group POST**
 - Retrieve a group GET
 - Delete a group DELETE
 - Update a group PATCH
 - Prescriptive Paths >
- SCHEMAS**
 - PagedGroups
 - Cursors
 - AddGroupRequest
 - ChangeGroupRequest
 - EditableGroup
 - Group
 - Provider
 - GroupMapping
 - AssetTypeIds

Add a new group

POST <https://developer.collibra.com/rest/protect/v1/groups>

Adds a new group.

Request

> Security: Basic Auth

Body application/json

The group to add.

```

name string required
  The name of the group.
mappings array[object] required
  provider string required
    Value must be "Snowflake" or "GoogleBigQuery"
  identity string required
    An existing Snowflake or GoogleBigQuery role.
  
```

- The following image shows the roles in the Snowflake data source provider.

Account Roles

Usage Billing Users **Roles** Policies Sessions Resource Monitors Reader Accounts

Account administrator can manage all aspects of the account.

Role	Creation Time	Owner	Comment
ACCOUNTADMIN	9/18/2019, 1:47:25 ...		Account administrator can manage all aspects of the account.
ANTONIO	6/27/2022, 10:10:4...	SBL_TEMPLATE_SN...	
BILLING	6/2/2022, 4:07:43 ...	ACCOUNTADMIN	
CERTIFICATION	4/15/2020, 2:12:24 ...	ACCOUNTADMIN	
CUSTOMER_SERVICE	6/2/2022, 4:05:29 ...	ACCOUNTADMIN	
DATALIFT_ROLE	5/6/2020, 9:56:54 ...	ACCOUNTADMIN	
Direct Marketing	6/27/2022, 10:12:4...	SBL_TEMPLATE_SN...	
FIVETRAN_ROLE	1/27/2022, 10:27:58...	SECURITYADMIN	
GLOBAL_PS	9/27/2021, 2:36:19 ...	ACCOUNTADMIN	
HR	10/22/2021, 1:38:44...	ACCOUNTADMIN	
LAW	3/3/2022, 9:00:27 ...	ACCOUNTADMIN	
MARKETING	9/29/2021, 1:59:26 ...	ACCOUNTADMIN	
MARKETING2	9/29/2021, 2:36:17 ...	ACCOUNTADMIN	
MARKETING3	9/30/2021, 3:56:47 ...	ACCOUNTADMIN	
PC_DBT_ROLE	5/6/2022, 9:08:33 ...	ACCOUNTADMIN	System created role for partner elt integration.
PLM	10/22/2021, 1:30:58...	ACCOUNTADMIN	
PLM_QA_HR	2/24/2022, 3:38:20...	ACCOUNTADMIN	PLM QA HR Read Only Role

- The following images show a CSV file (named **protect_groups.csv**) that contains Protect groups to be added to Collibra, and a bash script that adds those Protect groups to Collibra for Snowflake.

A	B	C	D
1	# CSV lines with the Protect group name and the identity mapping separated by a comma		
2	Engineering	ENGINEERING	
3	Everyone	PUBLIC	
4	Finance	FINANCE	
5	Human Resources	HR	
6	Marketing	MARKETING	
7	Operations	OPERATIONS	

```

1  #!/usr/bin/env bash
2
3  # COLLIBRA_URL should point to your Collibra deployment
4  COLLIBRA_URL="https://my_company.collibra.com"
5
6  # COLLIBRA_AUTH should contain the Collibra user and password separated by a colon
7  # This user should be able to create Protect groups (ie have the global role Protect Author and/or Admin)
8  COLLIBRA_AUTH="user:password"
9
10 # Which provider does the identity map to? Value must be "Snowflake", "GoogleBigQuery", etc
11 PROTECT_GROUP_PROVIDER="Snowflake"
12
13 if [[ -z "$COLLIBRA_URL" ]]; then
14     echo "Environment Variable COLLIBRA_URL has not been defined"
15     exit 1
16 fi
17 if [[ -z "$COLLIBRA_AUTH" ]]; then
18     echo "Environment Variable COLLIBRA_AUTH has not been defined"
19     exit 1
20 fi
21
22 {
23     read # Ignore first line in csv file
24     while IFS=, read -r field1 field2
25     do
26         echo "Add group $field1 for $PROTECT_GROUP_PROVIDER with identity $field2"
27         curl -u "$COLLIBRA_AUTH" -X POST "$COLLIBRA_URL/rest/protect/v1/groups" -H "accept: application/json" -H "Content-Type: application/json" -d @- << EOF
28         {
29             "name": "$field1",
30             "mappings":
31             [
32                 {
33                     "provider": "$PROTECT_GROUP_PROVIDER",
34                     "identity": "$field2"
35                 }
36             ]
37         }
38     EOF
39     done
40 } < protect_groups.csv

```

Groups tab

The following table describes the columns that are shown in the table on the **Groups** tab.

Column	Description
Group Name	The name of the group.
System Reference	References to identify the data source provider and the native identifier associated with the group.
Created By	The name of the user who created the group.
Created Date	The date when the group was created.

Data protection standards

Data protection standards in Collibra Protect protect your data by masking similar types of data wherever it is stored, through [column-based protection](#).

Create a data protection standard

Requirements and permissions

- You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).
- You have the **Catalog** global role. This role is required to view data classifications for selection in a data protection standard.

Before you begin

Ensure that [Protect groups](#) have been created.

Steps

1. [Open Protect](#).
2. Click the **Data Protection Standards** tab.
3. Click **Create a Data Protection Standard**.
 - » The **Create a Data Protection Standard** dialog box appears.
4. Enter the required information.

Details

Field	Description
Standard Name	Enter a name for the data protection standard.
Optional: Description	Enter a description for the data protection standard.

Field	Description
Group	<p>Select the group for the data protection standard.</p> <p>Tip You can add more groups by using the plus icon.</p>
Protect (Data Category/Data Classification)	<p>Click Data Category or Data Classification, and then select the data category or data classification that you want to protect.</p>
With (masking option)	<p>Select the type of masking that you want to apply to the selected data category or data classification for protection.</p> <p>Tip This field contains the following options:</p> <ul style="list-style-type: none"> ○ Default masking ○ Hashing ○ Show last

Tip

- The **Summary** section shows a summary of the standard.

Standard Name*

Description

for the group*

protect* **Data Category** **Data Classification**

with*

Summary
 For the Group Human Resources
 protect [Personal Information](#)
 with Hashing

5. Click **Save Standard**.

- » A message appears stating that the standard is sent to source, and the standard is shown in the table on the **Data Protection Standards** tab.

Modify a data protection standard

Requirements and permissions


- You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).

Note If you have the the **Protect > Edit** global permission, you can modify only the data protection standard that you created. If you have the **Protect > Administration** global permission, you can modify any data protection standard.

- You have the **Catalog** global role. This role is required to view data classifications for selection in a data protection standard.

- You have the permissions to view the assets that are associated with the data protection standard. Otherwise, the **Unauthorized Asset** value is shown to you when you modify the standard.

Steps

1. [Open Protect](#).
2. In the table, in the row containing the standard that you want to modify, click .
 - » The **Edit a Data Protection Standard** dialog box appears.
3. Modify the required information.

Details

Field	Description
Standard Name	Enter a name for the data protection standard.
Optional: Description	Enter a description for the data protection standard.
Group	<p>Select the group for the data protection standard.</p> <div style="border-left: 2px solid green; padding-left: 10px; margin-top: 10px;"> <p>Tip You can add more groups by using the plus icon.</p> </div>
Protect (Data Category/Data Classification)	Click Data Category or Data Classification , and then select the data category or data classification that you want to protect.

Field	Description
With (masking option)	<p>Select the type of masking that you want to apply to the selected data category or data classification for protection.</p> <div style="border: 1px solid #ccc; padding: 5px; background-color: #f9f9f9;"> <p>Tip This field contains the following options:</p> <ul style="list-style-type: none"> ○ Default masking ○ Hashing ○ Show last </div>

Tip

- The **Summary** section shows a summary of the standard.

Standard Name *

Description

for the group * + -

protect * Data Category Data Classification

with * ⓘ

Summary

For the Group Human Resources
 protect [Personal Information](#)
 with Hashing


4. Click **Save Standard**.
 - » A message appears stating that the standard is sent to source, and the standard is shown in the table on the **Data Protection Standards** tab.

Delete a data protection standard

Requirements and permissions

You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).

Steps

1. [Open Protect](#).
2. Click the **Data Protection Standards** tab.
3. In the table, in the row containing the standard that you want to delete, click .
 - » The **Delete Data Protection Standard** dialog box appears.
4. Click **Delete**.
 - » A message appears stating that the request to delete the standard is received.

Tip You can check the status of the [standard](#) in the **Synchronization Status** column in the table on the **Data Protection Standards** tab.

Data Protection Standards tab

The **Data Protection Standards** tab in Protect contains an overview of data protection standards. The **Recently Modified Standards** section on the tab shows the 5 last modified data protection standards.

The following table describes the columns that are shown in the table on the **Data Protection Standards** tab.



Column	Description
Standard Name	The name of the standard.
Synchronization Status	The status of synchronization between the standard in Protect and that in the data source.
Groups	The groups for which the standard is created.
Protected	The assets that the standard protects. Tip If you have the DataSteward global role, you can view the details of an asset by clicking the asset link in this column.
Owner	The name of the user who created the standard.
Created Date	The date and time when the standard was created.
Last Modified	The date and time when the standard was last modified.

Synchronization status

The following table describes the statuses that may be shown in the **Synchronization status** column on the **Data Protection Standard** tab.



Tip To view the status of the data protection standard in the data source, go to the database of the data source provider.

Synchronization Status	Description
Active	The standard is enforced in the data source.
Pending	The standard is created or modified and is pending synchronization.
Failed	<p>The synchronization of the standard has failed.</p> <p>Tip For more information about the error, click  next to the status.</p>
Delete Pending	The standard will be deleted during the next synchronization.
Not Deleted	<p>The standard could not be deleted.</p> <p>Tip For more information about the error, click  next to the status.</p>

Note Protect periodically synchronizes with your data source providers to update the status of the data protection standards in Collibra, except if the status is **Failed**. For more information, go to [Synchronization](#).

Data access rules

Data access rules in Collibra Protect protect your data by managing access and enhancing protection for specific usages. They protect your data by:

- Managing access to the data ([access-based protection](#))
- Masking the data ([column-based protection](#))
- Filtering the data ([row-based protection](#))

Create a data access rule

Requirements and permissions

- You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).
- You have the **Catalog** global role. This role is required to view data classifications for selection in a data access rule.

Before you begin

Ensure that **Protect** [groups](#) have been created.

Steps

1. [Open](#) **Protect**.
2. Click the **Data Access Rules** tab.
3. Click **Create a Data Access Rule**.
 - » The **Create a Data Access Rule** dialog box appears.
4. Enter the required information.

Details

Field	Description
Rule Name	Enter a name for the data access rule.
Optional: Description	Enter a description for the data access rule.

Field	Description
Group	<p>Select the group for the data access rule.</p> <p>Tip You can add more groups by using the plus icon.</p>
Asset	<p>Select the data asset that the rule is protecting.</p> <p>Tip</p> <ul style="list-style-type: none">◦ This field contains Business Process, Data Category, and Data Set assets, in addition to assets of custom asset types.◦ For more information, go to Technical background and Prescriptive paths.◦ You can add more groups by using the plus icon.

Field	Description
Optional: With (masking option)	<ul style="list-style-type: none"> ○ Select the type of masking that you want to apply to a data category or data classification. <ul style="list-style-type: none"> Tip This field contains the following options: <ul style="list-style-type: none"> ▪ Default masking ▪ Hashing ▪ Show last ▪ No masking ○ Click Data Category or Data Classification, and then select the data category or data classification for the selected masking option. <ul style="list-style-type: none"> Tip You can add more data categories and data classifications for masking by using the plus icon.

Field	Description
Optional: And (action)	<p>a. Select the type of row-filtering action that you want to apply to a data classification with a specific code set and code value.</p> <div data-bbox="1161 611 1422 920"><p>Tip This field contains the following options:</p><ul style="list-style-type: none">◦ Show◦ Hide</div> <p>b. In the rows where field, select the data classification that you want to show or hide.</p> <p>c. In the has field, select the code set for the selected data classification.</p> <p>d. In the next field, select the code value for the selected code set.</p> <div data-bbox="1118 1491 1422 1771"><p>Tip You can add more data classifications for row-filtering by using the plus icon.</p></div>

Tip

- The **Grant access to the data linked to these assets** checkbox, which is selected by default, is applicable to only Snowflake. A selected checkbox indicates that you are allowing the selected groups to access those tables and columns in the database that are linked to the selected assets. If you do not want the selected groups to have this level of access, clear the checkbox.
- The **Summary** section shows a summary of the rule.

Rule Name *
Marketing GI Rule

Description
Set rule for the Marketing group for the Geographic information asset and apply default masking to Genetic data

Set rule for

group * Marketing + -

asset * Geographic Information + -

Grant access to the data linked to these assets.
By checking this box, additional access is given to the data tables or columns linked with the selected assets. If this box is unchecked, no access is given to the selected assets, but they can still be protected. **Note: once the rule granting access is saved and synchronized, access to these assets cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.**

with ⓘ Default masking + - for **Data Category** Data Classification Genetic data + -

and - rows where - has - -

Summary
 Grant access to Marketing
 for [Geographic Information](#)
 with Default masking for [Genetic data](#)

Generate Preview Cancel Save Rule

5. To preview the rule, click **Generate Preview**.

Tip The preview shows only the first 1,000 affected columns. The drop-down list box below the **Generate Preview** button is used to switch between the assets that you selected in the rule. Each asset has its own preview table.

6. Click **Save Rule**.

- » A message appears stating that the rule is sent to source, and the rule is shown in the table on the **Data Access Rules** tab.

Modify a data access rule


Requirements and permissions

- You have a global role that has the **Protect > Edit** or **Protect > Administration** global permission.

Note If you have the **Protect > Edit** global permission, you can modify only the data access rule that you created. If you have the **Protect > Administration** global permission, you can modify any data access rule.

- You have the **Catalog** global role. This role is required to view data classifications for selection in a data access rule.
- You have the permissions to view the assets that are associated with the data access rule. Otherwise, the **Unauthorized Asset** value is shown to you when you modify the rule.

Steps

- Open Protect.
- In the table, in the row containing the rule that you want to modify, click  .
 - » The **Edit a Data Access Rule** dialog box appears.
- Modify the required information.

Details

Field	Description
Rule Name	Enter a name for the data access rule.
Optional: Description	Enter a description for the data access rule.

Field	Description
Group	<p>Select the group for the data access rule.</p> <p>Tip You can add more groups by using the plus icon.</p>
Asset	<p>Select the data asset that the rule is protecting.</p> <p>Tip</p> <ul style="list-style-type: none"> ◦ This field contains Business Process, Data Category, and Data Set assets, in addition to assets of custom asset types. ◦ For more information, go to Technical background and Prescriptive paths. ◦ You can add more groups by using the plus icon.

Field	Description
<p>Optional: With (masking option)</p>	<ul style="list-style-type: none"> ○ Select the type of masking that you want to apply to a data category or data classification. <div data-bbox="1161 533 1422 1014" style="border-left: 2px solid #008000; padding-left: 10px; margin-top: 10px;"> <p>Tip This field contains the following options:</p> <ul style="list-style-type: none"> ▪ Default masking ▪ Hashing ▪ Show last ▪ No masking </div> ○ Click Data Category or Data Classification, and then select the data category or data classification for the selected masking option. <div data-bbox="1121 1384 1422 1738" style="border-left: 2px solid #008000; padding-left: 10px; margin-top: 10px;"> <p>Tip You can add more data categories and data classifications for masking by using the plus icon.</p> </div>

Field	Description
Optional: And (action)	<p>a. Select the type of row-filtering action that you want to apply to a data classification with a specific code set and code value.</p> <div data-bbox="1161 611 1422 920" style="border-left: 2px solid #008000; padding-left: 10px; background-color: #f0f0f0;"> <p>Tip This field contains the following options:</p> <ul style="list-style-type: none"> ○ Show ○ Hide </div> <p>b. In the rows where field, select the data classification that you want to show or hide.</p> <p>c. In the has field, select the code set for the selected data classification.</p> <p>d. In the next field, select the code value for the selected code set.</p> <div data-bbox="1118 1491 1422 1771" style="border-left: 2px solid #008000; padding-left: 10px; background-color: #f0f0f0;"> <p>Tip You can add more data classifications for row-filtering by using the plus icon.</p> </div>

Tip

- A selected checkbox indicates that you are allowing the selected groups to access those tables and columns in the database that are linked to the selected assets. If you do not want the selected groups to have this level of access, clear the checkbox.
- The **Summary** section shows a summary of the rule.

Rule Name *
Marketing GI Rule

Description
Set rule for the Marketing group for the Geographic information asset and apply default masking to Genetic data

Set rule for

group * Marketing + -

asset * Geographic Information + -

Grant access to the data linked to these assets.
By checking this box, additional access is given to the data tables or columns linked with the selected assets. If this box is unchecked, no access is given to the selected assets, but they can still be protected. **Note: once the rule granting access is saved and synchronized, access to these assets cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.**

with ⓘ Default masking + - for **Data Category** Data Classification Genetic data + -

and + - rows where Select a data classification + - has Select a code set + - Select a code value + -

Summary
Grant access to Marketing
for [Geographic Information](#)
with Default masking for [Genetic data](#)

↻ Generate Preview

Cancel Save Rule

4. To preview the rule, click **Generate Preview**.

Tip The preview shows only the first 1,000 affected columns. The drop-down list box below the **Generate Preview** button is used to switch between the assets that you selected in the rule. Each asset has its own preview table.

5. Click **Save Rule**.


- » A message appears stating that the rule is sent to source, and the rule is shown in the table on the **Data Access Rules** tab.

Delete a data access rule

Requirements and permissions

You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).

Steps

1. [Open](#) **Protect**.
2. Click the **Data Access Rules** tab.
3. In the table, in the row containing the rule that you want to delete, click .
 - » The **Delete Data Access Rule** dialog box appears.
4. Click **Delete**.
 - » A message appears stating that the request to delete the rule is received.

Tip You can check the status of the [rule](#) in the **Synchronization Status** column in the table on the **Data Access Rules** tab.

Data Access Rules tab

The **Data Access Rules** tab in Protect contains an overview of data access rules. The **Recently Modified Rules** section on the tab shows the 5 last modified data access rules.

The following table describes the columns that are shown in the table on the **Data Access Rules** tab.

Column	Description
Rule Name	The name of the rule.
Synchronization Status	The status of synchronization between the rule in Protect and that in the data source.
Groups	The groups for which the rule is created.
Affected Assets	The assets that the rule protects. <div style="border: 1px solid #ccc; background-color: #f9f9f9; padding: 5px; margin-top: 10px;"> <p>Tip If you have the DataSteward global role, you can view the details of an asset by clicking the asset link in this column.</p> </div>
Owner	The name of the user who created the rule.
Created Date	The date and time when the rule was created.
Last Modified	The date and time when the rule was last modified.

Synchronization status

The following table describes the statuses that may be shown in the **Synchronization status** column on the **Data Access Rule** tab.



Tip To view the status of the data access rule in the data source, go to the database of the data source provider.

Synchronization Status	Description
Active	The rule is enforced in the data source.
Pending	The rule is created or modified and is pending synchronization.
Failed	<p>The synchronization of the rule has failed.</p> <p>Tip For more information about the error, click i next to the status.</p>
Delete Pending	The rule will be deleted during the next synchronization.
Not Deleted	<p>The rule could not be deleted.</p> <p>Tip For more information about the error, click i next to the status.</p>

Note Protect periodically synchronizes with your data source providers to update the status of the data access rules in Collibra, except if the status is **Failed**. For more information, go to [Synchronization](#).

Data source policies (beta)

Data source policies are the policies that are native to a data source, for example, AWS Lake Formation [data filters](#), BigQuery [policy tags](#), and Snowflake [masking policies](#). Data protection standards and data access rules created in Protect result in policies in the data sources. Protect enforces its standards and rules by creating and applying the data source policies on the physical data layer (tables and columns).

Import data source policies

Requirements and permissions

- You have the **Protect Author** or **Protect Admin** [global role](#).
- The **Manage all resources** global permission is assigned to the **Edge site** global role.

Steps

You can import policies from your data source to Protect by using the Collibra Protect Data Source Policies API. The following is a template of a cURL command that you can use.

```
curl --location --request POST 'https://<collibra-environment-url>/rest/protect/v1/policies/import' --header 'Authorization: Basic <user:password encoded in base64>' --header 'Content-Type: application/json' -d '{"databaseId": "<database-asset-ID>"}' -v
```



Note

In the template:

- Replace the placeholders indicated by "<>" with the actual values for your Collibra environment.
- *database-asset-ID* refers to the ID of the database asset in Collibra that maps to the database in your data source.

Data Source Policies tab

The **Data Source Policies** tab contains an overview of the native data source policies. The table on the tab contains the policies that are active in the data source. These include both the policies that already exist in your data source and the policies that are automatically created by Protect in your data source.

The following table describes the columns that are shown in the table on the **Data Source Policies** tab.

Column	Description
Policy Name	The name of the policy in the data source.
Policy Logic	The logic that the data source uses to enforce the policy. For example, Snowflake runs an SQL script when you try to access protected data.
Tags	The names of the tags associated with the policy.
Data Source	The data source provider.

Data source providers

Collibra Protect periodically synchronizes with an aggregation of all data protection standards and data access rules. These standards and rules form a data source-agnostic representation containing all databases, schemas, tables, and columns, as well as their protections and accesses. The synchronization process then triggers the [Edge capabilities](#), such as **Collibra Protect for Snowflake**. These Edge capabilities are responsible for translating the representation to actions toward the data source provider using their technology. This process might involve JDBC and REST calls to perform low-level operations to guarantee that the protections and accesses are applied.

Protect for AWS Lake Formation

To protect your AWS Lake Formation data, Collibra Protect uses AWS Lake Formation's [permissions](#) and [data filters](#). The name of the data category or data classification selected in a [data protection standard](#) becomes a Lake Formation tag (LF-tag) with the same name. The tag is then applied to all affected columns.

AWS Lake Formation policies

AWS Lake Formation protects your data by either granting access to or revoking access from one or more columns via [permissions](#) and [data filters](#).

Note AWS Lake Formation does not support data masking.

When you create a data protection standard or data access rule, one or more permissions and data filters are created in Lake Formation. Each permission includes a data filter to



control access to data. Additionally, for a data protection standard, Lake Formation tags (LF-tags) are created and assigned to columns.

Note In this topic, the term *policies* refers to AWS Lake Formation permissions and data filters.

Data filters

The following table contains the equivalent Lake Formation data filter for a given Protect masking type.

Protect masking type	Equivalent Lake Formation data filter
Default masking	Exclude
Hashing	Exclude
Show last	Exclude
No masking	Include

Each data filter belongs to a specific table in your AWS Data Catalog.

A data filter includes the following information:

- **Name:** The name of the data filter.
- **Table:** The name of the table whose columns are included or excluded.
- **Database:** The name of the database that contains the table.
- **Columns:** A list of columns to include or exclude in query results.
- **Column-level access:** The type of access—either include or exclude—for the columns.
- **Row filter expression:** An expression that specifies the rows to include in query results. The value **TRUE** indicates that all the rows in the table are shown.

View data filter
✕

Name
COLLIBRA_INCLUSIONS_AGGREGATE_arn:aws:iam::860302443858:user/██████████@collibra.com

Database lf-test2	Table movies
Column-level access Include	Row filter expression TRUE

Columns
rottentomatoes, disney+, line, hulu, id, netflix, title, prime video

Close

Note Protect safeguards your data in AWS Lake Formation by aggregating all the data protection standards and rules so that a single data filter is created in AWS Lake Formation per table per group. If multiple standards or rules exist for excluding columns, a single data filter with all the columns excluded is created. If a rule is then created for including columns, a data filter with all the columns included is created and the previously excluded columns are no longer considered.

Revoking existing policies for an effective data protection

To effectively protect your AWS Lake Formation data using Protect, you must first revoke any existing Lake Formation policies. Data protection standards and access rules control access to tables and columns for IAM users by creating policies in Lake Formation. To ensure that these policies work as intended, any previous policies granted to those users must be revoked.

Example Suppose that Joe has full access to the **customers** table. If a data protection standard that hides PII is created and synchronized with Lake Formation, policies are created for Joe. Those policies allow Joe only limited access to the **customers** table by excluding the PII columns. However, the policies will not work if Joe's existing full access to the **customers** table is not first revoked.

AWS Lake Formation group mapping

The Protect group mapping for AWS Lake Formation must follow the syntax for [IAM identifiers](#).

Suppose that you want to create a Protect group named **Sales** that maps to the AWS IAM user `arn:aws:iam::000000000000:user/sales@example.com`. Then, the Protect API to [add a new group](#) should have the following syntax.

```
{
  "name": "Sales",
  "mappings":
  [
    {
      "provider": "AWSLakeFormation",
      "identity":
      "arn:aws:iam::000000000000:user/sales@example.com"
    }
  ]
}
```

AWS Lake Formation permissions

To perform [actions](#) in AWS Lake Formation, Protect uses an [AWS connection](#). This AWS connection must be configured with an AWS IAM user that has the following permissions on all the specified services.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [
        "lakeformation:*",
        "athena:ListDataCatalogs",
        "athena:GetQueryExecution",
        "athena:StartQueryExecution",
        "cloudtrail:LookupEvents",
        "glue:GetDatabase",
        "glue:GetDatabases",
        "glue:GetConnections",
        "glue:SearchTables",
        "glue:GetTable",
        "glue:GetTableVersions",
        "glue:GetTables",
        "s3:ListBucket",
        "s3:GetBucketLocation",
        "s3:ListAllMyBuckets",
        "s3:GetBucketAcl"
      ]
    }
  ]
}
```

```

    ],
    "Resource": "*"
  },
  {
    "Effect": "Deny",
    "Action": [
      "lakeformation:PutDataLakeSettings"
    ],
    "Resource": "*"
  }
]
}

```

AWS APIs

The following table explains the functions of the AWS APIs that are used by Protect for AWS Lake Formation.

AWS API	Function
athena	<p>To get information from the AWS Glue Data Catalog.</p> <p>Note Catalog ingestion for AWS databases is performed by using the Amazon Athena service. However, not all the databases ingested from Athena are AWS Lake Formation databases. Hence, Protect needs to identify if a database ingested from Athena is also recognized by AWS Lake Formation. This can be achieved by making an API call to Athena's ListDataCatalogs.</p>
cloudtrail	To show the audit log in Protect.
glue	To get a list of tables for a database.
lakeformation	<ul style="list-style-type: none"> • To create, delete, and list a Lake Formation tag (LF-tag). • To add and remove an LF-Tag from a resource (column). • To create, delete, and list data filters. • To add and remove permissions from a resource (table).

AWS Lake Formation examples

This topic contains examples of how AWS Lake Formation behaves with respect to certain data protection standards and data access rules.

Example

Suppose that a table named **movies** exists in AWS Lake Formation. This table contains Personally Identifiable Information (PII). The PII data category contains all the columns from **movies**, except for **age** and **year**.

The screenshot shows the AWS Lake Formation console for the 'movies' table. The 'Table details' section includes:

- Database:** lf-test2
- Location:** s3://john-lakeformation-testbucket/movies/
- Description:** -
- Data format:** csv
- Last updated:** Monday, February 20, 2023 at 12:12 PM UTC
- Governance:** Disabled
- Compaction Status:** -

The 'Schema' section displays a table with 10 columns:

#	Column Name	Data type	Partition key	Comment	LF-Tags
1	year	int	-	-	1
2	hulu	boolean	-	-	1
3	disney*	boolean	-	-	-
4	rottentomatoes	string	-	-	1
5	title	string	-	-	1
6	line	int	-	-	1
7	prime video	boolean	-	-	1
8	id	int	-	-	1
9	age	string	-	-	1
10	netflix	boolean	-	-	1

A standard that applies to the following groups has been created: **Everyone**, **Human Resources**, **Marketing**, and **Sales**. This standard requires default masking for the PII data category.

The screenshot shows the configuration for a standard:

- for the group: Everyone
- and the group: Human Resources
- and the group: Marketing
- and the group: Sales
- protect: Data Category: Personally Identifiable Information
- with: Default masking

Behavior

When the standard is synchronized and active, an exclusion data filter is created in AWS Lake Formation. This exclusion data filter hides all the PII columns from the specified groups. The exclusion data filter is named `COLLIBRA_EXCLUSIONS_AGGREGATE_<arn>`.

The screenshot shows the 'Data filters' section in the AWS Lake Formation console. A single filter is listed:

Filter name	Table	Database	Table catalog ID
COLLIBRA_EXCLUSIONS_AGGREGATE_arn:aws:iam::860302443858:user/...@collibra.com	movies	lf-test2	860302443858

View data filter ✕

Name
COLLIBRA_EXCLUSIONS_AGGREGATE_arn:aws:iam::860302443858:user/ @collibra.com

Database lf-test2	Table movies
Column-level access Exclude	Row filter expression TRUE

Columns
rottentomatoes, disney+, year, line, hulu, id, netflix, title, age, prime video

Close

AWS Lake Formation > Permissions

Too many permissions? Filter by database or table. In the navigation page, choose **Databases** or **Tables**. Then choose a database or table, and on the **Actions** menu, choose **View Permissions**.

Data permissions (45 loaded more available) Revoke Grant

Filter permissions by property or value 1 match

Resource: COLLIBRA_EXCLUSIONS_AGGREGATE_arn:aws:iam::860302443858:user/ @collibra.com Clear filter

Principal	Principal type	Resource type	Database	Table	Resource	Catalog	LF-tag expressions	Permissions	Grantable	RAM Resource Share
@collibra.com	IAM user	Data cell filter	lf-test2	movies	COLLIBRA_EXCLUSIONS_AGGREGATE_arn:aws:iam::860302443858:user/ @collibra.com	860302443858	-	Select	-	-

Example

Suppose that a table named **movies** exists in AWS Lake Formation. This table contains Personally Identifiable Information (PII). The PII data category contains all the columns from **movies**, except for **age** and **year**.

The screenshot shows the AWS Lake Formation console for the 'movies' table. The 'Table details' section includes:

- Database:** lf-test2
- Location:** s3://john-lakeformation-testbucket/movies/
- Description:** -
- Data format:** csv
- Last updated:** Monday, February 20, 2023 at 12:12 PM UTC
- Governance:** Disabled
- Compaction Status:** -

The 'Schema' section displays a table with the following columns:

#	Column Name	Data type	Partition key	Comment	LF-Tags
1	year	int	-	-	1
2	hulu	boolean	-	-	1
3	disney*	boolean	-	-	-
4	rottentomatoes	string	-	-	1
5	title	string	-	-	1
6	line	int	-	-	1
7	prime video	boolean	-	-	1
8	id	int	-	-	1
9	age	string	-	-	1
10	netflix	boolean	-	-	1

A standard that applies to the following groups has been created: **Everyone**, **Human Resources**, **Marketing**, and **Sales**. This standard requires default masking for the PII data category.

The screenshot shows a rule configuration for a group:

- for the group: Everyone
- and the group: Human Resources
- and the group: Marketing
- and the group: Sales
- protect: Data Category Data Classification Personally Identifiable Information
- with: Default masking

However, a rule that applies to the **Human Resources** group has been created. This rule does not require any masking for the PII columns in **movies**.

The screenshot shows a rule configuration for an asset:

- group: Human Resources
- asset: movies
- Grant access to the data linked to these assets.
- with: No masking for Data Category Data Classification Personally Identifiable Information

By checking this box, additional access is given to the data tables or columns linked with the selected assets. If this box is unchecked, no access is given to the selected assets, but they can still be protected. **Note: once the rule granting access is saved and synchronized, access to these assets cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.**

Behavior

Because the rule takes priority over the standard, when the standard and the rule are synchronized and active, an inclusion data filter resulting from the rule is created in AWS Lake Formation, instead of an exclusion data filter resulting from the standard. This inclusion data filter shows all the PII columns in the **movies** table to the **Human Resources** group. The inclusion data filter is named `COLLIBRA_INCLUSIONS_AGGREGATE_<arn>`.

The screenshot displays the AWS Lake Formation console. The top section shows the 'Data filters' page with a table listing one filter:

Filter name	Table	Database	Table catalog ID
COLLIBRA_INCLUSIONS_AGGREGATE_arn:aws:iam::860302443858:user/...@collibra.com	movies	If-test2	860302443858

Below this is a 'View data filter' modal window showing the following details:


- Name:** COLLIBRA_INCLUSIONS_AGGREGATE_arn:aws:iam::860302443858:user/...@collibra.com
- Database:** If-test2
- Table:** movies
- Column-level access:** Include
- Row filter expression:** TRUE
- Columns:** rottentomatoes, disney+, line, hulu, id, netflix, title, prime video

The bottom section shows the 'Permissions' page for this filter. It displays a table of permissions:

Principal	Principal type	Resource type	Database	Table	Resource	Catalog	LF-tag expressions	Permissions	Grantable	RAM Resource Share
...@collibra.com	IAM user	Data cell filter	If-test2	movies	COLLIBRA_INCLUSIONS_AGGREGATE_arn:aws:iam::860302443858:user/...@collibra.com	860302443858	-	Select	-	-

Protect for BigQuery

To protect your BigQuery data, Collibra Protect uses Google's policy tags to create tags and assign the tags to the BigQuery columns. These tags control who can access the tagged data. Only the Protect groups specified in your data protection standards and data access rules can access the tagged BigQuery columns.



BigQuery masking rules

Each Protect masking type has an equivalent counterpart in BigQuery called a **masking rule**. As such, masking rules in BigQuery correspond to masking types in Protect.

Note The BigQuery masking rules are not the same as the Protect data access rules.

The following table contains the equivalent **BigQuery masking rule** for a given Protect masking type.

Protect masking type	Equivalent BigQuery masking rule
Default masking	Default masking value
Hashing	Hash (SHA256) <div style="background-color: #f0f0f0; padding: 5px; margin-top: 10px;"> <p>Note BigQuery supports the Hash (SHA256) masking rule only for certain columns depending on their data types. If Hash (SHA256) cannot be applied to a certain column due to the data type of the column, the following masking rule is applied instead: Default masking value.</p> </div>
Show last	Default masking value <div style="background-color: #f0f0f0; padding: 5px; margin-top: 10px;"> <p>Note BigQuery does not support the Show last masking type. The Show last masking type is supported only on Snowflake.</p> </div>

Protect masking type	Equivalent BigQuery masking rule
No masking	Fine-Grained Reader <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"> <p>Note Each Protect group to which you assign standards has an equivalent counterpart in BigQuery called a GCP principal. BigQuery grants the Fine-Grained Reader role to the assigned GCP principal to allow the GCP principal to view the data to which no masking is applied in Protect.</p> </div>

BigQuery data types

The following table contains the BigQuery masking rule that Protect supports for a given BigQuery data type.

Summary

- Protect supports the BigQuery **Default masking value** rule for all types of columns.
- Protect does not support the BigQuery **Nullify** rule for any type of column.
- Protect supports the BigQuery **Hash (SHA256)** rule only for the following types of columns: BYTES, STRING.

BigQuery data type	BigQuery masking rule supported by Protect
ARRAY	Default masking value
BIGNUMERIC	Default masking value
BOOL	Default masking value
BYTES	<ul style="list-style-type: none"> • Default masking value • Hash (SHA256)
DATE	Default masking value
DATETIME	Default masking value
FLOAT64	Default masking value

BigQuery data type	BigQuery masking rule supported by Protect
GEOGRAPHY	Default masking value
INT64	Default masking value
INTERVAL	Default masking value
JSON	Default masking value
NUMERIC	Default masking value
STRING	<ul style="list-style-type: none"> • Default masking value • Hash (SHA256)
STRUCT	Default masking value
TIME	Default masking value
TIMESTAMP	Default masking value

BigQuery group mapping

The Protect group mapping for BigQuery must follow the syntax for [principal identifiers](#).

Suppose that you want to create a Protect group named **Sales** that maps to the BigQuery group email address **sales@example.com**. Then, the Protect API to [add a new group](#) should have the following syntax.

```
{
  "name": "Sales",
  "mappings":
  [
    {
      "provider": "GoogleBigQuery",
      "identity": "group:sales@example.com"
    }
  ]
}
```

BigQuery permissions

To perform [actions](#) in BigQuery, Protect uses a [GCP connection](#). This GCP connection must be configured with a service account that has the following permissions.


- `bigquery.dataPolicies.create`
- `bigquery.dataPolicies.delete`
- `bigquery.dataPolicies.get`
- `bigquery.dataPolicies.getIamPolicy`
- `bigquery.dataPolicies.list`
- `bigquery.dataPolicies.setIamPolicy`
- `bigquery.dataPolicies.update`
- `bigquery.datasets.get`
- `bigquery.jobs.create`
- `bigquery.rowAccessPolicies.create`
- `bigquery.tables.get`
- `bigquery.tables.list`
- `bigquery.tables.setCategory`
- `bigquery.tables.update`
- `datacatalog.categories.getIamPolicy`
- `datacatalog.categories.setIamPolicy`
- `datacatalog.taxonomies.create`
- `datacatalog.taxonomies.get`
- `datacatalog.taxonomies.list`
- `datacatalog.taxonomies.update`
- `logging.logEntries.list`
- `resourcemanager.projects.get`

BigQuery examples


This topic contains examples of how BigQuery behaves with respect to certain data protection standards and data access rules.

Example

Suppose that a table named **table1** exists in BigQuery. This table contains Personally Identifiable Information (PII). The PII data category contains all the columns from **table1**.




A standard that applies to the following groups has been created: **Everyone**, **Human Resources**, **Marketing**, and **Sales**. This standard requires default masking for the PII data category.



Behavior

When the standard is synchronized and active, a standard policy tag is created in BigQuery's taxonomy. The standard policy tag is named `COLLIBRA_STANDARD_DEFAULT_<data protection standard name><data protection standard ID>`.



The following image shows how the policy tags are applied to the columns in **table1**.

table1

QUERY SHARE COPY SNAPSHOT DELETE EXPORT

SCHEMA DETAILS PREVIEW LINEAGE


Filter Enter property name or value

<input type="checkbox"/>	Field name	Type	Mode	Collation	Default value	Policy tags
<input type="checkbox"/>	id	INTEGER	NULLABLE			collibra-standards-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_STANDARD_DEFAULT_standard1_345
<input type="checkbox"/>	source	STRING	NULLABLE			collibra-standards-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_STANDARD_DEFAULT_standard1_345
<input type="checkbox"/>	status	STRING	NULLABLE			collibra-standards-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_STANDARD_DEFAULT_standard1_345
<input type="checkbox"/>	score	INTEGER	NULLABLE			collibra-standards-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_STANDARD_DEFAULT_standard1_345
<input type="checkbox"/>	name	STRING	NULLABLE			collibra-standards-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_STANDARD_DEFAULT_standard1_345

All the columns are assigned the same standard policy tag and are protected by default masking because they belong to the PII data category (selected in the standard).

Example

Suppose that a table named **table1** exists in BigQuery. This table contains Personally Identifiable Information (PII) and Ultra Sensitive Information (USI). The PII data category contains all the columns from **table1**, except for **id** and **source**. The USI data category contains only the **status** column.




The screenshot shows the 'SCHEMA' tab for a table named 'table1'. It displays a table with the following columns:

Field name	Type	Mode	Collation	Default value	Policy tags	Description
id	INTEGER	NULLABLE				
source	STRING	NULLABLE				
status	STRING	NULLABLE				
score	INTEGER	NULLABLE				
name	STRING	NULLABLE				

Buttons at the bottom include 'EDIT SCHEMA' and 'VIEW ROW ACCESS POLICIES'.


A standard that applies to the following groups has been created: **Everyone**, **Human Resources**, **Marketing**, and **Sales**. This standard requires default masking for the PII data category.



The screenshot shows the configuration for a rule. It includes the following settings:

- for the group: Everyone
- and the group: Human Resources
- and the group: Marketing
- and the group: Sales
- protect: Data Category (Data Classification: Personally Identifiable Information)
- with: Default masking

However, a rule that applies to the **Human Resources** group has been created. This rule requires hashing for the USI columns in **table1**.



The screenshot shows the configuration for a rule applied to the 'Human Resources' group. It includes the following settings:

- Set rule for
- group: Human Resources
- asset: table1
- Grant access to the data linked to these assets.

By checking this box, additional access is given to the data tables or columns linked with the selected assets. If this box is unchecked, no access is given to the selected assets, but they can still be protected. **Note: once the rule granting access is saved and synchronized, access to these assets cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.**
- with: Hashing for Data Category (Data Classification: Ultra Sensitive Information)

Behavior

When the standard and rule are synchronized and active, policy tags are created in BigQuery's taxonomy. The standard policy tag is named `COLLIBRA_STANDARD_DEFAULT_<data protection standard name><data protection standard ID>`. The

rule policy tag is named `COLLIBRA_AGGREGATED_POLICIES_<rulesaccesshash>`.

Policy tags

Policy tags are tags with access control policies that can be applied to sub-resources, for example, BigQuery columns.

MANAGE DATA POLICIES

<input type="checkbox"/>	Name ↑	ID	Data masking rules	Description
<input type="checkbox"/>	COLLIBRA_PROJECT_prj-cit-ppen-t-main_123_standards_taxonomy	1471662875262953623		Generated by Collibra: 123
<input type="checkbox"/>	COLLIBRA_STANDARD_DEFAULT_standard1_345	5274886583008536009	Default masking value	Generated by Collibra: 345

Policy tags

Policy tags are tags with access control policies that can be applied to sub-resources, for example, BigQuery columns.

MANAGE DATA POLICIES

<input type="checkbox"/>	Name ↑	ID	Data masking rules	Description
<input type="checkbox"/>	COLLIBRA_PROJECT_prj-cit-ppen-t-main_123_rules_taxonomy	8911994670495617800		Generated by Collibra: 123
<input type="checkbox"/>	COLLIBRA_AGGREGATED_POLICIES_1NnMciqgoHBWX0ZuqXNwPuyQsFuS1Czh9A0100en40_	6741227416658319129		Generated by Collibra: 1NnMciqgoHBWX0ZuqXNwPuyQsFuS1Czh9A0100en40
<input type="checkbox"/>	COLLIBRA_AGGREGATED_POLICIES_NWIKvHckc8XukVhyid1K82i6iSCH8yz2djwGAj51H7c0_	2157481827417821186		Generated by Collibra: NWIKvHckc8XukVhyid1K82i6iSCH8yz2djwGAj51H7c0
<input type="checkbox"/>	COLLIBRA_AGGREGATED_POLICIES_rb811CIWUj0ADThHuU6hyZ4b0Wq65pxwhuO6gNskM0_	7161576331575870768	Hash (SHA256) Default masking value	Generated by Collibra: rb811CIWUj0ADThHuU6hyZ4b0Wq65pxwhuO6gNskM0

The following image shows how the policy tags are applied to the columns in **table1**.

- The **id** and **source** columns do not belong to the PII data category (selected in the standard) or the USI data category (selected in the rule). Therefore, they are not protected by either the standard or the rule. However, they are still assigned a rule policy tag with the Fine-Grained Reader access to allow users to view the original data.
- The **name** and **score** columns belong to the PII data category (selected in the standard). They are assigned the same standard policy tag and are protected by default masking.
- The **status** column belongs to both the PII data category (selected in the standard) and the USI data category (selected in the rule). Because the rule takes priority over the standard, the **status** column is assigned only the rule policy tag and is protected by hashing.

Protect for Snowflake

To protect your Snowflake data, Collibra Protect uses Snowflake's [tag-based masking policies](#). The name of the data category or data classification selected in a [data protection standard](#) becomes a tag with the same name. The tag is then applied to all affected columns to enforce data protection.

Snowflake policies

Snowflake has the following types of policies:

- Column-based
- Row-based
- Tag-based

Each of these policy types can be created either in Protect or on Snowflake.

Data access rules created in Protect result in column-based policies on Snowflake. Column-based policies are applied directly to the columns on Snowflake.

[Row filters](#) in data access rules result in row-based policies on Snowflake. Row-based policies are applied to the tables on Snowflake.

Data protection standards created in Protect result in tag-based policies on Snowflake. The tags are subsequently applied to the columns on Snowflake.

Snowflake data types

Snowflake provides several functions to transform the data. This topic describes how Snowflake transforms the data for a given Protect masking type.

- **Default masking:** Snowflake does not support this masking type. Protect, however, uses the default masking type to apply protection to a wide range of data types. A default masking value is applied to each column according to the data type of the column.

Default masking values for data types

Column data type	Snowflake data type	Default masking value
NUMBER	NUMBER	0
DECIMAL	NUMBER	0
NUMERIC	NUMBER	0
INT	NUMBER	0
INTEGER	NUMBER	0
BIGINT	NUMBER	0
SMALLINT	NUMBER	0
TINYINT	NUMBER	0
BYTEINT	FLOAT	0
FLOAT	FLOAT	0
FLOAT4	FLOAT	0
FLOAT8	FLOAT	0
DOUBLE	FLOAT	0

Column data type	Snowflake data type	Default masking value
DOUBLE PRECISION	FLOAT	0
REAL	FLOAT	0
VARCHAR	VARCHAR	*
CHAR	VARCHAR	*
CHARACTER	VARCHAR	*
STRING	VARCHAR	*
TEXT	VARCHAR	*
BINARY	BINARY	00
VARBINARY	BINARY	00
BOOLEAN	BOOLEAN	false
DATE	DATE	1970-01-01
DATETIME	TIMESTAMP_NTZ	1970-01-01 00:00:00.000
TIME	TIME	00:00:00
TIMESTAMP	TIMESTAMP_NTZ	1970-01-01 00:00:00.000
TIMESTAMP_LTZ	TIMESTAMP_LTZ	1969-12-31 16:00:00.000-0800
		<p>Note This may change depending on the time zone.</p>

Column data type	Snowflake data type	Default masking value
TIMESTAMP_NTZ	TIMESTAMP_NTZ	1970-01-01 00:00:00.000
TIMESTAMP_TZ	TIMESTAMP_TZ	1969-12-31 16:00:00.000-0800 Note This may change depending on the time zone.
VARIANT	VARIANT	0
OBJECT	OBJECT	{}
ARRAY	ARRAY	[]
GEOGRAPHY	GEOGRAPHY	{"coordinates": [0,0], "type": "Point"} (aka point(0, 0) and visualization can change based on user preferences)

- **Hashing:** Uses the following Snowflake functions:
 - *SHA2* (for strings)
 - *HASH* (for numbers)
- **Show last:** Uses the following expressions:
 - *substr(to_varchar(value), length(value) - n, n)* (for strings)
 - *mod(value, power(10,n))* (for numbers)

Tip In the expressions, *value* indicates the content and *n* indicates the number of characters to be shown.

- **No masking:** Returns the raw content.

Note

- You can apply the **Hashing** and **Show last** masking types to only the following Snowflake data types: FLOAT, NUMBER, and STRING.
- If a selected masking type cannot be applied to a certain data type—for example, when you attempt to apply the **Hashing** masking type to the DATE data type—the **Default masking** type is applied to the data type to guarantee protection.

Snowflake group mapping

The Protect group mapping for Snowflake must follow the syntax for [identifiers](#).

Suppose that you want to create a Protect group named **Sales** that maps to the Snowflake role **SALES**. Then, the Protect API to [add a new group](#) should have the following syntax.

```
{
  "name": "Sales",
  "mappings":
  [
    {
      "provider": "Snowflake",
      "identity": "SALES"
    }
  ]
}
```

Snowflake privileges

To perform [actions](#) in Snowflake, Protect uses an [Edge connection](#). This Edge connection must be configured with a role that has the following privileges in Snowflake.

Snowflake privilege	Description
[APPLY MASKING POLICY]	To apply masking policies . Required for the role performing the actions.

Snowflake privilege	Description
[APPLY ROW ACCESS POLICY]	To apply row access policies. Required for the role performing the actions.
[APPLY TAG]	To apply tags. Required for the role performing the actions.
[IMPORTED PRIVILEGES]	To import privileges. Required for the role performing the actions.
[MANAGE GRANTS]	To manage access privileges. Required for the role performing the actions.
[USAGE]	To manage usage access on databases and schemas involved in the protection. Required on each database and schema where policies are applied to the role performing the actions.
[CREATE MASKING POLICY]	To create masking policies. Required on each schema where policies are applied to the role performing the actions.
[CREATE ROW ACCESS POLICY]	To create row access policies. Required on each schema where policies are applied to the role performing the actions.
[CREATE TAG]	To create tags. Required on each schema where policies are applied to the role performing the actions.

Example Suppose that a role named **PROTECT** exists in Snowflake and this role is responsible for managing access privileges on all schemas within a database named **DEMO**. To enable the Snowflake **PROTECT** role to perform an action in Snowflake, the following statements can be used.

```
GRANT APPLY MASKING POLICY ON ACCOUNT TO ROLE PROTECT;  
GRANT APPLY ROW ACCESS POLICY ON ACCOUNT TO ROLE PROTECT;  
GRANT APPLY TAG ON ACCOUNT TO ROLE PROTECT;  
GRANT MANAGE GRANTS ON ACCOUNT TO ROLE PROTECT;  
GRANT IMPORTED PRIVILEGES ON DATABASE SNOWFLAKE TO ROLE  
PROTECT;  
GRANT USAGE ON DATABASE DEMO TO ROLE PROTECT;  
GRANT USAGE ON ALL SCHEMAS IN DATABASE DEMO TO ROLE  
PROTECT;  
GRANT CREATE MASKING POLICY ON ALL SCHEMAS IN DATABASE  
DEMO TO ROLE PROTECT;  
GRANT CREATE ROW ACCESS POLICY ON ALL SCHEMAS IN DATABASE  
DEMO TO ROLE PROTECT;  
GRANT CREATE TAG ON ALL SCHEMAS IN DATABASE DEMO TO ROLE  
PROTECT;
```

Snowflake examples

This topic contains examples of how Snowflake behaves with respect to certain data protection standards and data access rules.

Example

Suppose that:

- The **Personally Identifiable Information (PII)** and **Personal Information (PI)** data categories exist in Snowflake. These two data categories contain a column named **DOB**.
- A standard that applies to the **HR** group has been created. This standard requires hashing for the PII data category.
- A standard that applies to the **Marketing** group has been created. This standard requires default masking for the PI data category.

Behavior

When the standards are synchronized and active, a tag policy is created in Snowflake for each standard and linked to the **DOB** column. A single column masking policy that combines the two tag policies is then created and applied to the **DOB** column. This column masking policy includes the protection defined in each standard.

```
1 CASE
2   WHEN CURRENT_ROLE() = 'HR' THEN hash(va1)::NUMBER
3   WHEN CURRENT_ROLE() = 'MARKETING' THEN 0
4   ELSE va1
5 END
```

Example

Suppose that:

- The **Personally Identifiable Information (PII)** data category exists in Snowflake.
- The **Employee Data** data set exists in Snowflake. This data set contains PII.

#	Name	Is part of
1	EMPLOYEE_NAME	EMPLOYEES
2	EMP_ID	EMPLOYEES
7	DEPT_ID	EMPLOYEES
10	SALARY	EMPLOYEES

- A standard that applies to the following groups has been created: **Everyone**, **Human Resources**, **Marketing**, and **Sales**. This standard requires default masking for the PII data category.

for the group * Everyone

and the group Human Resources

and the group Marketing

and the group Sales

protect * Data Category Data Classification Personally Identifiable Information

with * Default masking

- A rule that applies to the **Human Resources** group has been created. This rule does not require any masking for the PII columns in the **Employee Data** asset.

group * Human Resources

asset * Employee Data

with * No masking for Data Category Data Classification Personally Identifiable Information

Behavior

Standard

When the standard is synchronized and active, 14 masking policies are created in Snowflake—one policy for each [Snowflake data type](#). These masking policies are associated with the **Personally Identifiable Information** tag and are created at the schema level. The tag is assigned to those columns that need to be protected. The masking policies are named `COLLIBRAMASKING_POLICY/<asset ID>/<Snowflake type>`.

Row	created_on	name ↑	database_name	schema_name	kind	owner
1	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/ARRAY	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
2	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/BINARY	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
3	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/BOOLEAN	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
4	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/DATE	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
5	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/FLOAT	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
6	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/GEOGRAPHY	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
7	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/NUMBER	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
8	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/OBJECT	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
9	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/STRING	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
10	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/TIME	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
11	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/TIMESTAMP	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
12	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/TIMESTAMP_LTZ	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
13	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/TIMESTAMP_TZ	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
14	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/VARIANT	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN

At runtime, Snowflake fetches the right masking policy based on the **column data type**.

Row	created_on	name	database_name	schema_name	owner	comment
1	2022-09-06 03:46:10.054...	Personally Identifiable Information	PROTECT_QA	DEMO	ACCOUNTADMIN	Generated by Collibra: 28d226cc-0ab0-4d23-b912-985312fb36b1

The following image shows a masking policy for the STRING data type. The data that is shown in the policy depends on the masking type selected in the standard. In the policy, `val` indicates the value as it is stored in the table.

```

1 CASE
2     WHEN CURRENT_ROLE() = 'PUBLIC' THEN '*'
3     WHEN CURRENT_ROLE() = 'HR' THEN '*'
4     WHEN CURRENT_ROLE() = 'MARKETING' THEN '*'
5     WHEN CURRENT_ROLE() = 'SALES' THEN '*'
6     ELSE val
7 END


```

Rule

A rule results in a combination of **grant instructions**, **dynamic masking**, and **row access policies**.

The rule grants access of the **Employee Data** data set to the **Human Resources** group, as indicated by the selected **Grant access...** checkbox in the rule. Then, the corresponding Snowflake role for the group can access each database, schema, and table in the data set. In addition, the column masking policy is applied to those columns that need to be protected.

Consider the **EMPLOYEE_NAME** column in the **Employee Data** data set. This column belongs to the **EMPLOYEES** table within the **DEMO** schema in the **PROTECT_QA** database.



In Snowflake, each column that is categorized as PII within the **Employee Data** dataset inherits the masking policy that is applied to the column in Protect. The masking policies created at the schema level are named **COLLIBRA/MASKING_POLICY/<asset ID>**.

EMPLOYEE_NAME	EMPLOYEE_ROLE	EMPLOYEE_ID	EMPLOYEE_PHONE
...
...
...
...
...

The following image shows the masking policy created for the **EMPLOYEE_NAME** column.

```

1 CASE
2   WHEN CURRENT_ROLE() = 'HR' THEN va1
3   WHEN CURRENT_ROLE() = 'PUBLIC' THEN '*'
4   WHEN CURRENT_ROLE() = 'MARKETING' THEN '*'
5   WHEN CURRENT_ROLE() = 'SALES' THEN '*'
6   ELSE va1
7 END

```

Summary

According to the standard, the **Everyone**, **Human Resources**, **Marketing**, and **Sales** groups have masked access to the data. However, according to the rule, the **Human Resources** group has unmasked access to the data. As a result, the **EMPLOYEE_NAME** column has both a policy tag and a column masking policy applied to it via the standard and the rule, respectively.

In Snowflake, if both a policy tag and a column masking policy exist for the same column, the column masking policy takes priority and the policy tag is not assigned to the column. To ensure that the protection defined in the standard is not ignored, the column masking policy also considers the conditions defined in the standard (policy tag).

Thus, when a standard is created for the **Human Resources**, **Marketing**, and **Sales** groups to mask a column, and when a rule is created for the **Human Resources** group to not mask the same column, the result is as follows:

- The column is not masked for the **Human Resources** group.
- The column is masked for the **Marketing** and **Sales** groups.

Protect audit (beta)

An audit log in Collibra Protect contains information about the queries that were run to access the data and the data that was accessed.

This topic describes how to generate an audit log for Protect and [what](#) is shown in an audit log.

Generate an audit log

You can generate an audit log of access records from the data source on the **Audit** page.

Note The time that it takes for the actions performed in a data source to appear in an audit log in Collibra Protect varies from several minutes to hours, depending on the data source.

Requirements and permissions

You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).

Steps

1. [Open](#) Protect.
2. Click the **Audit** tab.
3. Depending on your data source, click **BigQuery**, **Lake Formation**, or **Snowflake**.
4. If you clicked **Lake Formation**, in the **AWS Region** field, select the hosting region for your Amazon Web Services.

- Click one of the following buttons: **Today**, **Yesterday**, **A week ago**, **30 days ago**.

Tip The start date corresponding to the button that you clicked is shown in the **Start Date** field. Alternatively, you can enter or select a date in the **Start Date** field, and then click **Generate Log**.

» The audit log is generated.

Important

- The generation of an audit log may take up to a minute. After clicking **Generate Log**, do not navigate away from the **Audit** page because doing so cancels the audit log generation.
- The audit log contains the first 1,000 records from the selected start date. If you want to view the remaining records, contact your data source administrator.

Audit Help

Today
Yesterday
A week ago
30 days ago

Start Date
 📅

Generate Log

• For audit log generation, data sources may have latency to summarize access records. Logs generated here for today may not contain information for the most recent access.

Query ID	Query Start Time	Source User Name	Direct Objects Accessed	Base Objects Accessed
01a74800-0501-ec9a-0001-0003066b19e	Sep 29, 2022, 2:00 AM	MELIK	TEST_DB.PUBLIC.MAIN_EXAMPLE	TEST_DB.PUBLIC.MAIN_EXAMPLE
01a74800-0501-ec9a-0001-0003066b1a2	Sep 29, 2022, 2:00 AM	MELIK	TEST_DB.PUBLIC.MAIN_EXAMPLE	TEST_DB.PUBLIC.MAIN_EXAMPLE
01a74800-0501-ea65-0001-0003066f9dd2	Sep 29, 2022, 2:00 AM	MELIK	TEST_DB.PUBLIC.DEPENDS_ON_EXAMPLE	TEST_DB.PUBLIC.MAIN_EXAMPLE
01a74800-0501-ec9a-0001-0003066b1a6	Sep 29, 2022, 2:00 AM	MELIK	TEST_DB.PUBLIC.NODES_DEPENDS_ON_EXAMPLE	TEST_DB.PUBLIC.MAIN_EXAMPLE

Audit log data

The following table describes the columns that are shown in an audit log.

Column	Description
Query ID	The ID of the query in the source database.
Query Start Time	The date and time of the query in the source database.
Source User Name	The name of the user in the source database who ran the query to access the data.


Column	Description
Direct Object Accessed	The database object (a table or a view) that was used to access the data.
Base Object Accessed	The database object that was accessed.

Asset data protection

The asset pages for the following asset types contain the **Data Protection** tab to allow you to view, filter, create, and manage data protection standards and data access rules:

- [Business Process](#)
- [Data Category](#)
- [Data Set](#)
- Custom asset types such as [Column](#), [Database](#), [Schema](#), and [Table](#), derived from the aforementioned asset types via [prescriptive paths](#)

Note Data protection standards support only Data Category assets and data classifications.



View or filter standards and rules

Requirements and permissions

You have the **Protect Reader** global role.

Steps

On the asset page (for the one of the [aforementioned](#) asset types), click the **Data Protection** tab.

» Data protection standards and data access rules that are linked to the asset are shown.

Tip

- To filter the standards and rules by name, in the **Search a policy by name** field, enter the name of the standard or rule that you want to view.
- To filter the standards and rules by group, in the **Filter by data protection group** field, select the group for which you want to view the standard or rule.

Create or manage standards and rules

Requirements and permissions

You have the **Protect Author** and **Protect Admin** global roles.

Steps

1. On the asset page (for the one of the [aforementioned](#) asset types), click the **Data Protection** tab.
2. Click the following link: **Go to Collibra Protect to create and manage data protection policies.**

Tip For information about how to create and manage data protection standards and data access rules, go to [Data Protection Standards tab](#) and [Data Access Rules tab](#).

Why rules or standards may fail

Certain data protection standards or data access rules may fail due to logical errors. This section describes some of the common scenarios that cause them to fail.



Different types of masking affecting the same column

This topic contains examples to describe how data protection standards and data access rules behave when different types of masking affect the same column.

Note In the topic, the term *agent* refers to a data category or a data classification.

Masking within a rule

Scenario

A rule that is set for a group masks multiple agents using different types of masking, and the agents share the same column. This scenario is applicable regardless of whether the rule applies to a single asset or multiple assets.

Example

Consider a rule that is set for the **Marketing** group. The rule masks the **Personal Information** data category by hashing and masks the **Personal and family details** data category by showing only the last two digits. Suppose that both these data categories share the same column. Then, the rule will fail because the same column cannot be masked using two different masking types for a given group.

Rule Name*

Description

Set rule for

group* + -

asset* + -

and the asset + -

Grant access to all data tables linked to these asset columns.
By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with ⓘ for **Data Category** **Data Classification** + -

with ⓘ for **Data Category** **Data Classification** + -

and rows where has

Summary
 Grant access to Marketing
 for Customer Data and Audit & Internal Controls
 with Hashing for Personal Information and
 with Show last 2 characters for Personal and family details

Masking between rules

This scenario is similar to the previous scenario except that this scenario considers two rules, instead of one, that are set for the same group. The masking types for the agents in the two rules are different, and both the agents share the same column. Then, a conflict occurs because the same column cannot be masked using two different masking types for a given group.

When two rules conflict with each other, if the synchronization status of only one of them is **Active**, then the other rule fails. If, however, the synchronization status of both the rules is **Active** or **Pending**, then both of them fail.

This scenario is applicable regardless of whether the agents are the same or different, and regardless of whether the rule applies to a single asset or multiple assets.

Rule Name*
Masking between rules - 1

Description

Set rule for

group* Marketing

asset* Customer Data

Grant access to all data tables linked to these asset columns.
By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with Hashing for Data Category Data Classification Personal Information

and Select an action rows where Select a data classification has Select a code set Select a code value

Summary
Grant access to Marketing for Customer Data with Hashing for Personal Information

Rule Name*
Masking between rules - 2

Description

Set rule for

group* Marketing

asset* Audit & Internal Controls

Grant access to all data tables linked to these asset columns.
By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with Show last 2 for Data Category Data Classification Personal and family details

and Select an action rows where Select a data classification has Select a code set Select a code value

Summary
Grant access to Marketing for Audit & Internal Controls with Show last 2 characters for Personal and family details

Conflicting filters affecting the same column

This topic contains examples to describe how data protection standards and data access rules behave when conflicting filters affect the same column.

Filtering within a rule for the same data classification

Scenario

A rule that is set for a group contains conflicting filters for the same data classification. This scenario is applicable regardless of whether the rule applies to a single asset or multiple assets.

Example

Consider a rule that is set for the **Marketing** group and the **Customer Data** asset. The rule contains two filters for the **Country** data classification.

Rule Name *
Filtering within a rule for the same data classification

Description

Set rule for

group * Marketing

asset * Customer Data

Grant access to all data tables linked to these asset columns.
By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with Select a masking option for **Data Category** Data Classification Select a data category

and Show rows where Country has Country code BE

and Hide rows where Country has Country code PL

Summary
Grant access to Marketing
for Customer Data
and Show rows where Country has Country code: BE
and Hide rows where Country has Country code: PL

If any of the tables in the asset contain a column that is classified as **Country**:

- The first filter shows the rows that contain **BE** in that column.
- The second filter hides the rows that contain **PL** in that column.

Then, this rule will fail because two conflicting filters affect the same column.

When applying a filter for a specific data classification, you must select only one type of action. That is, you can choose to either show rows based on one or more values or hide rows based on one or more values. You must not use the show and hide filter actions together for the same data classification.

Filtering within a rule for different data classifications

Scenario

A rule that is set for a group contains conflicting filters for different data classifications that share the same column. This scenario is applicable regardless of whether the rule applies to a single asset or multiple assets.

Example

Consider a rule that is set for the **Marketing** group and the **Customer Data** asset. The rule contains two filters: one for the **Country** data classification, and another for the **State** data classification.

Rule Name*
Filtering within a rule for different data classifications

Description

Set rule for

group* Marketing + -

asset* Customer Data + -

Grant access to all data tables linked to these asset columns.

By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with ⓘ Select a masking option Select a data category

for **Data Category** Data Classification

and Show + -
rows where Country has Country code BE

and Hide + -
rows where State has Country code PL

Summary

Grant access to Marketing
for Customer Data
and Show rows where Country has Country code: BE
and Hide rows where State has Country code: PL

If any of the tables in the asset contain columns that are classified as **Country**, the first filter shows only the rows that contain **BE** in those columns.

If any of the tables in the asset contain columns that are classified as **State**, the second filter hides only the rows that contain **PL** in those columns.

Suppose that a column is classified as both **Country** and **State**. That is, data classifications **Country** and **State** share the same column. Then, this rule will fail because two conflicting filters affect the same column.

Filtering between rules for same or different data classifications

This scenario is similar to the [previous scenarios](#) except that this scenario considers two rules, instead of one, that are set for the same group. The filter in one rule is different from the filter in the other rule, and both the filters affect the same column. Then, a conflict occurs because two conflicting filters affect the same column.

When two rules conflict with each other, if the synchronization status of only one of them is **Active**, then the other rule fails. If, however, the synchronization status of both the rules is **Active** or **Pending**, then both of them fail.

Rule Name*

Description

Set rule for

group* + -

asset* + -

Grant access to all data tables linked to these asset columns.
By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with ⓘ for Data Category Data Classification

and rows where has + -

Summary
 Grant access to Marketing
 for Customer Data
 and Show rows where Country has Country code: BE

Chapter 13

Rule Name *
Filtering between rules for same or different data classifications - 2

Description

Set rule for

group * Marketing

asset * Personal Information

Grant access to all data tables linked to these asset columns.
By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with ⓘ Select a masking option for Data Category Data Classification Select a data category

and Hide rows where Country has Country code PL

Summary
Grant access to Marketing
for Personal Information
and Hide rows where Country has Country code: PL

Collibra Protect

Collibra Protect is a capability of the Collibra Data Intelligence Cloud to protect sensitive data and grant varying levels of access to the data to specific groups of people through policies that do not require you to code. It enables you to build and manage policies in a single place and enforce those policies across various cloud platforms to ensure that sensitive data is always protected. You can enforce data protection at the source database level directly from the Protect interface, and apply advanced data protection through masking, redacting, and hashing.

Protect simplifies access governance and eliminates the need for repetitive actions and approvals. By providing permission to view information to only those who need it, Protect minimizes risk and promotes a safe data culture in your organization.

You can also use Protect to provide differential access, for example, to give everyone access to a data set but allow certain type of access to only certain groups of people based on data categories.

Note Protect supports the following data source providers:

- [AWS Lake Formation](#)
- [BigQuery](#)
- [Snowflake](#)

Scenarios for using Protect

This topic describes how Collibra Protect helps you to:

- Use the metamodel graph to establish and enforce protection policies on Business Processes, Data Categories, and Data Sets.
- Apply a range of protection mechanisms to data sources using classifications.
- Support privacy preferences, such as consent management, data subject access requests, and the right to be forgotten, via row-filtering mechanisms.
- Conduct an audit of relevant protection at data sources and use reporting to demonstrate compliance in data storage and consumption.

Discover and classify personal information


Suppose that you want to help your organization find personal information.

To achieve this, typically, your Privacy team sets up the Data Classification Policy, where they classify the data used in the organization based on the sensitivity or the business criticality of the data. This determines the required levels of security for the applications that store that data or the applications that are used for the transit of the data.


Consider the following three classifications for sensitivity:

- Public data, which is least sensitive.
- Private data, which is slightly more sensitive than the public data.
- Restricted data, which is the most sensitive data and therefore requires the highest level of access controls and security protection.

The following image shows the standard subassets of the Data Classification policy.




The Privacy team determines the data categories to which these subassets apply. For example, they can determine that Restricted Data applies to the following data categories: Gender, Social Security Number, Payment Card Information.




The Privacy team determines the sensitivity and the required security at the data category level as opposed to the column level. At the data category level, the Privacy team then determines what data elements belong to the identified data categories. For example, the

Payment Card Information data category groups the Cardholder Name and the Credit Card Number, among other information.



In this model, Data Attributes are grouped under the Data Category. This is how the Privacy layer is linked to the logical data model. This promotes collaboration between the Privacy team and the Governance team. In addition, this allows the automated data classification of the organization’s personal information, which makes views such as the Restricted Data Overview diagram, available at the most sensitive data category, Standard Restricted Data.




In the above image, the applications in which the restricted data resides are highlighted.

The Privacy team determines the Policies and Standards that determine which data categories are sensitive to the organization and what the required levels of protection are. The Data Governance team maps those data categories to the applications where that

data resides. The Security team determines what the security levels on those applications are. Thus, the view captured in the above image requires collaboration among teams.

Consider the traceability diagram called Data Classification under the Restricted Data standard. This standard contains the most sensitive information and thus requires the highest level of security controls; however, it resides on an application that has very low security. Because of this, the Information Security team needs to take the necessary remediation actions and improve the security levels on Blogger. As shown in the following image, an investigation is already ongoing on the potential data breach on Blogger.




Data classification capabilities and guided stewardship

This section describes how Collibra Privacy and Risk leverages the data classification capabilities in Catalog. Thus far, we learned that the Restricted Data standard groups Data Categories, which group Data Attributes. In the example, the Payment Card Information data category contains the Credit Card Number data attribute.


Guided stewardship is a semi-automated process of mapping columns and tables to logical data attributes. It enables content tables to be mapped to data attributes. After scanning a table and then applying guided stewardship in which the Steward selects

attributes from the suggestions coming from the automated mapping, the column is mapped to the Credit Card Number. Moreover, when a column is mapped to a data attribute, the column is also mapped to a data category because of the relation between the data category and the data attribute.

The result of classifying one application with the Catalog's Data Classification is shown in the following image.




Restricted Data groups multiple data categories. The following image shows the data attributes that the Payment Card Information data category groups.



By applying guided stewardship and data classification, the data attributes are mapped to the columns. Thus, by using Catalog’s data classification capabilities, the Data Governance team can find personal information and sensitive personal information.

It is important to know the context to determine which information is considered personal information. For example, Name can be the name of a customer or an employee, in which case Name is considered personal information. Name can also be the name of another organization. This context can be provided only by a steward. Therefore, data classification and guided stewardship will help the Steward mapping customer’s names to the Name column. Because the Privacy team has mapped names and family details, you can safely assume that this is Personal Information. Similarly, Credit Card Number can be the credit card number of another organization, but it is the Steward who has mapped the number to the Credit Card Number data attribute belonging to the Customer data entity, and as a result, we know that the payment card information is very restricted data.



This is an example of how guided stewardship, Catalog’s data classification combined with guided stewardship and CollibraPrivacy and Risk, gives you a vertical view on where Personal Information resides.


Customer requests and consent management

The previous sections described how we help customers find their Personal Information across applications. This section describes how we help customers manage data subject requests and consent. Collibra has the relevant metadata that is necessary for a partner application that fulfils the data subject requests or manages consent to operate. These applications need the metadata about where the data resides, where you store customer information, how you use the information, why you use the information, and what your legal basis is, so that they can determine for which applications you need consent and for which processes you need instance for a consent. Collibra has and governs the required metadata. In addition, through APIs, Collibra can integrate with those applications to feed them with the metadata that they need to function.


Consider the customer data. Collibra knows where this data resides and how it is being used. This is an outcome of obtaining input from the business users during the onboarding of the Business Processes where the users are asked what data they use, which applications they use, and for what purpose the data is used. When further onboarding of those business processes by the stewards takes place, one of these steps is mapping the

Business Processes to the data, and then also helping those business stewards with the mapping through the data classification capabilities in Catalog.

The following image shows a traceability view, which is a result of collaboration with the business team, data governance team, and other teams.



The above image shows where data resides and why it is used. It shows all the applications that contain customer data, and also the related retention periods, which can be imported when a customer wants to exercise their right to be forgotten. Collibra knows in which applications the data resides and the business processes that use that data. Thus, we know why and how we are using our customer data. This determines how to respond to the right to be forgotten because there are often Business Processes where you have the real legitimate reason to retain the customer's personal information.



When a customer wants to exercise their right to be forgotten, we can remove the information in these applications; however, we need to store the customer information in

the above table in order to comply with the legal obligation. Therefore, it is not only important to know where your personal information resides, but also why you are using it. Such information is important information for applications that process data subject requests (DSRs). You can integrate with the application that does the DSRs and create a workflow to process the data subject requests. Based on the input of the information and metadata that you will find in Collibra, you can validate the request. When the request is approved, you can point the applications to the stewards and send them a task to perform the action that appears in the data subject request, such as, removing the data or extracting the data and sending it to a customer.

The same approach can be applied to the integrated consent management applications. These applications need to know the processes for reaching the consent, and such applications reside in the process register, so that you can see all the processes that rely on the consent and the data categories for which you need consent.

The screenshot shows the 'Marketing Process Register' interface. At the top, there are navigation buttons: 'Type: Process Register', 'Export Metamodel', 'Go to the Business User Interface', 'Request input', 'Edit', 'Move', 'Delete', and 'Auto hyperlinks'. Below this is a 'CCPA Default View' dropdown and a description: 'The view presents the inventory of Business Processes describing the data flows in your organization.' There are also 'Delete', 'Move', and 'Validate' buttons. The main content is a table with two columns: 'Name' and 'legal basis'.


Name	legal basis
Direct Marketing	Legitimate interest
Market Research	Legitimate interest
Monetizing Marketing Insights	Consent, Consent from the minor towards selling of PI
Monetizing anonimised global Marketing Insights	Consent, Opt-out (from selling)
Monetizing Marketing Insights EU customers	Consent
Monetizing Marketing Insights US customers	Consent provided towards selling of PI due to financial incentive received,
Print media advertisement	Legitimate interest
Public Website Management	Consent provided towards selling of PI due to financial incentive received,
Public Website Content Maintenance	Consent, Substantial Public Interest
Create online contest	Consent

These are stored in the data sets that can also contain granular information, such as the individual data elements for which you want to obtain consent—this combines the information about which business processes require consent and the data categories for which you need consent to process all information in Collibra. The information governed in Collibra can be then sent to the consent management application that is used to manage consent.

Potential data breach workflow

This section describes how Collibra helps when a data breach occurs.

With Collibra Data Privacy, Collibra for Desktop, or Collibra for Mobile, you can report any suspicious behavior by logging a potential data breach.



If your organization has suffered a potential data breach, you can determine the application that needs to be investigated and the type of breach that may have occurred, and then log a potential data breach. The related workflow will require the community manager on the data governance counsel to assign the issue manager who will investigate the breach. The issue manager will then investigate the issue, assess the potential impact of the breach, determine the reporting requirements (for example, to whom the incident must be reported), and plan the remediation actions to address the risks. The reporting evidence needs to be stored. If you go to the data helpdesk, you can find an overview of all the breaches that are being investigated.

Name ↑	Description	Assignee	Requester	Reviewer
BigSuite - sent credentials ove...	Employee accidently sent	Preston Sterling	William Parker	Dora Perreman
Data Breach Blogger	Today it is mentioned in the new	Preston Sterling	David English	Dora Perreman
Example of Breach	Description			

Collibra can help with investigating the impact of the breach because of the knowledge of which data resides in the applications and the processes that use those applications. Such a holistic view on where the data resides, which applications are involved, and the processes that rely on these applications can help in assessing the impact on customers following a data breach. Collibra can not only help an organization log and investigate a data breach but also help analyze the impact of the breaches because Collibra knows

where the data resides and how it is being used. In addition, it contains a history of all the breaches (including potential ones) that would have been logged.

How do we get there?

This section describes the Process register and Business Process discovery capabilities, data categorization and classification, and different prescriptive paths for reaching out from the logical data layer envisioned in the metamodel graph and connected data sets to a physical data layer present in columns located directly at the data source.

Create and maintain Process Register

Process Register is an essential part of privacy compliance, foreseen directly by GDPR article 30 as a Record of Processing Activities and derived from CCPA requirements for performing data mapping in the organization. Process Register enables to store assets of the Business Process type that describes processes in the organization that involve personal data. In Collibra, Business Processes reflect the requirements stated by Processing Activity in GDPR.

Business Process onboarding


Business Processes may be onboarded by business users as well as privacy stewards through dedicated workflow implementing guided stewardship principle in Collibra Data Privacy. During onboarding, multiple roles collaborate in providing content to the onboarded Business Process. Because of the dedicated tasks and required approval and feedback, assets are onboarded in a governed way.

In the scenario on the Personal Information (PI) Discovery, it was described how Collibra helps with discovering Personal Information. But equally important to knowing where you are storing personal information is knowing why you are using personal information. That is, what the legal context of using that PI is. This context is created within Process Registers, throughout the usage of Business Processes that describe the processes conducted by organization relating to the usage of personal information.

Typically, that information does not reside with one person that can help you document that knowledge. That information is stored within multiple areas across the organization



and it may not be easy to centralize this information and ensure that the information is up to date. To help you with this task, CollibraData Privacy comes with the Business Process discovery capabilities.

Consider a high-level overview of Collibra Privacy and Risk Business Process discovery capabilities. It commences with the Business Users describing the Business Processes in their terms. They will describe the data being used, applications being used, and any third parties with which they share information. After describing the Business Process, the owner of the Business Process will accept the ownership of that particular Business Process. When the ownership is accepted, the experts or the stewards will further onboard the proposed Business Process. This means that they will ensure that the Business Process is accurate and actionable because that Business Process provides business context on how we use personal information and we must ensure that the description is accurate. Therefore, in principle, you will have the Business Steward, Privacy Steward, and Data Steward, each adding business metadata, adding privacy metadata, and performing data mapping, respectively. After the stewards have updated the characteristics, you can optionally obtain feedback from the stakeholders. The following sections describe each step involved in the process.




Requesting business users' input with a dedicated interface

The information related to Business Processes may be requested from the Business User directly from Collibra Privacy and Risk Process Register. Typically, this will be done by those who work on the Privacy program. With the **Request input** button, email will be generated for the selected business users, which can provide relevant information on the business side of the process through a dedicated interface. You can have a guiding text that explains the purpose of your request. If you click **Send**, an email is sent to the business user with an invitation to contribute to the Process Register.




Onboarding Business Process with a business user interface


The Business Register User receives an email message asking them to verify that all the processes are in their domain.



When the Business User clicks **Go to Marketing Process Register** in the email, a page showing all the Business Processes for their department appears to allow the Business User to contribute to the Process Register.



The link provided in the email message directs the User to a survey where they can describe the business processes that they perform on a daily basis. If the Business User cannot find the Business Process that was onboarded in the process of being onboarded, they can propose a new Business Process using the **Propose Business Process** button. When proposing a Business Process, they can describe the Business Process, provide a unique name, description, and purpose.




The next step involves covering Process Categories such as use, collection, adaptation, and alteration. The Business User defines the types of data that they are using, for example, behavioral information, contact information, or contract information. Finally, they determine what type of customer's data they are using, such as the customers covered by CCPA or GDPR. There can be also an indication on other types of data subjects, such as, employees and candidates. The Business User can select values only from predefined lists—this reduces the scope of errors as there is no ambiguity around the values that the Business User is able to provide. These values have been predefined by the Privacy team and have legal implications. They show how the organization complies with the privacy regulations. Because, when you collect data directly from customers or from third parties—by using sensitive information, public information, or customer or employee information—the distinctions will have an impact on how you comply with the regulations. For example,


the employee information is temporarily exempted from the CCPA. Therefore, it is considered better for the Business User to select from the drop-down list, as opposed to providing free text. This also prevents common issues such as spelling errors. In addition, if there is any uncertainty about the meaning of these values, the Business User can look up the definitions of these values in Collibra. In the next steps, the lines of business and third parties involved can be described, applications used can be indicated, and the level of automation in the Process can be determined.

The wizard is prescriptive:


- It shows the user the steps that they have completed and how many steps are remaining, by visually indicating the progress.
- The help text below the question describes what is required from a particular question.
- The ability to open a side panel that provides additional educational information, such as wordings from the law or video content from the Collibra university.
- Smart suggestion based on what the user has already filled and the domain to which they belong.



After entering the information, the Business User can review it before submitting it.




After the Business User provides their Business Process, they can submit the process for further onboarding. The next step is for the owner to accept the ownership of that Business Process. A new task is generated for the owner after they accept the ownership of the Business Process in the Process Register. Based on the metadata, the owner can determine that the Business Process belongs to their Process Register. The ownership can be accepted or rejected. As a result, the status of the asset is changed and the justification is added in the **Comments** section of the Business Process.




As a next step, the experts or the stewards will be consulted to ensure that the metadata is accurate and complete and the Business Process is going to be mapped to the data. In the following steps, relevant tasks will be created with the request to review and update attributes when necessary. Among others, the Data Mapping task is performed by Data Stewards. The form contains contextual help with suggestions on the relevant Data Sets consumed and produced by the Business Process. Because one of the data categories used in the process is behavioral information, you can click and review it and view the related data sets in the categories. Based on this, Data Stewards can ensure that Data Mapping has been correctly performed.

The last expert who needs to contribute to the Business Process is the Privacy Steward. After opening the task, the first step is to define the regulation that applies, be it GDPR, CCPA, or others. In addition, a purpose needs to be validated, and legal bases, controllers, and processors need to be defined. Very specific information on regulation shall be specified. For example, on GDPR, we define cross-border transfers, safeguards, consent collection method, and automated decision-making confirmation. On the CCPA side, we are asked about the collection directly from customers or third parties and whether the data is being sold to third parties.



After the Stewards finish updating the Business Process, we ask the Stakeholders for final feedback. If the feedback is positive, we send the task to the Owner for final approval.





Maintain Process Register over time with review requests


While the successful result of the asset onboarding process is a new asset with the status Approved, asset change management is the standardized procedure for making changes to such approved assets.

You may have many reasons to review an approved asset. Collibra Data Privacy groups such reasons into three categories and offers three corresponding means to trigger a review request:

- **Manual:** A trigger that is manually actioned by a user if, for example, the user wants to request a review of a Business Process asset considered to be incomplete or inaccurate. Any user can manually request a review of an approved asset.



- **Time-based:** A trigger that is automatically actioned at a specified frequency. This is useful for assessment assets for which you might be required to review periodically to comply with a regulation.



- **Event-based:** A trigger that is automatically actioned by the fact of changes made to specified characteristics of the related asset.

All of the review requests are available in the Data Helpdesk.

Name	ID	Description
[R] Customer Information - 2019/09/02 22:03	09/02/2019	Manual review requested by Admin labator, refer to comments below.
	09/02/2019	Request accepted by Admin
[R] Direct Marketing - 2019/08/08 15:52	08/08/2019	Manual review requested by Admin labator, refer to comments below.
[R] Enrich customer information - 2019/09/02	09/02/2019	Manual review requested by Admin labator, refer to comments below.
[R] PIA - Enrich customer information start...	09/02/2019	Event-based review requested as per rule defined in Change in Technology Asset of Data Set triggers review of PIA.
[R] Travel & Expenses - 2019/09/10 08:51	09/10/2019	Manual review requested by Admin labator, refer to comments below.
	09/10/2019	Request accepted by john.fisher

Perform Assessments

Conduct PIA and DPIA

If a business process is likely to introduce a level of risk to the rights and freedom of natural persons, the Business Steward or the Data Protection Officer must perform the following:

- Privacy Impact Assessment (PIA), if complying with CCPA
- Data Privacy Impact Assessment (DPIA), if complying with GDPR

To determine whether or not you need to perform such an assessment for a Business Process asset, you must run a Threshold workflow.

The potential for business processes to expose the rights and freedom of natural persons to risk is significant. Privacy Impact Assessments (PIA) and Data Privacy Impact Assessments (DPIA) assess the risks to the rights and freedom of data subjects, born of a specific business process.

After onboarding a Business Process asset, the relevant Threshold workflow helps you determine whether or not a PIA or DPIA is needed. If it is determined that an assessment is necessary, the Owner or the Business Steward for the Business Process asset must complete the relevant workflow:


- PIA, if complying with CCPA
- DPIA, if complying with GDPR

Print assessment results

Assessments are a way for an organization to demonstrate compliance. You can export and print the PIA results in a unified way. You can also download a PIA asset page as a printable PDF, regardless of the status of the PIA asset.

Steps

1. Go to the relevant PIA asset page.



2. Click **Export to PDF**.
 - » The PDF is downloaded to your computer.

Data privacy building blocks > Sample content > Sample assessment register Print date: 2019-11-04

PIA PIA -> PIA -> Direct Marketing (started on 08/07/2019 14:58)

Status: Approved Approval Simple Approval Submit review request Vote Vote (Privacy) Edit Move Delete More Export to PDF

Date started: 8/7/2019 | Last modified: 11/4/2019 | Modified by: Istrator Admin

Final decision: 1. Processing allowed

Business Process assessed by PIA
[Direct Marketing](#)

General Description
 In the Direct Marketing Process, we send target marketing materials to our customers and prospects. We profile our customers to categorize our customers in 4 categories, to which we can send marketing materials that are customized to the category the customers belong to.

Details

Personal information usage
 We are processing Personal Information for Direct Marketing Purposes. We are not selling Personal Information. We are in full control of the PI

Personal information source
 Directly from the custom
 From a third par

Purpose of personal information usage defined
 Yes
 Justification not provided

Data flow analysis

Personal information categories <input checked="" type="checkbox"/> Yes Justification not provided	Third parties <input checked="" type="checkbox"/> Yes Justification not provided
Sharing of personal information <input checked="" type="checkbox"/> Yes Justification not provided	Data sharing agreements <input checked="" type="checkbox"/> No We still need to update the Data Sharing Agreements

Controls analysis

Minimization <input checked="" type="checkbox"/> Yes We have minimized the PI to what is absolutely	Quality <input checked="" type="checkbox"/> No No Data Quality process implemented yet. Not the
--	--

1 of 3

Essentials

This section contains information that can help you use Collibra Protect to the best of its ability.



Types of data protection

This topic describes the types of protection that you can apply to your data via Collibra Protect.

Tip *Data* refers to the tables and columns in a database.

Access-based protection

Access-based protection is the most basic type of protection that you can apply to your data. It involves providing the right users or groups access to the data based on the Collibra assets.

Note Access-based protection is available only in [data access rules](#).

Column-based protection

Column-based protection allows you to mask the data in specific columns so that the original data is not shown; for example, masking a column that contains credit card numbers.

You can mask the columns that are a part of a data category or a data classification. When granting access to a certain asset, you can apply the masking on only a subset of the asset if the subset is also a part of the data category or the data classification.

The following masking options are available:

- **Default masking:** Shows the data as **0**.
- **Hashing:** Shows the data as a set of different letters, numbers, and symbols.
- **Show last:** Shows the last few characters of the data. You can choose to show the last 1 through 20 characters of the data. The most common choice is 4.
- **No masking:** Shows the original data.

Note Column-based protection is available in both [data protection standards](#) and [data access rules](#).

Suppose that you want the Human Resources (HR) group to be able to access a data set of US-based customers. Suppose that certain parts of the data set need to be hidden from the HR group because they contain restricted data, such as personally identifiable information (PII). Then, you can further protect the data by applying column-based protection or row-based protection.

Row-based protection

Row-based protection uses row filters to allow you to show or hide specific rows of a table. It is based on the values stored in the cell of a table.

Note Row-based protection is available only in [data access rules](#).

Suppose that you want the Sales group to be able to access the data set of US-based customers. Then, you can create a data access rule and use the row-filtering option in the rule to show only those rows in the table that contain US in a column.

The screenshot shows a configuration interface for a data access rule. At the top, it says "Set rule for" with a dropdown menu set to "Sales" and a plus/minus button. Below that, an "asset" dropdown is set to "Upsell text campaign" with another plus/minus button. A checkbox labeled "Grant access to the data linked to these assets." is checked. Below the checkbox is a note: "By checking this box, additional access is given to the data tables or columns linked with the selected assets. If this box is unchecked, no access is given to the selected assets, but they can still be protected. **Note: once the rule granting access is saved and synchronized, access to these assets cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.**" Below the note, there is a "with" section containing a "Select a masking option" dropdown, a "for" section with "Data Category" and "Data Classification" tabs, and a "Select a data category" dropdown. At the bottom, a row filter is configured: "and Show" dropdown, "rows where" dropdown, "Country" dropdown, "has" dropdown, "Country code" dropdown, and "US" dropdown, followed by plus/minus buttons.

Technical background

This topic explains the connection of the data in a database (DB) with the physical layer (equivalent assets in Collibra Data Intelligence Cloud) and the logical layer (the packaged model).

Consider the following DB.



When **ingesting** this DB to Collibra Data Intelligence Cloud, the physical layer is created, in addition to an asset for each of the schemas, tables, and columns, as depicted in the following image.

DB ingestion to Collibra

Physical data layer

```

graph TD
    Database[Database] -- has --> Schema[Schema]
    Schema -- contains --> Table[Table]
    Table -- contains --> Column[Column]
        
```

The screenshot shows the Collibra Data Intelligence Cloud interface. The 'All databases' dropdown is set to 'PLM_QA'. The table below shows the ingested assets:

Name	Data Classification	Data Attribute
TPCH_SF1		
CUSTOMER		
LINEITEM		
NATION		
ORDERS		
PART		
PARTSUPP		
REGION		
SUPPLIER		
S_ACCTBAL		
S_ADDRESS		
S_COMMENT		
S_NAME		
S_NATIONKEY	Country	Country

After the physical layer is created in Collibra, the **logical layer** can be created on top of the physical layer, as follows:

- Select any column and classify it as any available data classification. Alternatively, you can allow Collibra to classify the column for you.
- Assign the column to a data attribute.
- Create additional assets or use the existing assets of different types (Business Process, Data Category, or Data Set) to establish a relation with the columns.

Synchronization

Collibra Protect automatically synchronizes data protection standards and data access rules with the databases of the data source providers such as BigQuery and Snowflake at regular intervals. This synchronization runs in the background on a configured frequency. By default, the frequency is every 60 minutes. You can, however, change the frequency through the **Protect scheduler fixed delay** field on the **Services Configuration** tab in Collibra.

The screenshot shows the Collibra user interface. At the top, there is a navigation bar with 'Browse' and a search field. Below that is a settings menu with tabs: Settings, General, Operating model, Roles and permissions, Workflows, Users and groups, Services Configuration (selected), Migration, Logs, and Edge. The main content area is titled 'protectConfiguration' and contains a search bar, 'Reset to default', and 'Edit configuration' buttons. A sidebar on the left lists configuration categories: 1 General settings, 2 Email configuration, 3 Hyperlinking configura..., 4 Recommender configurat..., 5 Search index configura..., 6 Statistics configuration, 7 Import configuration, 8 Excel export configurat..., and 9 CSV export configurati... The main content area shows '27 Collibra Protect' with a sub-section 'Collibra Protect Configuration'. A field '27.a Protect scheduler fixed delay' is set to '30', with a description 'Fixed delay (in minutes) between synchronizations.'

Important If the **Services Configuration** tab is not shown to you, create a support ticket asking the following JVM Parameter be added to your Collibra Infrastructure Configuration: `-DPROTECT_SYNC_SCHEDULER_DELAY=PT60M`. After the parameter is added, restart Collibra to synchronize the Protect policies with the data source providers.

The synchronization includes the following processes:

- Aggregation of all data protection standards and data access rules with a computation of the following:
 - Which columns need to be masked for which groups
 - Which tables need to have a row filter
 - Which tables and columns need to be granted access
- On the databases of the data source providers such as Snowflake:
 - Creation and application of masking
 - Creation and application of row filters
 - Granting of access to groups on tables and columns (depending on the underlying database)

Data protection standards and data access rules

Collibra Protect protects your data through data protection standards and data access rules.

Data protection standards create a primary layer of protection for similar types of data by masking the data wherever it is stored, whereas data access rules create an additional layer of protection by managing access and enhancing protection for specific usages.

This topic explains **when** to create a data protection standard over a data access rule and vice versa, and what to **consider** when creating them.

When to create a standard over a rule and vice versa

- Suppose that columns containing the first and last names are a part of the Personally Identifiable Information (PII) data category. Then, regardless of the databases, tables, and schemas to which those columns belong, you can create a data protection standard that targets all of those columns by selecting the PII data category in the standard and masking it.
Then, you can create a data access rule that grants access to a specific group, for a specific data set, while knowing that all PII within this data set will be masked by the data protection standard.
- Suppose that a data protection standard is created to mask a column that is classified as Personally Identifiable Information (PII) for everyone. You, however, want to unmask that PII column for a specific group. You can do so by creating for the same

group a data access rule to unmask the classified column, because data access rules take priority over data protection standards.

- Suppose that you want to grant access to a group, but the protection from the data protection standard is not enough because there might be other sensitive data within a supported asset. Then, you can create a data access rule to add additional layers of protection over the ones that were set by the data protection standard. You can further protect the data by applying additional masking on the data or by filtering the data using the row-filtering option in the rule.

What to consider when creating standards or rules

When creating [data protection standards](#) or [data access rules](#) for assets, consider how the assets are grouped. Suppose that you have a Business Process asset, BP, which contains the following Data Set assets: DS1, DS2, and DS3. Instead of creating a [data protection standard](#) or [data access rule](#) for each of the three Data Set assets (DS1, DS2, and DS3), consider creating a standard or rule that targets the Business Process asset (BP), to save your time.


Prescriptive paths

You can use Collibra Protect to secure the data in the assets of the packaged asset types, such as Business Process, Data Category, and Data Set, in addition to the assets of any new or modified asset types.


The asset that you select when creating a data protection standard or a data access rule is related to the physical data layer, such as tables and columns, through a set of relations and intermediate assets. These relations are paths that Protect uses to traverse from the selected asset (business or logical layer) to a column (physical data layer) in order to find the column that needs protection. Such traversal follows a set of prescriptive paths. Each asset type has a set of prescriptive paths for traversing to the Column asset, as depicted in the following sections.

Note Depending on your permission, you can customize the prescriptive paths. For more information, go to [Customization of prescriptive paths](#).


Business Process



Data Category



Data Set



Customization of prescriptive paths

Collibra Protect supports the following asset types:

- **Packaged asset types:** Business Process, Data Category, and Data Set
- **Custom asset types:** These are the packaged asset types that you have modified or the asset types that you have created. If you modify the attributes and relations of a packaged asset type, then the packaged asset type becomes a custom asset type.

If you have the **Protect > Administration** global permission, you can customize the [prescriptive paths](#) for the asset types through [APIs](#). The customization may include creating, modifying, or deleting the prescriptive paths: for example, adding or modifying the prescriptive paths for packaged and custom asset types, defining how the asset types relate to columns, and removing any obsolete prescriptive paths.


The customized prescriptive paths are applied to data protection standards and data access rules.

Note You cannot remove a customized prescriptive path if an asset type linked to the prescriptive path is used in a standard or rule.

Protect supports a maximum of 10 asset types. Each asset type can have a maximum of 6 relations and a maximum depth of 3. However, when customizing the prescriptive path for an asset type, we recommend that you provide only one relation for the asset type.

Prescriptive paths must always end in a Column asset type (that is, 00000000-0000-0000-0000-0000000031008).

The following image is an example of a prescriptive path that has 6 relations and a depth of 3.



Restore the default asset types

If you want to restore the default asset types defined by Collibra, a PATCH operation must be performed on each asset type. The list of asset types and their specifications are as follows.

If Data Privacy is not installed

Data Set (00000000-0000-0000-0001-000400000001)

```

{
  "description": "Prescriptive path from Data Set to Column",
  "relations": [
    {
      "relationTypeId": "00000000-0000-0000-0000-0000-000000007062",
      "relationTypeDirection": "SOURCE",
    }
  ]
}

```

```

      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-000000031008"
      }
    },
    {
      "relationTypeId": "00000000-0000-0000-0000-000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-000000031005",
        "relation": {
          "relationTypeId": "00000000-0000-0000-0000-000000007094",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0000-000000031008"
          }
        }
      }
    }
  ],
  "assetTypeId": "00000000-0000-0000-0001-000400000001"
}

```

Data Category (00000000-0000-0000-0000-000000031109)

```

  {
    "description": "Prescriptive path from Data Category to Column",
    "relations": [
      {
        "relationTypeId": "00000000-0000-0000-0000-000000007038",
        "relationTypeDirection": "SOURCE",
        "assetType": {
          "assetTypeId": "00000000-0000-0000-0001-000400000001",
          "relation": {
            "relationTypeId": "00000000-0000-0000-0000-000000007062",
            "relationTypeDirection": "SOURCE",
            "assetType": {
              "assetTypeId": "00000000-0000-0000-0000-000000031008"
            }
          }
        }
      }
    ]
  }

```

```

    }
  },
  {
    "relationTypeId": "00000000-0000-0000-0000-0000-000000007038",
    "relationTypeDirection": "SOURCE",
    "assetType": {
      "assetTypeId": "00000000-0000-0000-0001-000400000001",
      "relation": {
        "relationTypeId": "00000000-0000-0000-0000-000000007062",
        "relationTypeDirection": "SOURCE",
        "assetType": {
          "assetTypeId": "00000000-0000-0000-0000-0000000031005",
          "relation": {
            "relationTypeId": "00000000-0000-0000-0000-000000007094",
            "relationTypeDirection": "SOURCE",
            "assetType": {
              "assetTypeId": "00000000-0000-0000-0000-0000000031008"
            }
          }
        }
      }
    }
  }
},
{
  "relationTypeId": "00000000-0000-0000-0000-000000007007",
  "relationTypeDirection": "SOURCE",
  "assetType": {
    "assetTypeId": "00000000-0000-0000-0001-000400000001",
    "relation": {
      "relationTypeId": "00000000-0000-0000-0000-000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-0000000031008"
      }
    }
  }
},
{
  "relationTypeId": "00000000-0000-0000-0000-000000007007",

```

```

    "relationTypeDirection": "SOURCE",
    "assetType": {
      "assetTypeId": "00000000-0000-0000-0001-
000400000001",
      "relation": {
        "relationTypeId": "00000000-0000-0000-0000-
000000007062",
        "relationTypeDirection": "SOURCE",
        "assetType": {
          "assetTypeId": "00000000-0000-0000-0000-
000000031005",
          "relation": {
            "relationTypeId": "00000000-0000-0000-0000-
000000007094",
            "relationTypeDirection": "SOURCE",
            "assetType": {
              "assetTypeId": "00000000-0000-0000-0000-
000000031008"
            }
          }
        }
      }
    }
  ],
  "assetTypeId": "00000000-0000-0000-0000-000000031109"
}

```

Business Process (00000000-0000-0000-0000-000000031103)

```

{
  "description": "Prescriptive path from Data Set to Column",
  "relations": [
    {
      "relationTypeId": "00000000-0000-0000-0000-
000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-000000031008"
      }
    },
    {
      "relationTypeId": "00000000-0000-0000-0000-
000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-

```

```

000000031005",
    "relation": {
      "relationTypeId": "00000000-0000-0000-0000-
000000007094",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-
000000031008"
      }
    }
  }
],
"assetTypeId": "00000000-0000-0000-0001-000400000001"
}

```

If Data Privacy is installed

Data Set (00000000-0000-0000-0001-000400000001)

```

{
  "description": "Prescriptive path from Data Set to Column",
  "relations": [
    {
      "relationTypeId": "00000000-0000-0000-0000-
000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-000000031008"
      }
    },
    {
      "relationTypeId": "00000000-0000-0000-0000-
000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-
000000031005",
        "relation": {
          "relationTypeId": "00000000-0000-0000-0000-
000000007094",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0000-
000000031008"
          }
        }
      }
    }
  ]
}

```

```

    }
  }
],
"assetTypeId": "00000000-0000-0000-0001-000400000001"
}

```

Data Category (00000000-0000-0000-0000-000000031109)

```

  "description": {
    "description": "Prescriptive path from Data Category to
    Column",
    "relations": [
      {
        "relationTypeId": "00000000-0000-0000-0000-
        000000007038",
        "relationTypeDirection": "SOURCE",
        "assetType": {
          "assetTypeId": "00000000-0000-0000-0001-
          000400000001",
          "relation": {
            "relationTypeId": "00000000-0000-0000-0000-
            000000007062",
            "relationTypeDirection": "SOURCE",
            "assetType": {
              "assetTypeId": "00000000-0000-0000-0000-
              000000031008"
            }
          }
        }
      },
      {
        "relationTypeId": "00000000-0000-0000-0000-
        000000007038",
        "relationTypeDirection": "SOURCE",
        "assetType": {
          "assetTypeId": "00000000-0000-0000-0001-
          000400000001",
          "relation": {
            "relationTypeId": "00000000-0000-0000-0000-
            000000007062",
            "relationTypeDirection": "SOURCE",
            "assetType": {
              "assetTypeId": "00000000-0000-0000-0000-
              000000031005",
              "relation": {
                "relationTypeId": "00000000-0000-0000-0000-
                000000007094",

```

```

        "relationTypeDirection": "SOURCE",
        "assetType": {
          "assetTypeId": "00000000-0000-0000-0000-
000000031008"
        }
      }
    },
  },
  {
    "relationTypeId": "00000000-0000-0000-0000-
000000007007",
    "relationTypeDirection": "SOURCE",
    "assetType": {
      "assetTypeId": "00000000-0000-0000-0001-
000400000001",
      "relation": {
        "relationTypeId": "00000000-0000-0000-0000-
000000007062",
        "relationTypeDirection": "SOURCE",
        "assetType": {
          "assetTypeId": "00000000-0000-0000-0000-
000000031008"
        }
      }
    }
  },
  {
    "relationTypeId": "00000000-0000-0000-0000-
000000007007",
    "relationTypeDirection": "SOURCE",
    "assetType": {
      "assetTypeId": "00000000-0000-0000-0001-
000400000001",
      "relation": {
        "relationTypeId": "00000000-0000-0000-0000-
000000007062",
        "relationTypeDirection": "SOURCE",
        "assetType": {
          "assetTypeId": "00000000-0000-0000-0000-
000000031005",
          "relation": {
            "relationTypeId": "00000000-0000-0000-0000-
000000007094",
            "relationTypeDirection": "SOURCE",
            "assetType": {
              "assetTypeId": "00000000-0000-0000-0000-
000000031008"
            }
          }
        }
      }
    }
  }
}

```

```

    }
  }
}
},
{
  "relationTypeId": "00000000-0000-0000-0000-0000-000000007315",
  "relationTypeDirection": "SOURCE",
  "assetType": {
    "assetTypeId": "00000000-0000-0000-0001-000400000001",
    "relation": {
      "relationTypeId": "c0e00000-0000-0000-0000-0000-000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-0000-0000000031008"
      }
    }
  }
},
{
  "relationTypeId": "00000000-0000-0000-0000-0000-000000007315",
  "relationTypeDirection": "SOURCE",
  "assetType": {
    "assetTypeId": "00000000-0000-0000-0001-000400000001",
    "relation": {
      "relationTypeId": "00000000-0000-0000-0000-0000-000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-0000-0000000031005",
        "relation": {
          "relationTypeId": "c0e00000-0000-0000-0000-0000-000000007094",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0000-0000-0000000031008"
          }
        }
      }
    }
  }
}
}
}
}
}

```

```

    ],
    "assetTypeId": "00000000-0000-0000-0000-000000031109"
  }

```

Business Process (00000000-0000-0000-0000-000000031103)

```

    "description": {
      "description": "Prescriptive path from Business Process to
      Column",
      "relations": [
        {
          "relationTypeId": "c0e00000-0000-0000-0000-
          000000007314",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0001-
            000400000001",
            "relation": {
              "relationTypeId": "c0e00000-0000-0000-0000-
              000000007314",
              "relationTypeDirection": "SOURCE",
              "assetType": {
                "assetTypeId": "00000000-0000-0000-0000-
                000000031008"
              }
            }
          }
        },
        {
          "relationTypeId": "c0e00000-0000-0000-0000-
          000000007314",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0001-
            000400000001",
            "relation": {
              "relationTypeId": "00000000-0000-0000-0000-
              000000007062",
              "relationTypeDirection": "SOURCE",
              "assetType": {
                "assetTypeId": "00000000-0000-0000-0000-
                000000031005",
                "relation": {
                  "relationTypeId": "00000000-0000-0000-0000-
                  000000007094",
                  "relationTypeDirection": "SOURCE",
                  "assetType": {
                    "assetTypeId": "00000000-0000-0000-0000-

```

```

000000031008"
    }
  }
}
},
{
  "relationTypeId": "00000000-0000-0000-0000-
000000007038",
  "relationTypeDirection": "SOURCE",
  "assetType": {
    "assetTypeId": "00000000-0000-0000-0001-
000400000001",
    "relation": {
      "relationTypeId": "00000000-0000-0000-0000-
000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-
000000031008"
      }
    }
  }
},
{
  "relationTypeId": "00000000-0000-0000-0000-
000000007038",
  "relationTypeDirection": "SOURCE",
  "assetType": {
    "assetTypeId": "00000000-0000-0000-0001-
000400000001",
    "relation": {
      "relationTypeId": "00000000-0000-0000-0000-
000000007062",
      "relationTypeDirection": "SOURCE",
      "assetType": {
        "assetTypeId": "00000000-0000-0000-0000-
000000031005",
        "relation": {
          "relationTypeId": "00000000-0000-0000-0000-
000000007094",
          "relationTypeDirection": "SOURCE",
          "assetType": {
            "assetTypeId": "00000000-0000-0000-0000-
000000031008"
          }
        }
      }
    }
  }
}
}

```

```
    }  
  },  
],  
  "assetTypeId": "00000000-0000-0000-0000-000000031103"  
}
```

Set up Protect

This topic describes how to set up Collibra Protect and establish a connection between your data source and Collibra Protect.

Tip

The information in this topic varies depending on the data source that you select.

Data source

Before you begin

AWS Lake Formation

1. Download the JDBC driver for [Amazon Athena](#).
2. [Create](#) a JDBC connection from your Edge site to Amazon Athena.

Tip When creating the connection, in the **Connection provider** field, select **Generic JDBC connection**.




3. Add the Catalog JDBC ingestion capability to the Edge site.

Tip

When adding the capability:

- In the **Capability template** field, select **Catalog JDBC Ingestion**.
- In the **JDBC Connection** field, select the connection that you created in Step 4.
- The following image shows an ingested AWS Lake Formation database. The **Data Source Type** attribute containing the value **Amazon Athena** is added to the database asset only after the Catalog JDBC ingestion process is complete.



4. Register the data source.

BigQuery

1. Download the JDBC driver for [Google BigQuery](#).
2. **Create** a JDBC connection from your Edge site to Google BigQuery.


Tip When creating the connection, in the **Connection provider** field, select **Generic JDBC connection**. In the **Connection properties** section, set the value of the **Other** connection property to **SupportNativeDataType=True**.

3. Add the Catalog JDBC ingestion capability to the Edge site.

Tip

When adding the capability:

- In the **Capability template** field, select **Catalog JDBC Ingestion**.
- In the **JDBC Connection** field, select the connection that you created in Step 4.
- The following image shows an ingested BigQuery database. The **Data Source Type** attribute containing the value **Google BigQuery** is added to the database asset only after the Catalog JDBC ingestion process is complete.



4. Register the data source.

Snowflake

1. Download the JDBC driver for [Snowflake](#).
2. [Create](#) a JDBC connection from your Edge site to Snowflake.


Tip When creating the connection, in the **Connection provider** field, select **Username/Password JDBC connection**.

3. Add the Catalog JDBC ingestion capability to the Edge site.

Tip

When adding the capability:

- In the **Capability template** field, select **Catalog JDBC Ingestion**.
- In the **JDBC Connection** field, select the connection that you created in Step 4.
- The following image shows an ingested Snowflake database. The **Data Source Type** attribute containing the value **Snowflake** is added to the database asset only after the Catalog JDBC ingestion process is complete.



4. Register the data source.

Steps

AWS Lake Formation

1. Contact [Collibra Support](#) or your representative to enable Protect on your Collibra environment.

2. Ensure that the Protect [global roles](#) and [global permissions](#) are correctly set.

Name	Description	Required license	Members
Sysadmin	Allows for ...	Standard	Admin Istrator
ReferenceData	Allows usa...	Read-only	Everyone
Protect Reader	In this role...	Read-only	Protect Reader ...
Protect Manager	This is a ro...	Read-only	Protect API User ...
Protect Author	In this role...	Standard	Protect Author ...
Protect Admin	In this role...	Standard	Admin Istrator

3. [Create](#) an AWS connection from the Edge site to Amazon Athena.

Tip

- When creating the connection, in the **Connection provider** field, select **AWS connection**.
- Ensure that the user associated with the Access Key ID used in the connection has the required [permissions](#).

4. [Add](#) the Protect for AWS Lake Formation capability to the Edge site.

Tip

When adding the capability:

- In the **Capability template** field, select **Collibra Protect for AWS Lake Formation**.
- In the **Connection** field, select the connection that you created in Step 3.

» Protect is set up. On the main menu, if you click  , **Protect** is shown.

BigQuery

1. Contact [Collibra Support](#) or your representative to enable Protect on your Collibra environment.
2. Ensure that the Protect [global roles](#) and [global permissions](#) are correctly set.

Name	Description	Required license	Members
Sysadmin	Allows for ...	Standard	Admin Istrator
ReferenceData	Allows usa...	Read-only	Everyone
Protect Reader	In this role...	Read-only	Protect Reader ...
Protect Manager	This is a ro...	Read-only	Protect API User ...
Protect Author	In this role...	Standard	Protect Author ...
Protect Admin	In this role...	Standard	Admin Istrator

3. Create a GCP connection from the Edge site to Google BigQuery.

Tip

- When creating the connection, in the **Connection provider** field, select **GCP connection**.
- Ensure that the user associated with the GCP Service Account used in the connection has the required [permissions](#).

4. Add the Protect for BigQuery capability to the Edge site.

Tip


When adding the capability:

- In the **Capability template** field, select **Collibra Protect for Google BigQuery**.
- In the **Connection** field, select the connection that you created in Step 3.

» Protect is set up. On the main menu, if you click  , **Protect** is shown.

Snowflake

1. Contact [Collibra Support](#) or your representative to enable Protect on your Collibra environment.
2. Ensure that the Protect [global roles and global permissions](#) are correctly set.



Global roles	Name	Description	Required license	Members
Resource roles	Sysadmin	Allows for ...	Standard	Admin Istrator
Global Permissions	ReferenceData	Allows usa...	Read-only	Everyone
Resource Permission	Protect Reader	In this role...	Read-only	Protect Reader ...
	Protect Manager	This is a ro...	Read-only	Protect API User ...
	Protect Author	In this role...	Standard	Protect Author ...
	Protect Admin	In this role...	Standard	Admin Istrator

3. Create a Username/Password JDBC connection from the Edge site to Snowflake.

Tip

- When creating the connection, in the **Connection provider** field, select **Username/Password JDBC connection**.
- Ensure that the user associated with the Snowflake role used in the connection has the required [privileges](#).

4. **Add** the Protect for Snowflake capability to the Edge site.

Tip

When adding the capability:

- In the **Capability template** field, select **Collibra Protect for Snowflake**.
- In the **Connection** field, select the connection that you created in Step 3.

» Protect is set up. On the main menu, if you click , **Protect** is shown.

Protect global roles and permissions

The following tables describe the [global roles](#) and [global permissions](#) that are specific to Collibra Protect.

Global role	Description
Protect Reader	A user who can view Protect with read-only access to data protection standards and data access rules .
Protect Author	A user who can create data protection standards and data access rules ; modify or delete only the standards and rules that they created; view imported policies ; view groups ; and generate audit logs as an individual contributor.
Protect Admin	A user who has the same permissions as a Protect Author. In addition, this user can modify or delete all data access rules and data protection standards, and access additional APIs.
Protect Manager	A user who manages background processes and configures Protect. This role is intended only for the Protect system user.

Global permission	Description
Protect > Edit	Allows a user to create data protection standards and data access rules; modify only the standards and rules that they created; and delete only the standards and rules that they created.
Protect > Administration	Allows a user to create data protection standards and data access rules; modify all standards and rules; and delete all standards and rules.

Open Protect

This topic describes how to open Collibra Protect and what is shown on the **Protect** landing page.


Requirements and permissions

You have a global role that has the **Protect global permission**.

Steps

On the main menu, click , and then click **Protect**.

» The **Protect** landing page is shown.



The screenshot displays the Collibra Protect interface. At the top, there is a navigation bar with a search bar and a 'Protect' button. Below the navigation bar, the main content area is titled 'Data Protection Standards'. It includes a description: 'Data protection standards apply default data protection to the source data based on how the data is classified or categorized.' and a 'Create a Data Protection Standard' button. Below this, there is a section for 'Recently Modified Standards' which shows a list of standards with their details (Group, Asset, DCAT) and a table of synchronization status.

Standard Name	Synchronization Status	Groups	Protected	Owner	Created Date	Last Modified
	Failed	CID, Human Resources, lure ...	State	Simon	Sep 21, 2022, 9:17 AM	Dec 9, 2022, 6:50 AM
	Failed	CID	Unexpected error	Simon	Sep 21, 2022, 3:03 PM	Sep 21, 2022, 3:03 PM

Protect landing page

The following table describes the tabs that are shown on the **Protect** landing page depending on your role.

Tab	Description
Data Protection Standards	Data protection standards to define data source access to data types based on data categories, data attributes, or data classifications.
Data Access Rules	Data access rules to grant specific groups different accesses to the same data in business processes, data categories, or data sets. <div data-bbox="432 741 1418 840" style="background-color: #f0f0f0; padding: 5px; margin-top: 10px;"> <p>Note Data access rules take priority over data protection standards.</p> </div>
Data Source Policies	Policies that are active in the data source tables.
Groups	Groups that are mapped to the roles in data sources for use in data protection standards and data access rules.
Audit	Option to generate an audit log of the ingested data from the data sources.

Protect groups

You must create at least one Collibra Protect group before creating a data protection [standard](#) or a data access [rule](#). Each Protect group is associated with a role in the data source provider.

Note In BigQuery, *roles* are referred to as *principals*.

The **Groups** tab in Protect contains an overview of the Protect groups that are created for data protection standards and data access rules. The table on the **Groups** tab contains the Protect groups that are active in the data source.

This topic describes how to create a Protect group and what is shown on the **Groups** tab in Protect.

Create a Protect group

Requirements and permissions

You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).

Steps

1. [Open](#) Protect.
2. On the **Groups** tab, click **Collibra Protect Group API**.
3. For the next steps, go to [Add a new group](#).

Details

- When creating a Protect group, you are prompted to specify the data source provider (for example, **Snowflake**) and the existing role from the data source provider to map



the role to the group.

Collibra Protect API

Overview

ENDPOINTS

- Groups ▼
- List groups GET
- Add a new group POST
- Retrieve a group GET
- Delete a group DELETE
- Update a group PATCH
- Prescriptive Paths >

SCHEMAS

- PagedGroups 🔗
- Cursors 🔗
- AddGroupRequest 🔗
- ChangeGroupRequest 🔗
- EditableGroup 🔗
- Group 🔗
- Provider 🔗
- GroupMapping 🔗
- AssetTypeIds 🔗

Add a new group

POST <https://developer.collibra.com/rest/protect/v1/groups>

Adds a new group.

Request

> Security: Basic Auth

Body application/json ▼

The group to add.

```

name string required
  The name of the group.
mappings array[object] required
  provider string required
    Value must be "Snowflake" or "GoogleBigQuery"
  identity string required
    An existing Snowflake or GoogleBigQuery role.
            
```

- The following image shows the roles in the Snowflake data source provider.

Role	Creation Time	Owner	Comment
ACCOUNTADMIN	9/18/2019, 1:47:25 ...		Account administrator can manage all aspects of the account.
ANTONIO	6/27/2022, 10:10:4...	SBL_TEMPLATE_SN...	
BILLING	6/2/2022, 4:07:43 ...	ACCOUNTADMIN	
CERTIFICATION	4/15/2020, 2:12:24 ...	ACCOUNTADMIN	
CUSTOMER_SERVICE	6/2/2022, 4:05:29 ...	ACCOUNTADMIN	
DATALIFT_ROLE	5/6/2020, 9:56:54 ...	ACCOUNTADMIN	
Direct Marketing	6/27/2022, 10:12:4...	SBL_TEMPLATE_SN...	
FIVETRAN_ROLE	1/27/2022, 10:27:58...	SECURITYADMIN	
GLOBAL_PS	9/27/2021, 2:36:19 ...	ACCOUNTADMIN	
HR	10/22/2021, 1:38:44...	ACCOUNTADMIN	
LAW	3/3/2022, 9:00:27 ...	ACCOUNTADMIN	
MARKETING	9/29/2021, 1:59:26 ...	ACCOUNTADMIN	
MARKETING2	9/29/2021, 2:36:17 ...	ACCOUNTADMIN	
MARKETING3	9/30/2021, 3:56:47 ...	ACCOUNTADMIN	
PC_DBT_ROLE	5/6/2022, 9:08:33 ...	ACCOUNTADMIN	System created role for partner elt integration.
PLM	10/22/2021, 1:30:58...	ACCOUNTADMIN	
PLM_QA_HR	2/24/2022, 3:38:20...	ACCOUNTADMIN	PLM QA HR Read Only Role

- The following images show a CSV file (named **protect_groups.csv**) that contains Protect groups to be added to Collibra, and a bash script that adds those Protect groups to Collibra for Snowflake.

A	B	C	D
1	# CSV lines with the Protect group name and the identity mapping separated by a comma		
2	Engineering	ENGINEERING	
3	Everyone	PUBLIC	
4	Finance	FINANCE	
5	Human Resources	HR	
6	Marketing	MARKETING	
7	Operations	OPERATIONS	

```

1  #!/usr/bin/env bash
2
3  # COLLIBRA_URL should point to your Collibra deployment
4  COLLIBRA_URL="https://my_company.collibra.com"
5
6  # COLLIBRA_AUTH should contain the Collibra user and password separated by a colon
7  # This user should be able to create Protect groups (ie have the global role Protect Author and/or Admin)
8  COLLIBRA_AUTH="user:password"
9
10 # Which provider does the identity map to? Value must be "Snowflake", "GoogleBigQuery", etc
11 PROTECT_GROUP_PROVIDER="Snowflake"
12
13 if [[ -z "$COLLIBRA_URL" ]]; then
14   echo "Environment Variable COLLIBRA_URL has not been defined"
15   exit 1
16 fi
17 if [[ -z "$COLLIBRA_AUTH" ]]; then
18   echo "Environment Variable COLLIBRA_AUTH has not been defined"
19   exit 1
20 fi
21
22 {
23   read # Ignore first line in csv file
24   while IFS=, read -r field1 field2
25   do
26     echo "Add group $field1 for $PROTECT_GROUP_PROVIDER with identity $field2"
27     curl -u "$COLLIBRA_AUTH" -X POST "$COLLIBRA_URL/rest/protect/v1/groups" -H "accept: application/json" -H "Content-Type: application/json" -d @- << EOF
28     {
29       "name": "$field1",
30       "mappings":
31       [
32         {
33           "provider": "$PROTECT_GROUP_PROVIDER",
34           "identity": "$field2"
35         }
36       ]
37     }
38 EOF
39   done
40 } < protect_groups.csv
  
```

Groups tab

The following table describes the columns that are shown in the table on the **Groups** tab.

Column	Description
Group Name	The name of the group.
System Reference	References to identify the data source provider and the native identifier associated with the group.
Created By	The name of the user who created the group.
Created Date	The date when the group was created.

Data protection standards

Data protection standards in Collibra Protect protect your data by masking similar types of data wherever it is stored, through [column-based protection](#).

Create a data protection standard

Requirements and permissions

- You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).
- You have the **Catalog** global role. This role is required to view data classifications for selection in a data protection standard.

Before you begin

Ensure that [Protect groups](#) have been created.

Steps

1. [Open Protect](#).
2. Click the **Data Protection Standards** tab.
3. Click **Create a Data Protection Standard**.
 - » The **Create a Data Protection Standard** dialog box appears.
4. Enter the required information.

Details

Field	Description
Standard Name	Enter a name for the data protection standard.
Optional: Description	Enter a description for the data protection standard.

Field	Description
Group	<p>Select the group for the data protection standard.</p> <p>Tip You can add more groups by using the plus icon.</p>
Protect (Data Category/Data Classification)	<p>Click Data Category or Data Classification, and then select the data category or data classification that you want to protect.</p>
With (masking option)	<p>Select the type of masking that you want to apply to the selected data category or data classification for protection.</p> <p>Tip This field contains the following options:</p> <ul style="list-style-type: none"> ○ Default masking ○ Hashing ○ Show last

Tip

- The **Summary** section shows a summary of the standard.

Standard Name*

Description

for the group* + -

protect* **Data Category** **Data Classification**

with* ⓘ

Summary
 For the Group Human Resources
 protect [Personal Information](#)
 with Hashing

5. Click **Save Standard**.

- » A message appears stating that the standard is sent to source, and the standard is shown in the table on the **Data Protection Standards** tab.

Modify a data protection standard

Requirements and permissions


- You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).

Note If you have the the **Protect > Edit** global permission, you can modify only the data protection standard that you created. If you have the **Protect > Administration** global permission, you can modify any data protection standard.

- You have the **Catalog** global role. This role is required to view data classifications for selection in a data protection standard.

- You have the permissions to view the assets that are associated with the data protection standard. Otherwise, the **Unauthorized Asset** value is shown to you when you modify the standard.

Steps

1. [Open Protect](#).
2. In the table, in the row containing the standard that you want to modify, click .
 - » The **Edit a Data Protection Standard** dialog box appears.
3. Modify the required information.

Details

Field	Description
Standard Name	Enter a name for the data protection standard.
Optional: Description	Enter a description for the data protection standard.
Group	<p>Select the group for the data protection standard.</p> <div style="border-left: 2px solid green; padding-left: 10px; margin-top: 10px;"> <p>Tip You can add more groups by using the plus icon.</p> </div>
Protect (Data Category/Data Classification)	Click Data Category or Data Classification , and then select the data category or data classification that you want to protect.

Field	Description
With (masking option)	<p>Select the type of masking that you want to apply to the selected data category or data classification for protection.</p> <div style="border: 1px solid #ccc; padding: 5px; background-color: #f9f9f9;"> <p>Tip This field contains the following options:</p> <ul style="list-style-type: none"> ○ Default masking ○ Hashing ○ Show last </div>

Tip

- The **Summary** section shows a summary of the standard.

Standard Name *

Description

for the group * + -

protect * **Data Category** **Data Classification**

with * ⓘ

Summary
 For the Group Human Resources
 protect [Personal Information](#)
 with Hashing

4. Click **Save Standard**.


» A message appears stating that the standard is sent to source, and the standard is shown in the table on the **Data Protection Standards** tab.

Delete a data protection standard

Requirements and permissions

You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).

Steps

1. [Open Protect](#).
2. Click the **Data Protection Standards** tab.
3. In the table, in the row containing the standard that you want to delete, click  .
 - » The **Delete Data Protection Standard** dialog box appears.
4. Click **Delete**.
 - » A message appears stating that the request to delete the standard is received.

Tip You can check the status of the [standard](#) in the **Synchronization Status** column in the table on the **Data Protection Standards** tab.

Data Protection Standards tab

The **Data Protection Standards** tab in Protect contains an overview of data protection standards. The **Recently Modified Standards** section on the tab shows the 5 last modified data protection standards.



The following table describes the columns that are shown in the table on the **Data Protection Standards** tab.

Column	Description
Standard Name	The name of the standard.
Synchronization Status	The status of synchronization between the standard in Protect and that in the data source.
Groups	The groups for which the standard is created.
Protected	The assets that the standard protects. <div style="border: 1px solid #ccc; background-color: #f9f9f9; padding: 5px; margin-top: 10px;"> <p>Tip If you have the DataSteward global role, you can view the details of an asset by clicking the asset link in this column.</p> </div>
Owner	The name of the user who created the standard.
Created Date	The date and time when the standard was created.
Last Modified	The date and time when the standard was last modified.

Synchronization status

The following table describes the statuses that may be shown in the **Synchronization status** column on the **Data Protection Standard** tab.

Tip To view the status of the data protection standard in the data source, go to the database of the data source provider.

Synchronization Status	Description
Active	The standard is enforced in the data source.
Pending	The standard is created or modified and is pending synchronization.
Failed	<p>The synchronization of the standard has failed.</p> <p>Tip For more information about the error, click  next to the status.</p>
Delete Pending	The standard will be deleted during the next synchronization.
Not Deleted	<p>The standard could not be deleted.</p> <p>Tip For more information about the error, click  next to the status.</p>

Note Protect periodically synchronizes with your data source providers to update the status of the data protection standards in Collibra, except if the status is **Failed**. For more information, go to [Synchronization](#).

Data access rules

Data access rules in Collibra Protect protect your data by managing access and enhancing protection for specific usages. They protect your data by:

- Managing access to the data ([access-based protection](#))
- Masking the data ([column-based protection](#))
- Filtering the data ([row-based protection](#))

Create a data access rule

Requirements and permissions

- You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).
- You have the **Catalog** global role. This role is required to view data classifications for selection in a data access rule.

Before you begin

Ensure that **Protect** [groups](#) have been created.

Steps

1. [Open](#) **Protect**.
2. Click the **Data Access Rules** tab.
3. Click **Create a Data Access Rule**.
 - » The **Create a Data Access Rule** dialog box appears.
4. Enter the required information.

Details

Field	Description
Rule Name	Enter a name for the data access rule.
Optional: Description	Enter a description for the data access rule.

Field	Description
Group	<p>Select the group for the data access rule.</p> <p>Tip You can add more groups by using the plus icon.</p>
Asset	<p>Select the data asset that the rule is protecting.</p> <p>Tip</p> <ul style="list-style-type: none">◦ This field contains Business Process, Data Category, and Data Set assets, in addition to assets of custom asset types.◦ For more information, go to Technical background and Prescriptive paths.◦ You can add more groups by using the plus icon.

Field	Description
Optional: With (masking option)	<ul style="list-style-type: none"> ○ Select the type of masking that you want to apply to a data category or data classification. <ul style="list-style-type: none"> Tip This field contains the following options: <ul style="list-style-type: none"> ▪ Default masking ▪ Hashing ▪ Show last ▪ No masking ○ Click Data Category or Data Classification, and then select the data category or data classification for the selected masking option. <ul style="list-style-type: none"> Tip You can add more data categories and data classifications for masking by using the plus icon.

Field	Description
Optional: And (action)	<p>a. Select the type of row-filtering action that you want to apply to a data classification with a specific code set and code value.</p> <div data-bbox="1161 613 1420 922" style="border-left: 2px solid #008000; padding-left: 10px; background-color: #f0f0f0;"> <p>Tip This field contains the following options:</p> <ul style="list-style-type: none"> ○ Show ○ Hide </div> <p>b. In the rows where field, select the data classification that you want to show or hide.</p> <p>c. In the has field, select the code set for the selected data classification.</p> <p>d. In the next field, select the code value for the selected code set.</p> <div data-bbox="1118 1491 1420 1769" style="border-left: 2px solid #008000; padding-left: 10px; background-color: #f0f0f0;"> <p>Tip You can add more data classifications for row-filtering by using the plus icon.</p> </div>

Tip

- The **Grant access to the data linked to these assets** checkbox, which is selected by default, is applicable to only Snowflake. A selected checkbox indicates that you are allowing the selected groups to access those tables and columns in the database that are linked to the selected assets. If you do not want the selected groups to have this level of access, clear the checkbox.
- The **Summary** section shows a summary of the rule.

Rule Name *
Marketing GI Rule

Description
Set rule for the Marketing group for the Geographic information asset and apply default masking to Genetic data

Set rule for

group * Marketing + -

asset * Geographic Information + -

Grant access to the data linked to these assets.
By checking this box, additional access is given to the data tables or columns linked with the selected assets. If this box is unchecked, no access is given to the selected assets, but they can still be protected. **Note: once the rule granting access is saved and synchronized, access to these assets cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.**

with ⓘ Default masking + - for **Data Category** Data Classification Genetic data + -

and + - Select an action + - rows where Select a data classification + - has Select a code set + - Select a code value + -

Summary
Grant access to Marketing
for Geographic Information
with Default masking for Genetic data

↻ Generate Preview

Cancel Save Rule

5. To preview the rule, click **Generate Preview**.

Tip The preview shows only the first 1,000 affected columns. The drop-down list box below the **Generate Preview** button is used to switch between the assets that you selected in the rule. Each asset has its own preview table.

6. Click **Save Rule**.

- » A message appears stating that the rule is sent to source, and the rule is shown in the table on the **Data Access Rules** tab.

Modify a data access rule


Requirements and permissions

- You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).

Note If you have the **Protect > Edit** global permission, you can modify only the data access rule that you created. If you have the **Protect > Administration** global permission, you can modify any data access rule.

- You have the **Catalog** global role. This role is required to view data classifications for selection in a data access rule.
- You have the permissions to view the assets that are associated with the data access rule. Otherwise, the **Unauthorized Asset** value is shown to you when you modify the rule.

Steps

- [Open Protect](#).
- In the table, in the row containing the rule that you want to modify, click .
 - » The **Edit a Data Access Rule** dialog box appears.
- Modify the required information.

Details

Field	Description
Rule Name	Enter a name for the data access rule.
Optional: Description	Enter a description for the data access rule.

Field	Description
Group	<p>Select the group for the data access rule.</p> <p>Tip You can add more groups by using the plus icon.</p>
Asset	<p>Select the data asset that the rule is protecting.</p> <p>Tip</p> <ul style="list-style-type: none">◦ This field contains Business Process, Data Category, and Data Set assets, in addition to assets of custom asset types.◦ For more information, go to Technical background and Prescriptive paths.◦ You can add more groups by using the plus icon.

Field	Description
Optional: With (masking option)	<ul style="list-style-type: none"> ○ Select the type of masking that you want to apply to a data category or data classification. <ul style="list-style-type: none"> Tip This field contains the following options: <ul style="list-style-type: none"> ▪ Default masking ▪ Hashing ▪ Show last ▪ No masking ○ Click Data Category or Data Classification, and then select the data category or data classification for the selected masking option. <ul style="list-style-type: none"> Tip You can add more data categories and data classifications for masking by using the plus icon.

Field	Description
Optional: And (action)	<p>a. Select the type of row-filtering action that you want to apply to a data classification with a specific code set and code value.</p> <div data-bbox="1161 611 1418 920" style="border-left: 2px solid #008000; padding-left: 10px; background-color: #f0f0f0;"> <p>Tip This field contains the following options:</p> <ul style="list-style-type: none"> ○ Show ○ Hide </div> <p>b. In the rows where field, select the data classification that you want to show or hide.</p> <p>c. In the has field, select the code set for the selected data classification.</p> <p>d. In the next field, select the code value for the selected code set.</p> <div data-bbox="1118 1491 1418 1771" style="border-left: 2px solid #008000; padding-left: 10px; background-color: #f0f0f0;"> <p>Tip You can add more data classifications for row-filtering by using the plus icon.</p> </div>

Tip

- A selected checkbox indicates that you are allowing the selected groups to access those tables and columns in the database that are linked to the selected assets. If you do not want the selected groups to have this level of access, clear the checkbox.
- The **Summary** section shows a summary of the rule.

Rule Name *
Marketing GI Rule

Description
Set rule for the Marketing group for the Geographic information asset and apply default masking to Genetic data

Set rule for

group * Marketing + -

asset * Geographic Information + -

Grant access to the data linked to these assets.
By checking this box, additional access is given to the data tables or columns linked with the selected assets. If this box is unchecked, no access is given to the selected assets, but they can still be protected. **Note: once the rule granting access is saved and synchronized, access to these assets cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.**

with ⓘ Default masking + - for **Data Category** Data Classification Genetic data + -

and - rows where - has - -

Summary
Grant access to Marketing
for [Geographic Information](#)
with Default masking for [Genetic data](#)

↻ Generate Preview

Cancel Save Rule

4. To preview the rule, click **Generate Preview**.

Tip The preview shows only the first 1,000 affected columns. The drop-down list box below the **Generate Preview** button is used to switch between the assets that you selected in the rule. Each asset has its own preview table.

5. Click **Save Rule**.


- » A message appears stating that the rule is sent to source, and the rule is shown in the table on the **Data Access Rules** tab.

Delete a data access rule

Requirements and permissions

You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).

Steps

1. [Open](#) **Protect**.
2. Click the **Data Access Rules** tab.
3. In the table, in the row containing the rule that you want to delete, click .
 - » The **Delete Data Access Rule** dialog box appears.
4. Click **Delete**.
 - » A message appears stating that the request to delete the rule is received.

Tip You can check the status of the [rule](#) in the **Synchronization Status** column in the table on the **Data Access Rules** tab.

Data Access Rules tab

The **Data Access Rules** tab in Protect contains an overview of data access rules. The **Recently Modified Rules** section on the tab shows the 5 last modified data access rules.

The following table describes the columns that are shown in the table on the **Data Access Rules** tab.

Column	Description
Rule Name	The name of the rule.
Synchronization Status	The status of synchronization between the rule in Protect and that in the data source.
Groups	The groups for which the rule is created.
Affected Assets	The assets that the rule protects. <div style="border: 1px solid #ccc; background-color: #f9f9f9; padding: 5px; margin-top: 10px;"> <p>Tip If you have the DataSteward global role, you can view the details of an asset by clicking the asset link in this column.</p> </div>
Owner	The name of the user who created the rule.
Created Date	The date and time when the rule was created.
Last Modified	The date and time when the rule was last modified.

Synchronization status

The following table describes the statuses that may be shown in the **Synchronization status** column on the **Data Access Rule** tab.

Tip To view the status of the data access rule in the data source, go to the database of the data source provider.

Synchronization Status	Description
Active	The rule is enforced in the data source.
Pending	The rule is created or modified and is pending synchronization.
Failed	<p>The synchronization of the rule has failed.</p> <p>Tip For more information about the error, click i next to the status.</p>
Delete Pending	The rule will be deleted during the next synchronization.
Not Deleted	<p>The rule could not be deleted.</p> <p>Tip For more information about the error, click i next to the status.</p>

Note Protect periodically synchronizes with your data source providers to update the status of the data access rules in Collibra, except if the status is **Failed**. For more information, go to [Synchronization](#).

Data source policies (beta)

Data source policies are the policies that are native to a data source, for example, AWS Lake Formation [data filters](#), BigQuery [policy tags](#), and Snowflake [masking policies](#). Data protection standards and data access rules created in Protect result in policies in the data sources. Protect enforces its standards and rules by creating and applying the data source policies on the physical data layer (tables and columns).

Import data source policies

Requirements and permissions

- You have the **Protect Author** or **Protect Admin** [global role](#).
- The **Manage all resources** global permission is assigned to the **Edge site** global role.

Steps

You can import policies from your data source to Protect by using the Collibra Protect Data Source Policies API. The following is a template of a cURL command that you can use.

```
curl --location --request POST 'https://<collibra-environment-url>/rest/protect/v1/policies/import' --header 'Authorization: Basic <user:password encoded in base64>' --header 'Content-Type: application/json' -d '{"databaseId": "<database-asset-ID>"}' -v
```

Note

In the template:

- Replace the placeholders indicated by "<>" with the actual values for your Collibra environment.
- *database-asset-ID* refers to the ID of the database asset in Collibra that maps to the database in your data source.

Data Source Policies tab

The **Data Source Policies** tab contains an overview of the native data source policies. The table on the tab contains the policies that are active in the data source. These include both the policies that already exist in your data source and the policies that are automatically created by Protect in your data source.

The following table describes the columns that are shown in the table on the **Data Source Policies** tab.

Column	Description
Policy Name	The name of the policy in the data source.
Policy Logic	The logic that the data source uses to enforce the policy. For example, Snowflake runs an SQL script when you try to access protected data.
Tags	The names of the tags associated with the policy.
Data Source	The data source provider.

Data source providers

Collibra Protect periodically synchronizes with an aggregation of all data protection standards and data access rules. These standards and rules form a data source-agnostic representation containing all databases, schemas, tables, and columns, as well as their protections and accesses. The synchronization process then triggers the [Edge capabilities](#), such as **Collibra Protect for Snowflake**. These Edge capabilities are responsible for translating the representation to actions toward the data source provider using their technology. This process might involve JDBC and REST calls to perform low-level operations to guarantee that the protections and accesses are applied.

Protect for AWS Lake Formation

To protect your AWS Lake Formation data, Collibra Protect uses AWS Lake Formation's [permissions](#) and [data filters](#). The name of the data category or data classification selected in a [data protection standard](#) becomes a Lake Formation tag (LF-tag) with the same name. The tag is then applied to all affected columns.

AWS Lake Formation policies

AWS Lake Formation protects your data by either granting access to or revoking access from one or more columns via [permissions](#) and [data filters](#).

Note AWS Lake Formation does not support data masking.

When you create a data protection standard or data access rule, one or more permissions and data filters are created in Lake Formation. Each permission includes a data filter to

control access to data. Additionally, for a data protection standard, Lake Formation tags (LF-tags) are created and assigned to columns.

Note In this topic, the term *policies* refers to AWS Lake Formation permissions and data filters.

Data filters

The following table contains the equivalent Lake Formation data filter for a given Protect masking type.

Protect masking type	Equivalent Lake Formation data filter
Default masking	Exclude
Hashing	Exclude
Show last	Exclude
No masking	Include

Each data filter belongs to a specific table in your AWS Data Catalog.

A data filter includes the following information:

- **Name:** The name of the data filter.
- **Table:** The name of the table whose columns are included or excluded.
- **Database:** The name of the database that contains the table.
- **Columns:** A list of columns to include or exclude in query results.
- **Column-level access:** The type of access—either include or exclude—for the columns.
- **Row filter expression:** An expression that specifies the rows to include in query results. The value **TRUE** indicates that all the rows in the table are shown.

View data filter
✕

Name
COLLIBRA_INCLUSIONS_AGGREGATE_arn:aws:iam::860302443858:user/██████████@collibra.com

Database lf-test2	Table movies
Column-level access Include	Row filter expression TRUE

Columns
rottentomatoes, disney+, line, hulu, id, netflix, title, prime video

Close

Note Protect safeguards your data in AWS Lake Formation by aggregating all the data protection standards and rules so that a single data filter is created in AWS Lake Formation per table per group. If multiple standards or rules exist for excluding columns, a single data filter with all the columns excluded is created. If a rule is then created for including columns, a data filter with all the columns included is created and the previously excluded columns are no longer considered.

Revoking existing policies for an effective data protection

To effectively protect your AWS Lake Formation data using Protect, you must first revoke any existing Lake Formation policies. Data protection standards and access rules control access to tables and columns for IAM users by creating policies in Lake Formation. To ensure that these policies work as intended, any previous policies granted to those users must be revoked.

Example Suppose that Joe has full access to the **customers** table. If a data protection standard that hides PII is created and synchronized with Lake Formation, policies are created for Joe. Those policies allow Joe only limited access to the **customers** table by excluding the PII columns. However, the policies will not work if Joe's existing full access to the **customers** table is not first revoked.

AWS Lake Formation group mapping

The Protect group mapping for AWS Lake Formation must follow the syntax for [IAM identifiers](#).

Suppose that you want to create a Protect group named **Sales** that maps to the AWS IAM user `arn:aws:iam::000000000000:user/sales@example.com`. Then, the Protect API to [add a new group](#) should have the following syntax.

```
{
  "name": "Sales",
  "mappings":
  [
    {
      "provider": "AWSLakeFormation",
      "identity":
      "arn:aws:iam::000000000000:user/sales@example.com"
    }
  ]
}
```

AWS Lake Formation permissions

To perform [actions](#) in AWS Lake Formation, Protect uses an [AWS connection](#). This AWS connection must be configured with an AWS IAM user that has the following permissions on all the specified services.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [
        "lakeformation:*",
        "athena:ListDataCatalogs",
        "athena:GetQueryExecution",
        "athena:StartQueryExecution",
        "cloudtrail:LookupEvents",
        "glue:GetDatabase",
        "glue:GetDatabases",
        "glue:GetConnections",
        "glue:SearchTables",
        "glue:GetTable",
        "glue:GetTableVersions",
        "glue:GetTables",
        "s3:ListBucket",
        "s3:GetBucketLocation",
        "s3:ListAllMyBuckets",
        "s3:GetBucketAcl"
      ]
    }
  ]
}
```

```

    ],
    "Resource": "*"
  },
  {
    "Effect": "Deny",
    "Action": [
      "lakeformation:PutDataLakeSettings"
    ],
    "Resource": "*"
  }
]
}

```

AWS APIs

The following table explains the functions of the AWS APIs that are used by Protect for AWS Lake Formation.

AWS API	Function
athena	To get information from the AWS Glue Data Catalog. <div style="border: 1px solid #ccc; padding: 5px; background-color: #f9f9f9;"> <p>Note Catalog ingestion for AWS databases is performed by using the Amazon Athena service. However, not all the databases ingested from Athena are AWS Lake Formation databases. Hence, Protect needs to identify if a database ingested from Athena is also recognized by AWS Lake Formation. This can be achieved by making an API call to Athena's ListDataCatalogs.</p> </div>
cloudtrail	To show the audit log in Protect.
glue	To get a list of tables for a database.
lakeformation	<ul style="list-style-type: none"> • To create, delete, and list a Lake Formation tag (LF-tag). • To add and remove an LF-Tag from a resource (column). • To create, delete, and list data filters. • To add and remove permissions from a resource (table).

AWS Lake Formation examples

This topic contains examples of how AWS Lake Formation behaves with respect to certain data protection standards and data access rules.

Example

Suppose that a table named **movies** exists in AWS Lake Formation. This table contains Personally Identifiable Information (PII). The PII data category contains all the columns from **movies**, except for **age** and **year**.

The screenshot shows the AWS Lake Formation console for the 'movies' table. The 'Table details' section includes:

- Database:** lf-test2
- Location:** s3://john-lakeformation-testbucket/movies/
- Description:** -
- Data format:** csv
- Last updated:** Monday, February 20, 2023 at 12:12 PM UTC
- Governance:** Disabled
- Compaction Status:** -

The 'Schema' section displays a table with the following columns:

#	Column Name	Data type	Partition key	Comment	LF-Tags
1	year	int	-	-	1
2	hulu	boolean	-	-	1
3	disney*	boolean	-	-	-
4	rottentomatoes	string	-	-	1
5	title	string	-	-	1
6	line	int	-	-	1
7	prime video	boolean	-	-	1
8	id	int	-	-	1
9	age	string	-	-	1
10	netflix	boolean	-	-	1

A standard that applies to the following groups has been created: **Everyone**, **Human Resources**, **Marketing**, and **Sales**. This standard requires default masking for the PII data category.

The screenshot shows the configuration for a standard in AWS Lake Formation:

- for the group:** Everyone
- and the group:** Human Resources
- and the group:** Marketing
- and the group:** Sales
- protect:** Data Category: Personally Identifiable Information
- with:** Default masking

Behavior

When the standard is synchronized and active, an exclusion data filter is created in AWS Lake Formation. This exclusion data filter hides all the PII columns from the specified groups. The exclusion data filter is named `COLLIBRA_EXCLUSIONS_AGGREGATE_<arn>`.

The screenshot shows the 'Data filters' section in the AWS Lake Formation console. A single filter is listed:

Filter name	Table	Database	Table catalog ID
COLLIBRA_EXCLUSIONS_AGGREGATE_arn:aws:iam::860302443858:user/...@collibra.com	movies	lf-test2	860302443858

View data filter

Name
COLLIBRA_EXCLUSIONS_AGGREGATE_arn:aws:iam::860302443858:user/ @collibra.com

Database: lf-test2 Table: movies

Column-level access: Exclude Row filter expression: TRUE

Columns: rottentomatoes, disney+, year, line, hulu, id, netflix, title, age, prime video

Close

AWS Lake Formation > Permissions

Too many permissions? Filter by database or table. In the navigation page, choose Databases or Tables. Then choose a database or table, and on the Actions menu, choose View Permissions.

Data permissions (45 loaded more available) Revoke Grant

Filter permissions by property or value 1 match

Resource: COLLIBRA_EXCLUSIONS_AGGREGATE_arn:aws:iam::860302443858:user/ @collibra.com Clear filter

Principal	Principal type	Resource type	Database	Table	Resource	Catalog	LF-tag expressions	Permissions	Grantable	RAM Resource Share
@collibra.com	IAM user	Data cell filter	lf-test2	movies	COLLIBRA_EXCLUSIONS_AGGREGATE_arn:aws:iam::860302443858:user/ @collibra.com	860302443858	-	Select	-	-

Example

Suppose that a table named **movies** exists in AWS Lake Formation. This table contains Personally Identifiable Information (PII). The PII data category contains all the columns from **movies**, except for **age** and **year**.

The screenshot shows the AWS Lake Formation console for the 'movies' table. The 'Table details' section includes:

- Database:** lf-test2
- Location:** s3://john-lakeformation-testbucket/movies/
- Description:** -
- Data format:** csv
- Last updated:** Monday, February 20, 2023 at 12:12 PM UTC
- Governance:** Disabled
- Compaction Status:** -

The 'Schema' section displays a table with the following columns:

#	Column Name	Data type	Partition key	Comment	LF-Tags
1	year	int	-	-	1
2	hulu	boolean	-	-	1
3	disney*	boolean	-	-	-
4	rottentomatoes	string	-	-	1
5	title	string	-	-	1
6	line	int	-	-	1
7	prime video	boolean	-	-	1
8	id	int	-	-	1
9	age	string	-	-	1
10	netflix	boolean	-	-	1

A standard that applies to the following groups has been created: **Everyone**, **Human Resources**, **Marketing**, and **Sales**. This standard requires default masking for the PII data category.

The screenshot shows a standard configuration in Collibra Protect:

- for the group: Everyone
- and the group: Human Resources
- and the group: Marketing
- and the group: Sales
- protect: Data Category Data Classification Personally Identifiable Information
- with: Default masking

However, a rule that applies to the **Human Resources** group has been created. This rule does not require any masking for the PII columns in **movies**.




The screenshot shows a rule configuration in Collibra Protect:

- group: Human Resources
- asset: movies
- Grant access to the data linked to these assets.
- with: No masking for Data Category Data Classification Personally Identifiable Information

By checking this box, additional access is given to the data tables or columns linked with the selected assets. If this box is unchecked, no access is given to the selected assets, but they can still be protected. **Note: once the rule granting access is saved and synchronized, access to these assets cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.**


Behavior

Because the rule takes priority over the standard, when the standard and the rule are synchronized and active, an inclusion data filter resulting from the rule is created in AWS Lake Formation, instead of an exclusion data filter resulting from the standard. This inclusion data filter shows all the PII columns in the **movies** table to the **Human Resources** group. The inclusion data filter is named `COLLIBRA_INCLUSIONS_AGGREGATE_<arn>`.



Protect for BigQuery

To protect your BigQuery data, Collibra Protect uses Google's policy tags to create tags and assign the tags to the BigQuery columns. These tags control who can access the tagged data. Only the Protect groups specified in your data protection standards and data access rules can access the tagged BigQuery columns.



BigQuery masking rules

Each Protect masking type has an equivalent counterpart in BigQuery called a [masking rule](#). As such, masking rules in BigQuery correspond to masking types in Protect.

Note The BigQuery masking rules are not the same as the Protect data access rules.

The following table contains the equivalent [BigQuery masking rule](#) for a given Protect masking type.

Protect masking type	Equivalent BigQuery masking rule
Default masking	Default masking value
Hashing	Hash (SHA256) <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;"> <p>Note BigQuery supports the Hash (SHA256) masking rule only for certain columns depending on their data types. If Hash (SHA256) cannot be applied to a certain column due to the data type of the column, the following masking rule is applied instead: Default masking value.</p> </div>
Show last	Default masking value <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;"> <p>Note BigQuery does not support the Show last masking type. The Show last masking type is supported only on Snowflake.</p> </div>

Protect masking type	Equivalent BigQuery masking rule
No masking	Fine-Grained Reader <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;"> <p>Note Each Protect group to which you assign standards has an equivalent counterpart in BigQuery called a GCP principal. BigQuery grants the Fine-Grained Reader role to the assigned GCP principal to allow the GCP principal to view the data to which no masking is applied in Protect.</p> </div>

BigQuery data types

The following table contains the BigQuery masking rule that Protect supports for a given BigQuery data type.

Summary

- Protect supports the BigQuery **Default masking value** rule for all types of columns.
- Protect does not support the BigQuery **Nullify** rule for any type of column.
- Protect supports the BigQuery **Hash (SHA256)** rule only for the following types of columns: BYTES, STRING.

BigQuery data type	BigQuery masking rule supported by Protect
ARRAY	Default masking value
BIGNUMERIC	Default masking value
BOOL	Default masking value
BYTES	<ul style="list-style-type: none"> • Default masking value • Hash (SHA256)
DATE	Default masking value
DATETIME	Default masking value
FLOAT64	Default masking value

BigQuery data type	BigQuery masking rule supported by Protect
GEOGRAPHY	Default masking value
INT64	Default masking value
INTERVAL	Default masking value
JSON	Default masking value
NUMERIC	Default masking value
STRING	<ul style="list-style-type: none"> • Default masking value • Hash (SHA256)
STRUCT	Default masking value
TIME	Default masking value
TIMESTAMP	Default masking value

BigQuery group mapping

The Protect group mapping for BigQuery must follow the syntax for [principal identifiers](#).

Suppose that you want to create a Protect group named **Sales** that maps to the BigQuery group email address **sales@example.com**. Then, the Protect API to [add a new group](#) should have the following syntax.

```
{
  "name": "Sales",
  "mappings":
  [
    {
      "provider": "GoogleBigQuery",
      "identity": "group:sales@example.com"
    }
  ]
}
```

BigQuery permissions

To perform [actions](#) in BigQuery, Protect uses a [GCP connection](#). This GCP connection must be configured with a service account that has the following permissions.


- `bigquery.dataPolicies.create`
- `bigquery.dataPolicies.delete`
- `bigquery.dataPolicies.get`
- `bigquery.dataPolicies.getIamPolicy`
- `bigquery.dataPolicies.list`
- `bigquery.dataPolicies.setIamPolicy`
- `bigquery.dataPolicies.update`
- `bigquery.datasets.get`
- `bigquery.jobs.create`
- `bigquery.rowAccessPolicies.create`
- `bigquery.tables.get`
- `bigquery.tables.list`
- `bigquery.tables.setCategory`
- `bigquery.tables.update`
- `datacatalog.categories.getIamPolicy`
- `datacatalog.categories.setIamPolicy`
- `datacatalog.taxonomies.create`
- `datacatalog.taxonomies.get`
- `datacatalog.taxonomies.list`
- `datacatalog.taxonomies.update`
- `logging.logEntries.list`
- `resourcemanager.projects.get`

BigQuery examples


This topic contains examples of how BigQuery behaves with respect to certain data protection standards and data access rules.

Example

Suppose that a table named **table1** exists in BigQuery. This table contains Personally Identifiable Information (PII). The PII data category contains all the columns from **table1**.



A standard that applies to the following groups has been created: **Everyone**, **Human Resources**, **Marketing**, and **Sales**. This standard requires default masking for the PII data category.



Behavior

When the standard is synchronized and active, a standard policy tag is created in BigQuery's taxonomy. The standard policy tag is named `COLLIBRA_STANDARD_DEFAULT_<data protection standard name><data protection standard ID>`.

Policy tags

Policy tags are tags with access control policies that can be applied to sub-resources, for example, BigQuery columns.

MANAGE DATA POLICIES

<input type="checkbox"/>	Name ↑	ID	Data masking rules	Description
<input type="checkbox"/>	COLLIBRA_PROJECT_prj-cit-ppen-t-main_123_standards_taxonomy	1471662875262953623		Generated by Colibra: 123
<input type="checkbox"/>	COLLIBRA_STANDARD_DEFAULT_standard1_345	5274886583008536009	Default masking value	Generated by Colibra: 345

The following image shows how the policy tags are applied to the columns in **table1**.

table1

QUERY SHARE COPY SNAPSHOT DELETE EXPORT

SCHEMA DETAILS PREVIEW LINEAGE


Filter Enter property name or value

<input type="checkbox"/>	Field name	Type	Mode	Collation	Default value	Policy tags
<input type="checkbox"/>	id	INTEGER	NULLABLE			collibra-standards-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_STANDARD_DEFAULT_standard1_345
<input type="checkbox"/>	source	STRING	NULLABLE			collibra-standards-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_STANDARD_DEFAULT_standard1_345
<input type="checkbox"/>	status	STRING	NULLABLE			collibra-standards-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_STANDARD_DEFAULT_standard1_345
<input type="checkbox"/>	score	INTEGER	NULLABLE			collibra-standards-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_STANDARD_DEFAULT_standard1_345
<input type="checkbox"/>	name	STRING	NULLABLE			collibra-standards-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_STANDARD_DEFAULT_standard1_345

All the columns are assigned the same standard policy tag and are protected by default masking because they belong to the PII data category (selected in the standard).

Example

Suppose that a table named **table1** exists in BigQuery. This table contains Personally Identifiable Information (PII) and Ultra Sensitive Information (USI). The PII data category contains all the columns from **table1**, except for **id** and **source**. The USI data category contains only the **status** column.




The screenshot shows the BigQuery interface for a table named 'table1'. The 'SCHEMA' tab is selected, displaying a table with the following columns:

Field name	Type	Mode	Collation	Default value	Policy tags	Description
id	INTEGER	NULLABLE				
source	STRING	NULLABLE				
status	STRING	NULLABLE				
score	INTEGER	NULLABLE				
name	STRING	NULLABLE				


Buttons for 'EDIT SCHEMA' and 'VIEW ROW ACCESS POLICIES' are visible at the bottom of the schema view.

A standard that applies to the following groups has been created: **Everyone**, **Human Resources**, **Marketing**, and **Sales**. This standard requires default masking for the PII data category.



The screenshot shows the configuration for a standard. It is set for the group 'Everyone' and applies to the groups 'Human Resources', 'Marketing', and 'Sales'. The standard is configured to protect 'Data Category' 'Data Classification' 'Personally Identifiable Information' with 'Default masking'.

However, a rule that applies to the **Human Resources** group has been created. This rule requires hashing for the USI columns in **table1**.



The screenshot shows the configuration for a rule. It is set for the group 'Human Resources' and applies to the asset 'table1'. The rule is configured to grant access to the data linked to these assets. The rule is configured to protect 'Data Category' 'Data Classification' 'Ultra Sensitive Information' with 'Hashing'.

Behavior

When the standard and rule are synchronized and active, policy tags are created in BigQuery's taxonomy. The standard policy tag is named `COLLIBRA_STANDARD_DEFAULT_<data protection standard name><data protection standard ID>`. The

rule policy tag is named `COLLIBRA_AGGREGATED_POLICIES_<rulesaccesshash>`.

Policy tags

Policy tags are tags with access control policies that can be applied to sub-resources, for example, BigQuery columns.

MANAGE DATA POLICIES

<input type="checkbox"/>	Name ↑	ID	Data masking rules	Description
<input type="checkbox"/>	COLLIBRA_PROJECT_prj-cit-ppen-t-main_123_standards_taxonomy	1471662875262953623		Generated by Collibra: 123
<input type="checkbox"/>	COLLIBRA_STANDARD_DEFAULT_standard1_345	5274886583008536009	Default masking value	Generated by Collibra: 345

Policy tags

Policy tags are tags with access control policies that can be applied to sub-resources, for example, BigQuery columns.

MANAGE DATA POLICIES

<input type="checkbox"/>	Name ↑	ID	Data masking rules	Description
<input type="checkbox"/>	COLLIBRA_PROJECT_prj-cit-ppen-t-main_123_rules_taxonomy	8911994670495617800		Generated by Collibra: 123
<input type="checkbox"/>	COLLIBRA_AGGREGATED_POLICIES_1NnMciqgoHBWX0ZuqXNwPuyQsFuS1Czh9A0100en40_	6741227416658319129		Generated by Collibra: 1NnMciqgoHBWX0ZuqXNwPuyQsFuS1Czh9A0100en40
<input type="checkbox"/>	COLLIBRA_AGGREGATED_POLICIES_NWIKvHckc8XukVhyid1K82i6iSCH8yz2djwGAJ51H7c0_	2157481827417821186		Generated by Collibra: NWIKvHckc8XukVhyid1K82i6iSCH8yz2djwGAJ51H7c0
<input type="checkbox"/>	COLLIBRA_AGGREGATED_POLICIES_rb811CIWUj0ADThHuU6hyZ4b0Wq65pxwhu06gNskM0_	7161576331575870768	Hash (SHA256) Default masking value	Generated by Collibra: rb811CIWUj0ADThHuU6hyZ4b0Wq65pxwhu06gNskM0

The following image shows how the policy tags are applied to the columns in **table1**.

Field name	Type	Mode	Collation	Default value	Policy tags
id	INTEGER	NULLABLE			collibra-rules-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_AGGREGATED_POLICIES_NWIKvHckc8XukVhyid1K82i6iSCH8yz2djwGAJ51H7c0_
source	STRING	NULLABLE			collibra-rules-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_AGGREGATED_POLICIES_1NnMciqgoHBWX0ZuqXNwPuyQsFuS1Czh9A0100en40_
status	STRING	NULLABLE			collibra-rules-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_AGGREGATED_POLICIES_rb811CIWUj0ADThHuU6hyZ4b0Wq65pxwhu06gNskM0_
score	INTEGER	NULLABLE			collibra-standards-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_STANDARD_DEFAULT_standard1_345
name	STRING	NULLABLE			collibra-standards-prj-cit-ppen-t-main-europe-west1 : COLLIBRA_STANDARD_DEFAULT_standard1_345

- The **id** and **source** columns do not belong to the PII data category (selected in the standard) or the USI data category (selected in the rule). Therefore, they are not protected by either the standard or the rule. However, they are still assigned a rule policy tag with the Fine-Grained Reader access to allow users to view the original data.
- The **name** and **score** columns belong to the PII data category (selected in the standard). They are assigned the same standard policy tag and are protected by default masking.
- The **status** column belongs to both the PII data category (selected in the standard) and the USI data category (selected in the rule). Because the rule takes priority over the standard, the **status** column is assigned only the rule policy tag and is protected by hashing.

Protect for Snowflake

To protect your Snowflake data, Collibra Protect uses Snowflake's [tag-based masking policies](#). The name of the data category or data classification selected in a [data protection standard](#) becomes a tag with the same name. The tag is then applied to all affected columns to enforce data protection.

Snowflake policies

Snowflake has the following types of policies:

- Column-based
- Row-based
- Tag-based

Each of these policy types can be created either in Protect or on Snowflake.

Data access rules created in Protect result in column-based policies on Snowflake. Column-based policies are applied directly to the columns on Snowflake.

[Row filters](#) in data access rules result in row-based policies on Snowflake. Row-based policies are applied to the tables on Snowflake.

Data protection standards created in Protect result in tag-based policies on Snowflake. The tags are subsequently applied to the columns on Snowflake.

Snowflake data types

Snowflake provides several functions to transform the data. This topic describes how Snowflake transforms the data for a given Protect masking type.

- **Default masking:** Snowflake does not support this masking type. Protect, however, uses the default masking type to apply protection to a wide range of data types. A default masking value is applied to each column according to the data type of the column.

Default masking values for data types

Column data type	Snowflake data type	Default masking value
NUMBER	NUMBER	0
DECIMAL	NUMBER	0
NUMERIC	NUMBER	0
INT	NUMBER	0
INTEGER	NUMBER	0
BIGINT	NUMBER	0
SMALLINT	NUMBER	0
TINYINT	NUMBER	0
BYTEINT	FLOAT	0
FLOAT	FLOAT	0
FLOAT4	FLOAT	0
FLOAT8	FLOAT	0
DOUBLE	FLOAT	0

Column data type	Snowflake data type	Default masking value
DOUBLE PRECISION	FLOAT	0
REAL	FLOAT	0
VARCHAR	VARCHAR	*
CHAR	VARCHAR	*
CHARACTER	VARCHAR	*
STRING	VARCHAR	*
TEXT	VARCHAR	*
BINARY	BINARY	00
VARBINARY	BINARY	00
BOOLEAN	BOOLEAN	false
DATE	DATE	1970-01-01
DATETIME	TIMESTAMP_NTZ	1970-01-01 00:00:00.000
TIME	TIME	00:00:00
TIMESTAMP	TIMESTAMP_NTZ	1970-01-01 00:00:00.000
TIMESTAMP_LTZ	TIMESTAMP_LTZ	1969-12-31 16:00:00.000-0800
		<p>Note This may change depending on the time zone.</p>

Column data type	Snowflake data type	Default masking value
TIMESTAMP_NTZ	TIMESTAMP_NTZ	1970-01-01 00:00:00.000
TIMESTAMP_TZ	TIMESTAMP_TZ	1969-12-31 16:00:00.000-0800 <div style="border: 1px solid #ccc; background-color: #f0f0f0; padding: 5px; margin-top: 10px;"> <p>Note This may change depending on the time zone.</p> </div>
VARIANT	VARIANT	0
OBJECT	OBJECT	{}
ARRAY	ARRAY	[]
GEOGRAPHY	GEOGRAPHY	{"coordinates": [0,0], "type": "Point"} (aka point(0, 0) and visualization can change based on user preferences)

- **Hashing:** Uses the following Snowflake functions:
 - *SHA2* (for strings)
 - *HASH* (for numbers)
- **Show last:** Uses the following expressions:
 - *substr(to_varchar(value), length(value) - n, n)* (for strings)
 - *mod(value, power(10,n))* (for numbers)

Tip In the expressions, *value* indicates the content and *n* indicates the number of characters to be shown.

- **No masking:** Returns the raw content.

Note

- You can apply the **Hashing** and **Show last** masking types to only the following Snowflake data types: FLOAT, NUMBER, and STRING.
- If a selected masking type cannot be applied to a certain data type—for example, when you attempt to apply the **Hashing** masking type to the DATE data type—the **Default masking** type is applied to the data type to guarantee protection.

Snowflake group mapping

The Protect group mapping for Snowflake must follow the syntax for [identifiers](#).

Suppose that you want to create a Protect group named **Sales** that maps to the Snowflake role **SALES**. Then, the Protect API to [add a new group](#) should have the following syntax.

```
{
  "name": "Sales",
  "mappings":
  [
    {
      "provider": "Snowflake",
      "identity": "SALES"
    }
  ]
}
```

Snowflake privileges

To perform [actions](#) in Snowflake, Protect uses an [Edge connection](#). This Edge connection must be configured with a role that has the following privileges in Snowflake.

Snowflake privilege	Description
[APPLY MASKING POLICY]	To apply masking policies . Required for the role performing the actions.

Snowflake privilege	Description
[APPLY ROW ACCESS POLICY]	To apply row access policies. Required for the role performing the actions.
[APPLY TAG]	To apply tags. Required for the role performing the actions.
[IMPORTED PRIVILEGES]	To import privileges. Required for the role performing the actions.
[MANAGE GRANTS]	To manage access privileges. Required for the role performing the actions.
[USAGE]	To manage usage access on databases and schemas involved in the protection. Required on each database and schema where policies are applied to the role performing the actions.
[CREATE MASKING POLICY]	To create masking policies. Required on each schema where policies are applied to the role performing the actions.
[CREATE ROW ACCESS POLICY]	To create row access policies. Required on each schema where policies are applied to the role performing the actions.
[CREATE TAG]	To create tags. Required on each schema where policies are applied to the role performing the actions.

Example Suppose that a role named **PROTECT** exists in Snowflake and this role is responsible for managing access privileges on all schemas within a database named **DEMO**. To enable the Snowflake **PROTECT** role to perform an action in Snowflake, the following statements can be used.

```
GRANT APPLY MASKING POLICY ON ACCOUNT TO ROLE PROTECT;  
GRANT APPLY ROW ACCESS POLICY ON ACCOUNT TO ROLE PROTECT;  
GRANT APPLY TAG ON ACCOUNT TO ROLE PROTECT;  
GRANT MANAGE GRANTS ON ACCOUNT TO ROLE PROTECT;  
GRANT IMPORTED PRIVILEGES ON DATABASE SNOWFLAKE TO ROLE  
PROTECT;  
GRANT USAGE ON DATABASE DEMO TO ROLE PROTECT;  
GRANT USAGE ON ALL SCHEMAS IN DATABASE DEMO TO ROLE  
PROTECT;  
GRANT CREATE MASKING POLICY ON ALL SCHEMAS IN DATABASE  
DEMO TO ROLE PROTECT;  
GRANT CREATE ROW ACCESS POLICY ON ALL SCHEMAS IN DATABASE  
DEMO TO ROLE PROTECT;  
GRANT CREATE TAG ON ALL SCHEMAS IN DATABASE DEMO TO ROLE  
PROTECT;
```

Snowflake examples

This topic contains examples of how Snowflake behaves with respect to certain data protection standards and data access rules.

Example

Suppose that:

- The **Personally Identifiable Information (PII)** and **Personal Information (PI)** data categories exist in Snowflake. These two data categories contain a column named **DOB**.
- A standard that applies to the **HR** group has been created. This standard requires hashing for the PII data category.
- A standard that applies to the **Marketing** group has been created. This standard requires default masking for the PI data category.

Behavior

When the standards are synchronized and active, a tag policy is created in Snowflake for each standard and linked to the **DOB** column. A single column masking policy that combines the two tag policies is then created and applied to the **DOB** column. This column masking policy includes the protection defined in each standard.

```
1 CASE
2   WHEN CURRENT_ROLE() = 'HR' THEN hash(va1)::NUMBER
3   WHEN CURRENT_ROLE() = 'MARKETING' THEN 0
4   ELSE va1
5 END
```

Example

Suppose that:

- The **Personally Identifiable Information (PII)** data category exists in Snowflake.
- The **Employee Data** data set exists in Snowflake. This data set contains PII.

#	Name	Is part of
1	EMPLOYEE_NAME	EMPLOYEES
2	EMP_ID	EMPLOYEES
7	DEPT_ID	EMPLOYEES
10	SALARY	EMPLOYEES

- A standard that applies to the following groups has been created: **Everyone**, **Human Resources**, **Marketing**, and **Sales**. This standard requires default masking for the PII data category.

for the group * Everyone + -

and the group Human Resources + -

and the group Marketing + -

and the group Sales + -

protect * Data Category Data Classification Personally Identifiable Information

with * Default masking

- A rule that applies to the **Human Resources** group has been created. This rule does not require any masking for the PII columns in the **Employee Data** asset.

group * Human Resources + -

asset * Employee Data + -

with * No masking for Data Category Data Classification Personally Identifiable Information

Behavior

Standard

When the standard is synchronized and active, 14 masking policies are created in Snowflake—one policy for each [Snowflake data type](#). These masking policies are associated with the **Personally Identifiable Information** tag and are created at the schema level. The tag is assigned to those columns that need to be protected. The masking policies are named `COLLIBRAMASKING_POLICY/<asset ID>/<Snowflake type>`.

Results Data Preview

Query ID SQL 84ms 18 rows

Filter result...

Row	created_on	name ↑	database_name	schema_name	kind	owner
1	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/ARRAY	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
2	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/BINARY	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
3	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/BOOLEAN	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
4	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/DATE	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
5	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/FLOAT	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
6	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/GEOGRAPHY	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
7	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/NUMBER	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
8	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/OBJECT	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
9	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/STRING	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
10	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/TIME	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
11	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/TIMESTAMP	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
12	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/TIMESTAMP_LTZ	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
13	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/TIMESTAMP_TZ	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN
14	2022-09-06 03:41:13...	COLLIBRA/MASKING_POLICY/28d226cc-0ab0-4d23-b912-985312fb36b1/VARIANT	PROTECT_QA	DEMO	MASKING_POLICY	ACCOUNTADMIN

At runtime, Snowflake fetches the right masking policy based on the **column data type**.

Results Data Preview

Query ID SQL 48ms 2 rows

Filter result...

Row	created_on	name	database_name	schema_name	owner	comment
1	2022-09-06 03:46:10.054...	Personally Identifiable Information	PROTECT_QA	DEMO	ACCOUNTADMIN	Generated by Collibra: 28d226cc-0ab0-4d23-b912-985312fb36b1

The following image shows a masking policy for the STRING data type. The data that is shown in the policy depends on the masking type selected in the standard. In the policy, `val` indicates the value as it is stored in the table.

```


Details
1 CASE
2     WHEN CURRENT_ROLE() = 'PUBLIC' THEN '*'
3     WHEN CURRENT_ROLE() = 'HR' THEN '*'
4     WHEN CURRENT_ROLE() = 'MARKETING' THEN '*'
5     WHEN CURRENT_ROLE() = 'SALES' THEN '*'
6     ELSE val
7 END
    
```

Rule

A rule results in a combination of **grant instructions**, **dynamic masking**, and **row access policies**.

The rule grants access of the **Employee Data** data set to the **Human Resources** group, as indicated by the selected **Grant access...** checkbox in the rule. Then, the corresponding Snowflake role for the group can access each database, schema, and table in the data set. In addition, the column masking policy is applied to those columns that need to be protected.

Consider the **EMPLOYEE_NAME** column in the **Employee Data** data set. This column belongs to the **EMPLOYEES** table within the **DEMO** schema in the **PROTECT_QA** database.



In Snowflake, each column that is categorized as PII within the **Employee Data** dataset inherits the masking policy that is applied to the column in Protect. The masking policies created at the schema level are named **COLLIBRA/MASKING_POLICY/<asset ID>**.

Row	EMPLOYEE_NAME	EMPLOYEE_ROLE	EMPLOYEE_ID	EMPLOYEE_SALARY
16	2022-09-16 13:46:15.9... COLLIBRAMASKING_POLICY179634348-af5fa-4f6a-c0d8-6a3c6476d761	PROTECT_QA	DEMO	MASKING_POLICY
17	2022-09-16 13:46:15.9... COLLIBRAMASKING_POLICY1687675-130f-68f-6d1-c6d8-7f562d7f	PROTECT_QA	DEMO	MASKING_POLICY
18	2022-09-16 13:46:15.9... COLLIBRAMASKING_POLICY18368554-697f-423a-9d72-36a48989898a	PROTECT_QA	DEMO	MASKING_POLICY
19	2022-09-16 13:46:15.9... COLLIBRAMASKING_POLICY14932756-4957-4884-63a4-2983892f0ca	PROTECT_QA	DEMO	MASKING_POLICY
20	2022-09-16 13:46:15.9... COLLIBRAMASKING_POLICY12062232c-19d7-4d23-9f72-98532f038119f8888f	PROTECT_QA	DEMO	MASKING_POLICY

The following image shows the masking policy created for the **EMPLOYEE_NAME** column.

```

1 CASE
2   WHEN CURRENT_ROLE() = 'HR' THEN va1
3   WHEN CURRENT_ROLE() = 'PUBLIC' THEN '*'
4   WHEN CURRENT_ROLE() = 'MARKETING' THEN '*'
5   WHEN CURRENT_ROLE() = 'SALES' THEN '*'
6   ELSE va1
7 END

```

Summary

According to the standard, the **Everyone**, **Human Resources**, **Marketing**, and **Sales** groups have masked access to the data. However, according to the rule, the **Human Resources** group has unmasked access to the data. As a result, the **EMPLOYEE_NAME** column has both a policy tag and a column masking policy applied to it via the standard and the rule, respectively.

In Snowflake, if both a policy tag and a column masking policy exist for the same column, the column masking policy takes priority and the policy tag is not assigned to the column. To ensure that the protection defined in the standard is not ignored, the column masking policy also considers the conditions defined in the standard (policy tag).

Thus, when a standard is created for the **Human Resources**, **Marketing**, and **Sales** groups to mask a column, and when a rule is created for the **Human Resources** group to not mask the same column, the result is as follows:

- The column is not masked for the **Human Resources** group.
- The column is masked for the **Marketing** and **Sales** groups.

Protect audit (beta)

An audit log in Collibra Protect contains information about the queries that were run to access the data and the data that was accessed.

This topic describes how to generate an audit log for Protect and [what](#) is shown in an audit log.

Generate an audit log

You can generate an audit log of access records from the data source on the **Audit** page.

Note The time that it takes for the actions performed in a data source to appear in an audit log in Collibra Protect varies from several minutes to hours, depending on the data source.

Requirements and permissions

You have a global role that has the **Protect > Edit** or **Protect > Administration** [global permission](#).

Steps

1. [Open](#) Protect.
2. Click the **Audit** tab.
3. Depending on your data source, click **BigQuery**, **Lake Formation**, or **Snowflake**.
4. If you clicked **Lake Formation**, in the **AWS Region** field, select the hosting region for your Amazon Web Services.


5. Click one of the following buttons: **Today**, **Yesterday**, **A week ago**, **30 days ago**.

Tip The start date corresponding to the button that you clicked is shown in the **Start Date** field. Alternatively, you can enter or select a date in the **Start Date** field, and then click **Generate Log**.

» The audit log is generated.

Important

- The generation of an audit log may take up to a minute. After clicking **Generate Log**, do not navigate away from the **Audit** page because doing so cancels the audit log generation.
- The audit log contains the first 1,000 records from the selected start date. If you want to view the remaining records, contact your data source administrator.



The screenshot shows the 'Audit' page with a 'Generate Log' button and a table of audit log data. The table has five columns: Query ID, Query Start Time, Source User Name, Direct Objects Accessed, and Base Objects Accessed. The data rows show queries starting on Sep 29, 2022, at 2:00 AM, performed by user MELIK, accessing various database objects.

Query ID	Query Start Time	Source User Name	Direct Objects Accessed	Base Objects Accessed
01a74800-0501-ec9a-0001-0003066b19e	Sep 29, 2022, 2:00 AM	MELIK	TEST_DB.PUBLIC.MAIN_EXAMPLE	TEST_DB.PUBLIC.MAIN_EXAMPLE
01a74800-0501-ec9a-0001-0003066b1a2	Sep 29, 2022, 2:00 AM	MELIK	TEST_DB.PUBLIC.MAIN_EXAMPLE	TEST_DB.PUBLIC.MAIN_EXAMPLE
01a74800-0501-ea65-0001-0003066f9dd2	Sep 29, 2022, 2:00 AM	MELIK	TEST_DB.PUBLIC.DEPENDS_ON_EXAMPLE	TEST_DB.PUBLIC.MAIN_EXAMPLE
01a74800-0501-ec9a-0001-0003066b1a6	Sep 29, 2022, 2:00 AM	MELIK	TEST_DB.PUBLIC.NODES_DEPENDS_ON_EXAMPLE	TEST_DB.PUBLIC.MAIN_EXAMPLE

Audit log data

The following table describes the columns that are shown in an audit log.

Column	Description
Query ID	The ID of the query in the source database.
Query Start Time	The date and time of the query in the source database.
Source User Name	The name of the user in the source database who ran the query to access the data.


Column	Description
Direct Object Accessed	The database object (a table or a view) that was used to access the data.
Base Object Accessed	The database object that was accessed.

Asset data protection

The asset pages for the following asset types contain the **Data Protection** tab to allow you to view, filter, create, and manage data protection standards and data access rules:

- [Business Process](#)
- [Data Category](#)
- [Data Set](#)
- Custom asset types such as [Column](#), [Database](#), [Schema](#), and [Table](#), derived from the aforementioned asset types via [prescriptive paths](#)

Note Data protection standards support only Data Category assets and data classifications.



View or filter standards and rules

Requirements and permissions

You have the **Protect Reader** global role.

Steps

On the asset page (for the one of the [aforementioned](#) asset types), click the **Data Protection** tab.

» Data protection standards and data access rules that are linked to the asset are shown.

Tip

- To filter the standards and rules by name, in the **Search a policy by name** field, enter the name of the standard or rule that you want to view.
- To filter the standards and rules by group, in the **Filter by data protection group** field, select the group for which you want to view the standard or rule.

Create or manage standards and rules

Requirements and permissions

You have the **Protect Author** and **Protect Admin** global roles.

Steps

1. On the asset page (for the one of the [aforementioned](#) asset types), click the **Data Protection** tab.
2. Click the following link: **Go to Collibra Protect to create and manage data protection policies.**

Tip For information about how to create and manage data protection standards and data access rules, go to [Data Protection Standards tab](#) and [Data Access Rules tab](#).

Why rules or standards may fail

Certain data protection standards or data access rules may fail due to logical errors. This section describes some of the common scenarios that cause them to fail.



Different types of masking affecting the same column

This topic contains examples to describe how data protection standards and data access rules behave when different types of masking affect the same column.

Note In the topic, the term *agent* refers to a data category or a data classification.

Masking within a rule

Scenario

A rule that is set for a group masks multiple agents using different types of masking, and the agents share the same column. This scenario is applicable regardless of whether the rule applies to a single asset or multiple assets.

Example

Consider a rule that is set for the **Marketing** group. The rule masks the **Personal Information** data category by hashing and masks the **Personal and family details** data category by showing only the last two digits. Suppose that both these data categories share the same column. Then, the rule will fail because the same column cannot be masked using two different masking types for a given group.

Rule Name*
Masking within a rule

Description

Set rule for

group* Marketing + -

asset* Customer Data + -

and the asset Audit & Internal Controls + -

Grant access to all data tables linked to these asset columns.
By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with ⓘ Hashing + -
for Data Category Data Classification Personal Information

with ⓘ Show last + -
for Data Category Data Classification Personal and family details

and rows where has

Summary
 Grant access to Marketing
 for Customer Data and Audit & Internal Controls
 with Hashing for Personal Information and
 with Show last 2 characters for Personal and family details

Masking between rules

This scenario is similar to the previous scenario except that this scenario considers two rules, instead of one, that are set for the same group. The masking types for the agents in the two rules are different, and both the agents share the same column. Then, a conflict occurs because the same column cannot be masked using two different masking types for a given group.

When two rules conflict with each other, if the synchronization status of only one of them is **Active**, then the other rule fails. If, however, the synchronization status of both the rules is **Active** or **Pending**, then both of them fail.

This scenario is applicable regardless of whether the agents are the same or different, and regardless of whether the rule applies to a single asset or multiple assets.

Rule Name*
Masking between rules - 1

Description

Set rule for

group* Marketing + -

asset* Customer Data + -

Grant access to all data tables linked to these asset columns.
By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with ⓘ Hashing for Data Category Data Classification Personal Information + -

and Select an action rows where Select a data classification has Select a code set Select a code value

Summary
Grant access to Marketing for Customer Data with Hashing for Personal Information

Rule Name*
Masking between rules - 2

Description

Set rule for

group* Marketing + -

asset* Audit & Internal Controls + -

Grant access to all data tables linked to these asset columns.
By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with ⓘ Show last 2 for Data Category Data Classification Personal and family details + -

and Select an action rows where Select a data classification has Select a code set Select a code value

Summary
Grant access to Marketing for Audit & Internal Controls with Show last 2 characters for Personal and family details

Conflicting filters affecting the same column

This topic contains examples to describe how data protection standards and data access rules behave when conflicting filters affect the same column.

Filtering within a rule for the same data classification

Scenario

A rule that is set for a group contains conflicting filters for the same data classification. This scenario is applicable regardless of whether the rule applies to a single asset or multiple assets.

Example

Consider a rule that is set for the **Marketing** group and the **Customer Data** asset. The rule contains two filters for the **Country** data classification.

Rule Name *
Filtering within a rule for the same data classification

Description

Set rule for

group * Marketing

asset * Customer Data

Grant access to all data tables linked to these asset columns.
By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with Select a masking option for Data Category Data Classification Select a data category

and Show rows where Country has Country code BE

and Hide rows where Country has Country code PL

Summary
Grant access to Marketing
for Customer Data
and Show rows where Country has Country code: BE
and Hide rows where Country has Country code: PL

If any of the tables in the asset contain a column that is classified as **Country**:

- The first filter shows the rows that contain **BE** in that column.
- The second filter hides the rows that contain **PL** in that column.

Then, this rule will fail because two conflicting filters affect the same column.

When applying a filter for a specific data classification, you must select only one type of action. That is, you can choose to either show rows based on one or more values or hide rows based on one or more values. You must not use the show and hide filter actions together for the same data classification.

Filtering within a rule for different data classifications

Scenario

A rule that is set for a group contains conflicting filters for different data classifications that share the same column. This scenario is applicable regardless of whether the rule applies to a single asset or multiple assets.

Example

Consider a rule that is set for the **Marketing** group and the **Customer Data** asset. The rule contains two filters: one for the **Country** data classification, and another for the **State** data classification.

Rule Name*
Filtering within a rule for different data classifications

Description

Set rule for

group* Marketing + -

asset* Customer Data + -

Grant access to all data tables linked to these asset columns.
By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with ⓘ Select a masking option Select a data category

and Show + -
rows where Country Country code has Country code BE

and Hide + -
rows where State Country code has Country code PL

Summary
 Grant access to Marketing
 for Customer Data
 and Show rows where Country has Country code: BE
 and Hide rows where State has Country code: PL

If any of the tables in the asset contain columns that are classified as **Country**, the first filter shows only the rows that contain **BE** in those columns.

If any of the tables in the asset contain columns that are classified as **State**, the second filter hides only the rows that contain **PL** in those columns.

Suppose that a column is classified as both **Country** and **State**. That is, data classifications **Country** and **State** share the same column. Then, this rule will fail because two conflicting filters affect the same column.

Filtering between rules for same or different data classifications

This scenario is similar to the [previous scenarios](#) except that this scenario considers two rules, instead of one, that are set for the same group. The filter in one rule is different from the filter in the other rule, and both the filters affect the same column. Then, a conflict occurs because two conflicting filters affect the same column.

When two rules conflict with each other, if the synchronization status of only one of them is **Active**, then the other rule fails. If, however, the synchronization status of both the rules is **Active** or **Pending**, then both of them fail.

Rule Name*
Filtering between rules for same or different data classifications - 1

Description

Set rule for

group* Marketing + -

asset* Customer Data + -

Grant access to all data tables linked to these asset columns.
By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with ⓘ Select a masking option Select a data category

for **Data Category** **Data Classification**

and Show + -

rows where Country has Country code BE

Summary

Grant access to Marketing
for Customer Data
and Show rows where Country has Country code: BE

Rule Name *
Filtering between rules for same or different data classifications - 2

Description

Set rule for

group * Marketing + -

asset * Personal Information + -

Grant access to all data tables linked to these asset columns.
By checking this box, access will be given to tables in the database that are linked to the selected assets. If this box is unchecked, no access will be given to the selected tables. Note: Once the rule granting access is saved and synchronized, access to these tables cannot be revoked through Collibra Protect. It can only be revoked by direct action on the data source.

with ⓘ Select a masking option for Data Category Data Classification Select a data category

and Hide rows where Country has Country code PL + -

Summary
Grant access to Marketing
for Personal Information
and Hide rows where Country has Country code: PL